

 **PROGRESS**
LIGHTING®



Product Supplement

WINTER
2025



WINTER 2025

Brighten your life with warmth and light.

Create a sanctuary of warmth and light that brightens even the darkest days. Our latest collections capture the essence of the winter season, bringing sophisticated designs in inspired finishes and forms that pair seamlessly with advanced technology. From an inviting glow indoors to comforting illumination outdoors, discover the perfect harmony of elegance and innovation to keep your space bright through every moment of the year.





Content Overview

Winter 2025 Releases

04
LOOKBOOK

2024 Product Guide

We've included the best of our 2024 Winter and Summer product supplements into a combined, quick-reference format.

14
DESIGN SERIES

30
CHANDELIERS

30
PENDANTS

32
CEILING FANS

35
CLOSE-TO-CEILING

38
SCONCES

38
BATH

45
OUTDOOR

For more detailed information about each product, search the product number at progresslighting.com.

46
FUNCTIONAL
& ACCESSORIES

48
ICON & PRODUCT
INDEXES



Winter 2025 Releases

Stanza

The Stanza Pendant merges timeless design with architectural finesse, showcasing a beautifully fluted glass shade with a softly rounded top that evokes vintage charm. Its distinctive arched metal loop, elegantly attached to a streamlined stem, introduces a modern structural detail that adds visual interest and sophistication.

FINISHES

31M Matte Black

191 Brushed Gold



Alisse

The Alisse Pendant Light offers a modern take on classic elegance. Its capsule-shaped, glossy white opal shade diffuses a soft glow, suspended by a sleek stem and framed by two decorative parallel rods. This design harmoniously balances simplicity with contemporary sophistication.

Alisse combines classic elegance with finely crafted modern details.

FINISHES

31M Matte Black

191 Brushed Gold




P500476-31M Matte Black
7.5" dia., 24.625" ht.
1 medium base, 60w max.



P500476-191 Brushed Gold
7.5" dia., 24.625" ht.
1 medium base, 60w max.





ACCESSORY CHAIN

P8756-191 Brushed Gold

- 4 feet of 9 gauge square chain permits installation of large chain-hung fixtures on high ceilings.
- Maximum fixture weight - 50 lbs.

Graelyn

The Graelyn Pendant Light combines Victorian charm with modern design. Its white opal cone shade casts a soft glow, complemented by a flared canopy and sleek chain, perfect for traditional interiors.

FINISH

191

Brushed Gold

P500478-191 Brushed Gold
14" dia., 11.5" ht.
1 medium base, 100w max.



Tryon

The Tryon collection features a tapered geometric frame with a sleek, squared arch connecting it to the backplate. Clear glass panels showcase a single decorative bulb (sold separately). Made from durable, weather-resistant DURASHIELD material.

FINISH

031 Black



P560374-031 Black
9.5" W., 24" ht.
1 medium base, 60w max.



P560373-031 Black
7" W., 18" ht.
1 medium base, 60w max.



P560372-031 Black
7" W., 12.62" ht.
1 medium base, 60w max.



Tryon's sleek, tapered frame and clear glass panels brings a touch of refined simplicity to facades.

Radcliffe

The Radcliffe collection offers a touch of old-world charm with its traditional mansard roof design and clear glass panels. A small plaque within the frame proudly displays the Progress Lighting logo, adding a signature touch to this sophisticated fixture.

FINISH

031 Black



P560377-031 Black
7" W., 24" ht.
2 candelabra base, 60w max.



P560376-031 Black
7" W., 16" ht.
2 candelabra base, 60w max.





3" Cylinders

LED Wall Light offers a clean design and refined finishes. Wet-listed and ideal for indoor/outdoor use.

FINISH

031 Black





2024 Design SeriesTM



Our Design Series fixtures feature on-trend designs, artistic influences and fashion-forward elements.

The statement making lighting found throughout the Design Series collections are the art piece that creates an overall elevated experience in the home. Explore the entire collection in detail using our Design Series catalog, a companion piece to this product supplement.

Chandeliers



ALLEGHENY
P400391-205 | Soft Gold
22" dia., 25.37" ht.
5 candelabra base, 60w max.



ALLEGHENY
P400391-31M | Matte Black
22" dia., 25.37" ht.
5 candelabra base, 60w max.




ALLEGHENY
P400392-205 | Soft Gold
32" dia., 35.5" ht.
6 candelabra base, 60w max.



ALLEGHENY
P400392-31M | Matte Black
32" dia., 35.5" ht.
6 candelabra base, 60w max.



ALLEGHENY
P400409-205 | Soft Gold
42.87" dia., 48" ht.
12 candelabra base, 60w max.



ALLEGHENY
P400409-31M | Matte Black
42.87" dia., 48" ht.
12 candelabra base, 60w max.



BOUNDARY
P400370-009 | Brushed Nickel
30" D, 14.25" ht.
4 medium base, 60w max.



BOUNDARY
P400370-31M | Matte Black
30" D, 14.25" ht.
4 medium base, 60w max.



CHEVALL
P400367-176 | Gilded Silver
24.87" dia., 15.87" ht.
6 candelabra base, 60w max.



CHEVALL
P400367-204 | Gold Ombre
24.87" dia., 15.87" ht.
6 candelabra base, 60w max.




CHEVALL
P400368-176 | Gilded Silver
32" dia., 23.5" ht.
9 candelabra base, 60w max.




CHEVALL
P400368-204 | Gold Ombre
32" dia., 23.5" ht.
9 candelabra base, 60w max.



HAAS
P400378-009 | Brushed Nickel
50" dia., 5.87" ht.
6 candelabra base, 60w max.



HAAS
P400378-109 | Brushed Bronze
50" dia., 5.87" ht.
6 candelabra base, 60w max.



HAAS
P400378-31M | Matte Black
50" dia., 5.87" ht.
6 candelabra base, 60w max.



LAUREL
P400359-176 | Gilded Silver
28" dia., 25.5" ht.
6 candelabra base, 60w max.



LAUREL
P400359-204 | Gold Ombre
 28" dia., 25.5" ht.
 6 candelabra base, 60w max.



LAUREL
P400360-176 | Gilded Silver
 38" dia., 30" ht.
 8 candelabra base, 60w max.



LAUREL
P400360-204 | Gold Ombre
 38" dia., 30" ht.
 8 candelabra base, 60w max.



LAUREL
P400361-176 | Gilded Silver
 50.5" L, 16" W, 9.5" ht.
 7 candelabra base, 60w max.



LAUREL
P400361-204 | Gold Ombre
 50.5" L, 16" W, 9.5" ht.
 7 candelabra base, 60w max.



LORETTA
P400364-204 | Gold Ombre
 27" dia., 20.5" ht.
 6 candelabra base, 60w max.



LORETTA
P400365-204 | Gold Ombre
 36" dia., 28.25" ht.
 9 candelabra base, 60w max.



LUSAIL
P400357-205 | Soft Gold
 26" dia., 20.75" ht.
 5 candelabra base, 60w max.



LUSAIL
P400358-205 | Soft Gold
 32" dia., 26" ht.
 6 candelabra base, 60w max.




LUSAIL
P400369-205 | Soft Gold
 54" L, 6" W, 6.5" ht.
 8 candelabra base, 60w max.



LUSAIL
P400377-205 | Soft Gold
 48" dia., 42" ht.
 13 candelabra base, 60w max.



PINELLAS
P400372-197 | White Plaster
 30" dia., 11.25" ht.
 6 candelabra base, 60w max.



PINELLAS
P400372-205 | Soft Gold
 30" dia., 11.25" ht.
 6 candelabra base, 60w max.



PINELLAS
P400373-197 | White Plaster
 40" dia., 14.37" ht.
 8 candelabra base, 60w max.



PINELLAS
P400373-205 | Soft Gold
 40" dia., 14.37" ht.
 8 candelabra base, 60w max.



PINELLAS
P400374-197 | White Plaster
 50" L, 15.5" W, 11" ht.
 6 candelabra base, 60w max.

Chandeliers



PINELLAS
P400374-205 | Soft Gold
 50" L, 15.5" W, 11" ht.
 6 candelabra base, 60w max.



RIVERA
P400354-31M | Matte Black
 20.5" dia., 22.5" ht.
 4 medium base, 60w max.



RIVERA
P400355-31M | Matte Black
 30" dia., 24" ht.
 6 candelabra base, 60w max.



RIVERA
P400356-31M | Matte Black
 51.25" L, 14.25" D, 8" ht.
 5 medium base, 60w max.



RIVERA
P400363-31M | Matte Black
 30" dia., 16.75" ht.
 5 candelabra base, 60w max.



SEVILLE
P400389-205 | Soft Gold
 27.87" dia., 17.75" ht.
 6 candelabra base, 60w max.



SEVILLE
P400389-31M | Matte Black
 27.87" dia., 17.75" ht.
 6 candelabra base, 60w max.



SEVILLE
P400390-205 | Soft Gold
 37.87" dia., 30" ht.
 9 candelabra base, 60w max.



SEVILLE
P400390-31M | Matte Black
 37.87" dia., 30" ht.
 9 candelabra base, 60w max.



TOSCA
P400395-109 | Brushed Bronze
 41" dia., 16.12" ht.
 6 candelabra base, 60w max.



TOSCA
P400395-31M | Matte Black
 41" dia., 16.12" ht.
 6 candelabra base, 60w max.



TOSCA
P400396-109 | Brushed Bronze
 50" L., 8.75" ht.
 10 candelabra base, 60w max.



TOSCA
P400396-31M | Matte Black
 50" L., 8.75" ht.
 10 candelabra base, 60w max.





Seville beautifully diffuses light though translucent, ridged glass elements around a soft gold frame.

Pendants

DESIGN+SERIES™



BOUNDARY
P500444-009 | Brushed Nickel
6" W, 24.37" ht.
1 medium base, 60w max.



BOUNDARY
P500444-31M | Matte Black
6" W, 24.37" ht.
1 medium base, 60w max.



CHEVALL
P500443-176 | Gilded Silver
17" dia., 15.12" ht.
3 candelabra base, 60w max.



CHEVALL
P500443-204 | Gold Ombre
17" dia., 15.12" ht.
3 candelabra base, 60w max.



LORETTA
P500442-204 | Gold Ombre
18" dia., 13.5" ht.
3 candelabra base, 60w max.



LUSAIL
P500437-205 | Soft Gold
19" dia., 16.25" D, 13.37" ht.
4 candelabra base, 60w max.



PINELLAS
P500445-197 | White Plaster
12" dia., 23.87" ht.
3 candelabra base, 60w max.



PINELLAS
P500445-205 | Soft Gold
12" dia., 23.87" ht.
3 candelabra base, 60w max.



RIVIERA
P500434-31M | Matte Black
4.75" sq., 10.5" ht.
1 medium base, 60w max.



SEVILLE
P500456-205 | Soft Gold
17.87" dia., 12.75" ht.
4 candelabra base, 60w max.



SEVILLE
P500456-31M | Matte Black
17.87" dia., 12.75" ht.
4 candelabra base, 60w max.



SEVILLE
P500457-205 | Soft Gold
17.87" dia., 30" ht.
4 candelabra base, 60w max.



SEVILLE
P500457-31M | Matte Black
17.87" dia., 30" ht.
4 candelabra base, 60w max.

Close-to-Ceiling



ALLEGHENY
P350280-205 | Soft Gold
24" dia., 12.12" ht.
4 candelabra base, 60w max.



ALLEGHENY
P350280-31M | Matte Black
24" dia., 12.12" ht.
4 candelabra base, 60w max.



BOUNDARY
P350269-009 | Brushed Nickel
24" dia., 9.25" ht.
4 medium base, 60w max.



BOUNDARY
P350269-31M | Matte Black
24" dia., 9.25" ht.
4 medium base, 60w max.



CHEVALL
P350268-176 | Gilded Silver
12.62" dia., 7.87" ht.
2 candelabra base, 60w max.



CHEVALL
P350268-204 | Gold Ombre
12.62" dia., 7.87" ht.
2 candelabra base, 60w max.



LAUREL
P350263-176 | Gilded Silver
28" dia., 14.5" ht.
6 candelabra base, 60w max.



LAUREL
P350263-204 | Gold Ombre
28" dia., 14.5" ht.
6 candelabra base, 60w max.



LORETTA
P500442-204 | Gold Ombre
18" dia., 13.5" ht.
3 candelabra base, 60w max.



LUSAIL
P500437-205 | Soft Gold
18" dia., 13.5" ht.
3 candelabra base, 60w max.



PINELLAS
P350270-197 | White Plaster
25" dia., 14" ht.
(Height is adjustable with included stems - 10.75" ht. - 28" ht.)
4 medium base, 40w max.



PINELLAS
P350270-205 | Soft Gold
25" dia., 14" ht.
(Height is adjustable with included stems - 10.75" ht. - 28" ht.)
4 medium base, 40w max.



RIVERA
P350271-31M | Matte Black
13" sq., 7.25" ht.
4 candelabra base, 60w max.



TOSCA
P350284-109 | Brushed Bronze
18" dia., 9.62" ht.
3 Medium base, 60w max.



TOSCA
P350284-31M | Matte Black
18" dia., 9.62" ht.
3 Medium base, 60w max.





Boundary has an airy modern organic design, crafted from natural wood rectangles and casts beautiful ambient light.

Sconces & Wall Brackets

DESIGN+SERIES™



BOUNDARY
P710126-009 | **Brushed Nickel**
5.5" W, 24" ht., 5.25" D.
2 medium base, 60w max.



BOUNDARY
P710126-31M | **Matte Black**
5.5" W, 24" ht., 5.25" D.
2 medium base, 60w max.



CHEVALL
P710125-176 | **Gilded Silver**
7" W, 15" ht., 4.5" D.
2 candelabra base, 60w max.



CHEVALL
P710125-204 | **Gold Ombre**
7" W, 15" ht., 4.5" D.
2 candelabra base, 60w max.

ADA




CUMBERLAND
P710076-196 | **Aged Bronze**
5.12" W, 14.62" ht., 4" D.
1 candelabra base, 60w max.



HAAS
P710130-009 | **Brushed Nickel**
5.87" W, 24" ht., 7.12" D.
2 candelabra base, 60w max.



HAAS
P710130-109 | **Brushed Bronze**
5.87" W, 24" ht., 7.12" D.
2 candelabra base, 60w max.



HAAS
P710130-31M | **Matte Black**
5.87" W, 24" ht., 7.12" D.
2 candelabra base, 60w max.



LAUREL
P710123-176 | **Gilded Silver**
9" W, 24.5" ht., 4.37" D.
4 candelabra base, 40w max.



LAUREL
P710123-204 | **Gold Ombre**
9" W, 24.5" ht., 4.37" D.
4 candelabra base, 40w max.



LORETTA
P710124-204 | **Gold Ombre**
12.75" W, 24" ht., 4.87" D.
4 candelabra base, 40w max.



LORETTA
P710128-204 | **Gold Ombre**
6.62" W, 9.25" ht., 4.87" D.
1 candelabra base, 60w max.



LUSAIL
P710122-205 | **Soft Gold**
5.87" W, 23.5" ht., 5" D.
2 candelabra base, 60w max.



PINELLAS
P710127-197 | **White Plaster**
5.12" W, 22.5" ht., 5.75" D.
1 candelabra base, 60w max.



PINELLAS
P710127-205 | **Soft Gold**
5.12" W, 22.5" ht., 5.75" D.
1 candelabra base, 60w max.



RIVERA
P710121-31M | **Matte Black**
4.5" W, 18" ht., 4.75" D.
1 candelabra base, 60w max.

Sconces & Wall Brackets

ADA



SEVILLE
P710136-205 | Soft Gold
6" W., 18" ht., 3" D.
2 candelabra base, 60w max.

ADA



SEVILLE
P710136-31M | Matte Black
6" W., 18" ht., 3" D.
2 candelabra base, 60w max.



TOSCA
P710138-109 | Brushed Bronze
4.5" W., 10" ht., 6" D.
1 candelabra base, 60w max.



TOSCA
P710138-31M | Matte Black
4.5" W., 10" ht., 6" D.
1 candelabra base, 60w max.

Bath



PINELLAS
P300496-197 | White Plaster
15" W., 9.75" ht.
2 candelabra base, 60w max.



PINELLAS
P300496-205 | Soft Gold
15" W., 9.75" ht.
2 candelabra base, 60w max.



PINELLAS
P300497-197 | White Plaster
24" W., 9.75" ht.
3 candelabra base, 60w max.




PINELLAS
P300497-205 | Soft Gold
24" W., 9.75" ht.
3 candelabra base, 60w max.

Elevate your home.

Explore the entire collection in detail using our Design Series catalog, a companion piece to this product supplement.



[VIEW DIGITAL CATALOG HERE](#)







2024 Product Guide



Chandeliers




CORNETT
P400380-009 | Brushed Nickel
 44.12" dia., 23" ht.
 6 medium base, 15w max.



CORNETT
P400380-191 | Brushed Gold
 44.12" dia., 23" ht.
 6 medium base, 15w max.



CORNETT
P400380-31M | Matte Black
 44.12" dia., 23" ht.
 6 medium base, 15w max.



GILLIAM
P400399-31M | Matte Black
 61.12" dia., 48.12" ht.
 20 candelabra base, 60w max.



TANNER
P400400-009 | Brushed Nickel
 16.62" dia., 16.5" ht.
 (21.5" ht. when facing down)
 3 medium base, 60w max.



TANNER
P400400-31M | Matte Black
 16.62" dia., 16.5" ht.
 (21.5" ht. when facing down)
 3 medium base, 60w max.



TANNER
P400401-009 | Brushed Nickel
 20.5" dia., 16.5" ht.
 (21.5" ht. when facing down)
 5 medium base, 60w max.



TANNER
P400401-31M | Matte Black
 20.5" dia., 16.5" ht.
 (21.5" ht. when facing down)
 5 medium base, 60w max.

Pendants



ATWELL
P500461-009 | Brushed Nickel
 8" dia., 8.5" ht.
 1 medium base, 60w max.



ATWELL
P500461-109 | Brushed Bronze
 8" dia., 8.5" ht.
 1 medium base, 60w max.



ATWELL
P500461-31M | Matte Black
 8" dia., 8.5" ht.
 1 medium base, 60w max.



ATWELL
P500462-009 | Brushed Nickel
 10" dia., 10.5" ht.
 1 medium base, 60w max.



ATWELL
P500462-109 | Brushed Bronze
 10" dia., 10.5" ht.
 1 medium base, 60w max.



ATWELL
P500462-31M | Matte Black
 10" dia., 10.5" ht.
 1 medium base, 60w max.



ATWELL
P500463-009 | Brushed Nickel
 12" dia., 12.5" ht.
 1 medium base, 60w max.



ATWELL
P500463-109 | Brushed Bronze
 12" dia., 12.5" ht.
 1 medium base, 60w max.

Pendants



ATWELL
P500463-31M | Matte Black
12" dia., 12.5" ht.
1 medium base, 60w max.



BECKNER
P500471-009 | Brushed Nickel
8" dia., 11.25" ht.
1 medium base, 60w max.



BECKNER
P500471-31M | Matte Black
8" dia., 11.25" ht.
1 medium base, 60w max.



CARILLON
P500438-009 | Brushed Nickel
9.87" dia., 14.25" ht.
1 medium base, 100w max.



CARILLON
P500438-191 | Brushed Gold
9.87" dia., 14.25" ht.
1 medium base, 100w max.



CARILLON
P500438-31M | Matte Black
9.87" dia., 14.25" ht.
1 medium base, 100w max.



CARILLON
P500439-009 | Brushed Nickel
15" dia., 20.75" ht.
1 medium base, 100w max.



CARILLON
P500439-191 | Brushed Gold
15" dia., 20.75" ht.
1 medium base, 100w max.



CARILLON
P500439-31M | Matte Black
15" dia., 20.75" ht.
1 medium base, 100w max.



HILLCREST
P500440-009 | Brushed Nickel
13" sq., 22" ht.
4 candelabra base, 60w max.



HILLCREST
P500440-163 | Vintage Brass
13" sq., 22" ht.
4 candelabra base, 60w max.



HILLCREST
P500440-31M | Matte Black
13" sq., 22" ht.
4 candelabra base, 60w max.



HILLCREST
P500441-009 | Brushed Nickel
17" sq., 29.75" ht.
4 candelabra base, 60w max.



HILLCREST
P500441-163 | Vintage Brass
17" sq., 29.75" ht.
4 candelabra base, 60w max.



HILLCREST
P500441-31M | Matte Black
17" sq., 29.75" ht.
4 candelabra base, 60w max.



LATHAM
P500435-009 | Brushed Nickel
9" dia., 13" ht.
1 medium base, 100w max.

Pendants



LATHAM
P500435-078 | Vintage Gold
9" dia., 13" ht.
1 medium base, 100w max.



LATHAM
P500435-31M | Matte Black
9" dia., 13" ht.
1 medium base, 100w max.



LATHAM
P500436-009 | Brushed Nickel
14" dia., 19.75" ht.
1 medium base, 100w max.



LATHAM
P500436-078 | Vintage Gold
14" dia., 19.75" ht.
1 medium base, 100w max.



LATHAM
P500436-31M | Matte Black
14" dia., 19.75" ht.
1 medium base, 100w max.



MYSTIC
P500446-009 | Brushed Nickel
14" dia., 10.87" ht.
1 medium base, 100w max.



MYSTIC
P500446-109 | Brushed Bronze
14" dia., 10.87" ht.
1 medium base, 100w max.



MYSTIC
P500446-31M | Matte Black
14" dia., 10.87" ht.
1 medium base, 100w max.

Ceiling Fans



33" BEAL
P250119-163
Vintage Brass
2668 CFM at high speed



33" BEAL
P250119-31M
Matte Black
2668 CFM at high speed



60" BELEN
P250111-009-30
Brushed Nickel
20w LED, 3000K,
1865 lumens, dimmable
6465 CFM at high speed



60" BELEN
P250117-009-30
Brushed Nickel
20w LED, 3000K,
1865 lumens, dimmable
6465 CFM at high speed



60" BELEN
P250117-31M-30
Matte Black
20w LED, 3000K,
1865 lumens, dimmable
6465 CFM at high speed



55" BISBEE
P250110-009-30
Brushed Nickel/Matte Black
20w LED, 3000K,
1865 lumens, dimmable
5465 CFM at high speed



55" BISBEE
P250110-028-30
Satin White/Vintage Brass
20w LED, 3000K,
1865 lumens, dimmable
5465 CFM at high speed



55" BISBEE
P250110-31M-30
Matte Black/Vintage Brass
20w LED, 3000K,
1865 lumens, dimmable
5465 CFM at high speed



Like a modern origami lantern, Latham glows through a frame of handmade white art glass.

Ceiling Fans



52" BRANT
P250121-009-30
Brushed Nickel
 20w LED, 3000K,
 1952 lumens, dimmable
 5671 CFM at high speed



52" BRANT
P250121-028-30
Satin White
 20w LED, 3000K,
 1952 lumens, dimmable
 5671 CFM at high speed



52" BRANT
P250121-31M-30
Matte Black
 20w LED, 3000K,
 1952 lumens, dimmable
 5671 CFM at high speed



21" BURNETT
P250116-009-30
Brushed Nickel
 32w LED, 3000K,
 1900 lumens, dimmable
 488 CFM at high speed



21" BURNETT
P250116-31M-30
Matte Black/Vintage Brass
 32w LED, 3000K,
 1900 lumens, dimmable
 488 CFM at high speed




52" CONTE
P250105-009-30
Brushed Nickel
 20w LED, 3000K,
 1865 lumens, dimmable
 5037 CFM at high speed



52" CONTE
P250105-028-30
Satin White
 20w LED, 3000K,
 1865 lumens, dimmable
 5037 CFM at high speed



52" CONTE
P250105-31M-30
Matte Black
 20w LED, 3000K,
 1865 lumens, dimmable
 5037 CFM at high speed



21" FANIN
P250114-015-30
Polished Chrome
 31w LED, 3000K,
 1700 lumens, dimmable
 529 CFM at high speed



21" FANIN
P250114-31M-30
Matte Black
 31w LED, 3000K,
 1700 lumens, dimmable
 529 CFM at high speed



60" INSIGNA
P250107-009-30
Brushed Nickel
 20w LED, 3000K,
 1865 lumens, dimmable
 6766 CFM at high speed



60" INSIGNA
P250107-163-30
Vintage Brass
 20w LED, 3000K,
 1865 lumens, dimmable
 6766 CFM at high speed



60" INSIGNA
P250112-163-30
Vintage Brass
 20w LED, 3000K,
 1865 lumens, dimmable
 6766 CFM at high speed



72" INSIGNA
P250108-009-30
Brushed Nickel
 20w LED, 3000K,
 1865 lumens, dimmable
 8807 CFM at high speed



72" INSIGNA
P250108-163-30
Vintage Brass
 20w LED, 3000K,
 1865 lumens, dimmable
 8807 CFM at high speed



72" INSIGNA
P250113-163-30
Vintage Brass
 20w LED, 3000K,
 1865 lumens, dimmable
 8807 CFM at high speed

Ceiling Fans



60" PASO
P250109-31M | Matte Black
5289 CFM at high speed



60" PASO
P250109-163 | Vintage Brass
5289 CFM at high speed



60" PASO
P250109-031 | Black
5289 CFM at high speed



24" SEWELL
P250120-31M-WB
Matte Black/Brushed Brass
4-5.5w E26 LED, 2200K,
500 lumens, dimmable
1112 CFM at high speed



20" SHEAR
P250115-109-30
Brushed Bronze
31w LED, 3000K,
1700 lumens, dimmable
578 CFM at high speed



20" SHEAR
P250115-31M-30
Matte Black
31w LED, 3000K,
1700 lumens, dimmable
578 CFM at high speed

Close-to-Ceiling



ABIDE LED
P350274-009-CS
Brushed Nickel
10.24" dia., 2.82" ht.
16w integrated LED,
2700K/3000K/3500K/
4000K/5000K,
90 CRI, 1062 delivered lumens.



ABIDE LED
P350274-31M-CS
Matte Black
10.24" dia., 2.82" ht.
16w integrated LED,
2700K/3000K/3500K/
4000K/5000K,
90 CRI, 1062 delivered lumens.



ABIDE LED
P350275-009-CS
Brushed Nickel
14" dia., 2.83" ht.
19.8w integrated LED,
2700K/3000K/3500K/
4000K/5000K,
90 CRI, 1162 delivered lumens.



ABIDE LED
P350275-174-CS
Urban Bronze
14" dia., 2.83" ht.
19.8w integrated LED,
2700K/3000K/3500K/
4000K/5000K,
90 CRI, 1162 delivered lumens.



ABIDE LED
P350275-31M-CS
Matte Black
14" dia., 2.83" ht.
19.8w integrated LED,
2700K/3000K/3500K/
4000K/5000K,
90 CRI, 1162 delivered lumens.



ABIDE LED
P350276-009-CS
Brushed Nickel
17.7" dia., 3.2" ht.
22w integrated LED,
2700K/3000K/3500K/
4000K/5000K,
90 CRI, 1895 delivered lumens.



ABIDE LED
P350277-009-CS
Brushed Nickel
32.28" W., 4.53" ht. , 18.1" D.
31.5w integrated LED,
2700K/3000K/3500K/
4000K/5000K,
90 CRI, 2713 delivered lumens.



Close-to-Ceiling



CLOUD LED
P350278-030-CS | White
 11.12" dia., 3.57" ht.
 15.5w integrated LED,
 2700K/3000K/3500K/
 4000K/5000K,
 90 CRI, 1264 delivered lumens.



CLOUD LED
P350279-030-CS | White
 13.78" dia., 3.75" ht.
 18.2w integrated LED,
 2700K/3000K/3500K/
 4000K/5000K,
 90 CRI, 1454 delivered lumens.



CORNETT
P350272-009 | Brushed Nickel
 24" dia., 7.5" ht.
 3 medium base, 15w max.



CORNETT
P350272-191 | Brushed Gold
 24" dia., 7.5" ht.
 3 medium base, 15w max.



CORNETT
P350272-31M | Matte Black
 24" dia., 7.5" ht.
 3 medium base, 15w max.



GILLIAM
P350281-009 | Brushed Nickel
 16.12" dia., 4.37" ht.
 3 medium base, 15w max.



GILLIAM
P350281-163 | Vintage Brass
 16.12" dia., 4.37" ht.
 3 medium base, 15w max.



GILLIAM
P350281-31M | Matte Black
 16.12" dia., 4.37" ht.
 3 medium base, 15w max.



HILLCREST
P350264-009 | Brushed Nickel
 13" sq., 11" ht.
 4 candelabra base, 60w max.



HILLCREST
P350264-163 | Vintage Brass
 13" sq., 11" ht.
 4 candelabra base, 60w max.



HILLCREST
P350264-31M | Matte Black
 13" sq., 11" ht.
 4 candelabra base, 60w max.



LATHAM
P350261-009 | Brushed Nickel
 18" dia., 11" ht.
 3 candelabra base, 60w max.



LATHAM
P350261-078 | Vintage Gold
 18" dia., 11" ht.
 3 candelabra base, 60w max.



LATHAM
P350261-31M | Matte Black
 18" dia., 11" ht.
 3 candelabra base, 60w max.

Sconces & Wall Brackets



CORNETT
P710131-191 | Brushed Gold
4.5" W., 19" ht.
1 medium base, 15w max.



CORNETT
P710131-31M | Matte Black
4.5" W., 19" ht.
1 medium base, 15w max.



CORNETT
P710131-009 | Brushed Nickel
4.5" W., 19" ht.
1 medium base, 15w max.

Bath



CASELL
P300480-009 | Brushed Nickel
4.75" W., 9.12" ht.
1 medium base, 60w max.



CASELL
P300480-163 | Vintage Brass
4.75" W., 9.12" ht.
1 medium base, 60w max.



CASELL
P300481-009 | Brushed Nickel
14.5" W., 9.12" ht.
2 medium base, 60w max.



CASELL
P300481-163 | Vintage Brass
14.5" W., 9.12" ht.
2 medium base, 60w max.



CASELL
P300482-009 | Brushed Nickel
24.12" W., 9.12" ht.
3 medium base, 60w max.



CASELL
P300482-163 | Vintage Brass
24.12" W., 9.12" ht.
3 medium base, 60w max.



CASELL
P300483-009 | Brushed Nickel
33.87" W., 9.12" ht.
4 medium base, 60w max.



CASELL
P300483-163 | Vintage Brass
33.87" W., 9.12" ht.
4 medium base, 60w max.



CURVITY LED
P300451-009-CS
Brushed Nickel
24" W., 4.53" ht., 3.94" D.
29w integrated LED,
3000K/4000K/5000K, 90CRI,
2037 delivered lumens, dimmable.



CURVITY LED
P300451-31M-CS
Matte Black
24" W., 4.53" ht., 3.94" D.
29w integrated LED,
3000K/4000K/5000K, 90CRI,
2037 delivered lumens, dimmable.



ESTRADA
P300476-015 | Polished Chrome
4.5" W., 7.75" ht.
1 medium base, 100w max.



ESTRADA
P300476-191 | Brushed Gold
4.5" W., 7.75" ht.
1 medium base, 100w max.

Bath



ESTRADA
P300476-31M | Matte Black
 4.5" W., 7.75" ht.
 1 medium base, 100w max.



ESTRADA
P300477-015 | Polished Chrome
 13.37" W., 8.37" ht.
 2 medium base, 100w max.



ESTRADA
P300477-191 | Brushed Gold
 13.37" W., 8.37" ht.
 2 medium base, 100w max.



ESTRADA
P300477-31M | Matte Black
 13.37" W., 8.37" ht.
 2 medium base, 100w max.



ESTRADA
P300478-015 | Polished Chrome
 22.37" W., 8.37" ht.
 3 medium base, 100w max.



ESTRADA
P300478-191 | Brushed Gold
 22.37" W., 8.37" ht.
 3 medium base, 100w max.



ESTRADA
P300478-31M | Matte Black
 22.37" W., 8.37" ht.
 3 medium base, 100w max.



ESTRADA
P300479-015 | Polished Chrome
 31.25" W., 8.37" ht.
 4 medium base, 100w max.



ESTRADA
P300479-191 | Brushed Gold
 31.25" W., 8.37" ht.
 4 medium base, 100w max.



ESTRADA
P300479-31M | Matte Black
 31.25" W., 8.37" ht.
 4 medium base, 100w max.



LEXIE
P300484-015 | Polished Chrome
 5.12" W., 11" ht.
 1 medium base, 100w max.



LEXIE
P300484-191 | Brushed Gold
 5.12" W., 11" ht.
 1 medium base, 100w max.



LEXIE
P300484-31M | Matte Black
 5.12" W., 11" ht.
 1 medium base, 100w max.



LEXIE
P300485-015 | Polished Chrome
 14" W., 11" ht.
 2 medium base, 100w max.



LEXIE
P300485-191 | Brushed Gold
 14" W., 11" ht.
 2 medium base, 100w max.



LEXIE
P300485-31M | Matte Black
 14" W., 11" ht.
 2 medium base, 100w max.

Bath



LEXIE
P300486-015 | Polished Chrome
22" W., 11" ht.
3 medium base, 100w max.



LEXIE
P300486-191 | Brushed Gold
22" W., 11" ht.
3 medium base, 100w max.



LEXIE
P300486-31M | Matte Black
22" W., 11" ht.
3 medium base, 100w max.



LEXIE
P300487-015 | Polished Chrome
30" W., 11" ht.
4 medium base, 100w max.



LEXIE
P300487-191 | Brushed Gold
30" W., 11" ht.
4 medium base, 100w max.



LEXIE
P300487-31M | Matte Black
30" W., 11" ht.
4 medium base, 100w max.



MARTENNE
P300472-196 | Aged Bronze
4.62" W., 8.5" ht.
1 medium base, 60w max.



MARTENNE
P300472-31M | Matte Black
4.62" W., 8.5" ht.
1 medium base, 60w max.



MARTENNE
P300473-196 | Aged Bronze
14" W., 8.5" ht.
2 medium base, 60w max.



MARTENNE
P300473-31M | Matte Black
14" W., 8.5" ht.
2 medium base, 60w max.



MARTENNE
P300474-196 | Aged Bronze
24" W., 8.5" ht.
3 medium base, 60w max.



MARTENNE
P300474-31M | Matte Black
24" W., 8.5" ht.
3 medium base, 60w max.



MARTENNE
P300475-196 | Aged Bronze
31.87" W., 8.5" ht.
4 medium base, 60w max.



MARTENNE
P300475-31M | Matte Black
31.87" W., 8.5" ht.
4 medium base, 60w max.



PHASE 5 LED
P300448-009-CS
Brushed Nickel
16" W., 4.84" ht., 3.78" D.
11w integrated LED,
3000K/4000K/5000K, 90CRI,
707 delivered lumens, dimmable.



PHASE 5 LED
P300448-31M-CS
Matte Black
16" W., 4.84" ht., 3.78" D.
11w integrated LED,
3000K/4000K/5000K, 90CRI,
707 delivered lumens, dimmable.



Lexie's slender minimalist frame is distinguished by a cinched metallic collar around opal glass shades.

Bath



PHASE 5 LED
P300449-009-CS
Brushed Nickel
 24" W., 4.84" ht., 3.78" D.
 18w integrated LED,
 3000K/4000K/5000K, 90CRI,
 1223 delivered lumens, dimmable.



PHASE 5 LED
P300449-31M-C
Matte Black
 24" W., 4.84" ht., 3.78" D.
 18w integrated LED,
 3000K/4000K/5000K, 90CRI,
 1223 delivered lumens, dimmable.



PHASE 5 LED
P300450-009-CS
Brushed Nickel
 32" W., 4.84" ht., 3.78" D.
 22w integrated LED,
 3000K/4000K/5000K, 90CRI,
 1512 delivered lumens, dimmable.



PHASE 5 LED
P300450-31M-CS
Matte Black
 32" W., 4.84" ht., 3.78" D.
 22w integrated LED,
 3000K/4000K/5000K, 90CRI,
 1512 delivered lumens, dimmable.



QUILLAN
P300488-197 | White Plaster
 5" W., 8.5" ht.
 1 medium base, 60w max.



QUILLAN
P300488-204 | Gold Ombre
 5" W., 8.5" ht.
 1 medium base, 60w max.



QUILLAN
P300489-197 | White Plaster
 14.5" W., 8.5" ht.
 2 medium base, 60w max.



QUILLAN
P300489-204 | Gold Ombre
 14.5" W., 8.5" ht.
 2 medium base, 60w max.



QUILLAN
P300490-197 | White Plaster
 23.87" W., 8.5" ht.
 3 medium base, 60w max.



QUILLAN
P300490-204 | Gold Ombre
 23.87" W., 8.5" ht.
 3 medium base, 60w max.



QUILLAN
P300491-197 | White Plaster
 33.62" W., 8.5" ht.
 4 medium base, 60w max.



QUILLAN
P300491-204 | Gold Ombre
 33.62" W., 8.5" ht.
 4 medium base, 60w max.



SPENSER
P300503-009 | Brushed Nickel
 4.5" W., 10.62" ht.
 1 medium base, 100w max.



SPENSER
P300503-191 | Brushed Gold
 4.5" W., 10.62" ht.
 1 medium base, 100w max.



SPENSER
P300504-009 | Brushed Nickel
 15.62" W., 7.62" ht.
 2 medium base, 100w max.



SPENSER
P300504-191 | Brushed Gold
 15.62" W., 7.62" ht.
 2 medium base, 100w max.

Bath



SPENSER
P300505-009 | Brushed Nickel
23.37" W., 7.62" ht.
3 medium base, 100w max.



SPENSER
P300505-191 | Brushed Gold
23.37" W., 7.62" ht.
3 medium base, 100w max.



SPENSER
P300506-009 | Brushed Nickel
32.87" W., 7.62" ht.
4 medium base, 100w max.



SPENSER
P300506-191 | Brushed Gold
32.87" W., 7.62" ht.
4 medium base, 100w max.



TANNER
P300499-009 | Brushed Nickel
5.12" W., 7.12" ht.
1 medium base, 60w max.



TANNER
P300499-31M | Matte Black
5.12" W., 7.12" ht.
1 medium base, 60w max.



TANNER
P300500-009 | Brushed Nickel
13" W., 7.12" ht.
2 medium base, 60w max.



TANNER
P300500-31M | Matte Black
13" W., 7.12" ht.
2 medium base, 60w max.



TANNER
P300501-009 | Brushed Nickel
22" W., 7.12" ht.
3 medium base, 60w max.



TANNER
P300501-31M | Matte Black
22" W., 7.12" ht.
3 medium base, 60w max.



TANNER
P300502-009 | Brushed Nickel
31.12" W., 7.12" ht.
4 medium base, 60w max.



TANNER
P300502-31M | Matte Black
31.12" W., 7.12" ht.
4 medium base, 60w max.



The geometric design of
Bristol is composed of
angular clear glass elements

Outdoor



ANTRIM
P560361-031 | Black
5.25" W., 12.5" ht.
1 medium base, 18w max.



ANTRIM
P560361-205 | Soft Gold
5.25" W., 12.5" ht.
1 medium base, 18w max.



ANTRIM
P560362-031 | Black
5.25" W., 18" ht.
1 medium base, 18w max.



ANTRIM
P560362-205 | Soft Gold
5.25" W., 18" ht.
1 medium base, 18w max.



BAYSIDE Non-Metallic
P560363-031 | Black
8" W., 10" ht.
1 medium base, 40w max.



BELDEN
P560271-031 | Black
5" W., 10.37" ht.
1 medium base, 100w max.



BELDEN
P560272-031 | Black
7" W., 14.37" ht.
1 medium base, 100w max.



BRISTOL
P560359-31M | Matte Black
7.5" W., 13.75" ht.
1 medium base, 60w max.



BRISTOL
P560360-31M | Matte Black
7.5" W., 24" ht.
2 medium base, 60w max.



ELLERY
P560169-031 | Black
7" W., 12.125" ht.
1 medium base, 100w max.



ELLERY
P560170-031 | Black
8.5" W., 15.25" ht.
1 medium base, 100w max.

T24 ADA



Z-2030 LED
P560364-031-30 | Black
7" W, 18" ht., 3.69" D.
11w integrated LED, 3000K,
90 CRI, 143 delivered lumens.

T24 ADA



Z-2030 LED
P560365-031-30 | Black
7" W, 28.74" ht., 3.69" D.
22w integrated LED, 3000K,
90 CRI, 276 delivered lumens.

T24 ADA



Z-2040 LED
P560366-31M-CS | Matte Black
2" W., 12" ht., 1.7" D.
(4.5" W. with canopy)3w
integrated LED,
3000K/3500K/4000K,
90 CRI, 181 delivered lumens.

T24 ADA



Z-2040 LED
P560367-31M-CS | Matte Black
2" W., 24" ht., 1.7" D.
(4.5" W. with canopy)6w
integrated LED,
3000K/3500K/4000K,
90 CRI, 363 delivered lumens.

T24 ADA



Z-2040 LED
P560369-31M-CS | Matte Black
2" W., 48" ht., 1.7" D.
(4.5" W. with canopy)
12w integrated LED,
3000K/3500K/4000K,
90 CRI, 745 delivered lumens.

Outdoor



Z-2040 LED
P560371-31M-CS | Matte Black
 2" W., 72" ht., 1.7" D.
 (4.5" W. with canopy)
 18w integrated LED,
 3000K/35000K/4000K,
 90 CRI, 1193 delivered lumens.

Functional




FAIRWAY LED
P810042-028-30 | Satin White
 7" dia., 1.10" ht.
 11w Integrated LED, 3000K,
 90 CRI, 857 delivered lumens.



STANDBY LED
P810041-028-30 | Satin White
 7.72" dia., 1.38" ht.
 14w Integrated LED, 3000K,
 90 CRI, 975 delivered lumens.

Accessories



9-GAUGE CHAIN
P8758-176 | Gilded Silver
P8758-204 | Gold Ombre
P8758-205 | Soft Gold
 • 4 feet of 9 gauge chain permits
 installation of chain-hung fixtures
 on high ceilings.
 • Maximum fixture weight – 50 lbs.



9-GAUGE SQUARE PROFILE CHAIN
P8755-176 | Gilded Silver
P8755-204 | Gold Ombre
 • 4 feet of 9 gauge square chain
 permits installation of chain-
 hung fixtures on high ceilings.
 • Maximum fixture weight – 50 lbs.



STEM KITS
P8602-197 | White Plaster
P8602-204 | Gold Ombre
P8602-205 | Soft Gold
 Contains (2) 6" and (1) 12" stems
 and couplings



90°
DETECTION
ANGLE

8'-10'
INSTALLATION
HEIGHT

8'-10'
DETECTION
RADIUS

Standby LED Motion Sensor

When darkness falls
and motion is detected,
Standby LED seamlessly
illuminates the area.



↑
**MOTION
SENSOR**

1 ENTER



Enter a dim room
and Standby LED
will turn on.

2 LIGHT ON



Light stays on while
motion is detected
in the room.

3 AUTO-OFF



Light turns off
after 30 seconds
of inactivity.

Icon Guide

-  Damp Location products and fixtures can be used in covered spaces outdoors or indoors.
-  If the product will have direct contact with water, you'll need to ensure that the product has a "wet" listing. Wet location products may also be used indoors.
- JA8** This marking indicates fixtures that have an integrated LED or replaceable LED module that has been tested and listed in the California Appliance Database. Check for certified lamps, fixtures or LED light engines by searching the MAEDBS database. Go to cacertappliances.energy.ca.gov
-  DC motor ceiling fans feature high torque for increased air movement, whisper quiet operation, and greater energy efficiency than AC motors.
-  The OSCILLAR™ Series of ceiling fans are powered by an ultra-quiet oscillating DC motor with three blades to offer a full 360-degree rotation, ensuring optimal air circulation throughout the room.
-  Products with this icon can be installed horizontally or vertically.
-  Products with DURASHIELD, use a high-performance outdoor material that's built to last. Made of composite materials with UV protection for maximum durability in harsh environments – resisting rust, corrosion and fading.
- T24** Table 150.0A defines products that do not have to meet JA8 and can be used to comply with 2016 Title 24.
- T20** Products comply with the California Appliance Efficiency Regulations. Certified products are listed on the appliance efficiency database found at www.appliances.energy.ca.gov.
-  Products with this icon are Dark-Sky Friendly: in accordance with international dark sky initiatives, these fixtures help to minimize glare while reducing light trespass and skyglow (they don't pollute the night sky.)
-  Products with this icon have a feature that allows for selectable CCT (correlated color temperature)
- ADA** Complies with American with Disabilities Act
-  Products with this icon are WiFi compatible and may be controlled with WiFi when one of the following controls is added;
- AC Motor fans can add the P2667-31 WiFi remote control
 - DC Motor fans that are WiFi compatible can add the P2673-01 WiFi module.
- With the addition of one of the above controls, you may easily control your ceiling fan or light with your smart phone, tablet, voice controls, or hand held remote. Use the Smart by Bond technology to control on/off function of the fan and the light kit along with full range dimming and fan speed control.

Warranty

For more details regarding product warranty coverage, please consult a qualified Progress Lighting distributor or visit:

progresslighting.com/warranty

Where to buy

To purchase Progress Lighting products from one of our authorized dealers visit:

progresslighting.com/where-to-buy

Every effort has been made to ensure the accuracy of information in this catalog. Progress Lighting reserves the right to make product changes from time to time, without prior notification, which may change the information provided in this catalog. Errors brought to our attention will be corrected in subsequent issues.

UL, CSA, or ETL Listed or Classified unless otherwise noted. Bulbs not included with fixtures unless specified. Specifications subject to change without notice.

Metal finishes not specified as "solid" have quality plated or painted finishes.

Finish representations are high resolution digital reproductions, and, while every effort has been made to render colors accurately, they may vary slightly from the actual product, especially hand-painted finishes, due to the nature of hand craftsmanship.

©Progress Lighting 2025
All rights reserved.
International copyright secured.

Product Index

P200000

P250105	34
P250107	34
P250108	34
P250109	35
P250110	32
P250111	32
P250112	34
P250113	34
P250114	34
P250115	35
P250116	34
P250117	32
P250119	32
P250120	35
P250121	34

P300000

P300448	40
P300449	42
P300450	42
P300451	38
P300472	40
P300473	40
P300474	40
P300475	40
P300476	38,39
P300477	39
P300478	39
P300479	39
P300480	38
P300481	38
P300482	38
P300483	38
P300484	39
P300485	39
P300486	40
P300487	40
P300488	42
P300489	42
P300490	42
P300491	42
P300496	26
P300497	26
P300499	43
P300500	43
P300501	43
P300502	43
P300503	42
P300504	42
P300505	43
P300506	43
P350261	37
P350263	22
P350264	37
P350268	22
P350269	22
P350270	22

P350271	22
P350272	37
P350274	35
P350275	35
P350276	35
P350277	35
P350278	37
P350279	37
P350280	22
P350281	37
P350284	22

P400000

P400354	18
P400355	18
P400356	18
P400357	17
P400358	17
P400359	16,17
P400360	17
P400361	17
P400363	18
P400364	17
P400365	17
P400367	16
P400368	16
P400369	17
P400370	16
P400372	17
P400373	17
P400374	17,18
P400377	17
P400378	16
P400380	30
P400389	18
P400390	18
P400391	16
P400392	16
P400395	18
P400396	18
P400399	30
P400400	30
P400401	30
P400409	16

P500000

P500434	21
P500435	31,32
P500436	32
P500437	21
P500438	31
P500439	31
P500440	31
P500441	31
P500442	21,22
P500443	21
P500444	21
P500445	21

P500446	32
P500456	21
P500457	21
P500461	30
P500462	30
P500463	30,31
P500471	31
P500476	6
P500478	9
P500482	5
P560169	45
P560170	45
P560271	45
P560272	45
P560359	45
P560360	45
P560361	45
P560362	45
P560363	45
P560364	45
P560365	45
P560366	45
P560367	45
P560369	45
P560371	46
P560372	10
P560373	10
P560374	10
P560376	12
P560377	12
P563000	13
P563001	13

P700000

P710076	25
P710121	25
P710122	25
P710123	25
P710124	25
P710125	25
P710126	25
P710127	25
P710128	25
P710130	25
P710131	38
P710136	26
P710138	26

P8000

P8602	46
P8755	46
P8756	8
P8758	46

P800000

P810041	46
P810042	46

