

# WEBER KNAPP


## LIFT GATE HARDWARE

Fueled by  
Vectis Technology

Built for Strength, Designed for Smooth Motion



## INTRODUCING THE NEWEST ADDITIONS TO THE LIFT GATE FAMILY OF PRODUCTS



**Drop Gate Hinge  
Mechanism**



**Lift Gate Hinge**





**Lift Gate Stop**

In a fast-paced bar or restaurant, every second counts. A heavy flip-up counter that's hard to lift or doesn't stay secure slows down service and creates safety risks.

You need a strong, reliable, and effortless solution that keeps up with your busiest shifts. **Weber Knapp's Lift Gate** products provide smooth, controlled motion and long-lasting durability — so your staff can work faster and safer.

# DROP GATE HINGE MECHANISM




For bar pass-thru sections and countertop extensions, the WK Drop Gate Mechanism provides a smooth, controlled motion with gas-spring assistance, making lowering and lifting effortless.

- **HEAVY-DUTY CONSTRUCTION:** Black powder-coated steel with stainless steel pins for durability.
- **GAS SPRING ASSISTANCE:** Enables easy and intuitive raising and controlled lowering of the drop gate lid.
- **PROTECTIVE FEATURES:** Integrated rubber bumpers absorb impact; adhesive bumpers help protect the countertop from misaligned contact.
- **SECURE MOUNTING & LOAD CONSIDERATIONS:** Requires 5/16" fasteners and a rigid substrate to support lid weight effectively.
- **BUILT FOR VARIOUS LID SIZES:** Supports lids between 24" x 16" (minimum) and 34" x 30" (maximum).
- **DESIGNED FOR PASS-THRU ACCESS:** not for excessive sustained load-bearing.




# LIFT GATE HINGE



A reinforced, heavy-duty hinge designed for high-traffic bars and commercial applications, providing smooth, reliable motion.

- **HIGH-QUALITY 303/304 STAINLESS STEEL:** Ensures strength and corrosion resistance.
- **22" WIDE REINFORCED HINGE:** Built to withstand heavy lift gate tops.
- **VERSATILE MOUNTING OPTIONS:** Accommodates #10 and 1/4" fasteners for secure installation.
- **TWO STANDARD MODELS FOR MAXIMUM FLEXIBILITY:**
  1. **RECESSED MOUNT** – For a 1.25" thick top/gate with a 1.032" recessed mounting surface under the fixed countertop, allowing for maximum opening.
  2. **FLUSH MOUNT** – For a 1.25" thick top/gate with the lift gate mounting surface flush with the fixed countertop.
- **FULL 180° OPENING CAPABILITY:** Provides unrestricted access and enhanced usability.

# LIFT GATE STOP



A must-have accessory for your Lift Gate system, this stainless steel stop enhances stability and functionality for smooth countertop transitions.

- **Premium Stainless Steel Construction:** Corrosion-resistant for long-lasting performance.
- **Secure Mounting:** Designed for #10 fasteners; recommended for secure mounting into 1-inch solid wood with fully threaded screws.
- **Flush-Mounted Design:** Ensures a precise fit against the underside of the countertop, aligning perfectly with the pass-thru lid in the down position.

## Built to Last. Engineered for Performance.

Enhance your countertops and pass-thru sections with **Weber Knapp's Lift Gate hardware** — crafted to deliver superior motion control, durability, and ease of use.

**Contact us today** to learn more about how our Lift Gate products can transform your space!

QR Code  
to Contact Us:



**Weber Knapp Co.**  
441 Chandler Street  
Jamestown, NY 14701  
Sales@weberknapp.com  
800.828.9254