



**CLEARCO**  
Fasteners



## **Insulated Concrete Form Accessories**

**Burmon Products • Wire Hooks • Screws  
Cable Ties • Spray Foam • Rebar Tiers**



## Why Clearco?

- ✓ Top Quality Products
- ✓ Prompt Response Time
- ✓ High Performing Customer Service Team
- ✓ Same Day Shipping On Most Products

## Table of Contents

ICF Screws .....	2
Forming Spacer Bars .....	3
Wire Hooks .....	4
Cable Ties and Concrete Screws .....	5
Concrete Fasteners .....	6
Rebar Gun and Wire .....	7
Spray Foam .....	8
Burmon Ledger Connector.....	9
Burmon Joist Hanger.....	10
Burmon Concrete Imbed Roof Anchor.....	11
Burmon Sill Plate Roof Anchor.....	12
Burmon ICF Buck Bracing .....	13
Burmon Floorlock.....	14
Snowventco Roof Vents.....	15
Painted Screws.....	17
Lag Screws and Plastic Washers.....	18

### Contact Info:

[www.clearcofasteners.com](http://www.clearcofasteners.com)

(952) 582-4895 Sales@Clearcofasteners.com Hours (8AM- 4:30PM) Mon-Fri



# ICF Forming Screws

**ICF Screws Are Designed for General Forming And  
Work As Alignment Screws for Vertical Bracing**

## 2" Screws

**Part # CLSP-102-ICF**

500 per box  
1/4" Hex Head

## 3" Screws

**Part # CLSP-103-ICF**

400 per box  
1/4" Hex Head

## Features:



- ✓ Floating Washer for easy removal once bracing is no longer needed.
- ✓ Hardened galvanized steel.
- ✓ Coarse thread that holds tightly into the plastic web of an ICF block.



# Spacer Bars



**Spacer Bars Ensure A Proper Footing Width When Using Plastic Form-A-Drain® Footings.**



**16" Footing Spacer Bar for 6 & 8" (25/box), 2000/pallet  
(Part # CLF-16FSB-2)**

**20" Footing Spacer Bar for 6 & 8" (25/box), 2000/pallet  
(Part # CLF-20FSB-2)**

**20" Footing Spacer Bar for 10" (25/box), 2000/pallet  
(Part # CLF-20FSB-112)**

**24" Footing Spacer Bar for 6 & 8" (25/box), 2000/pallet  
(Part # CLF-24FSB-2)**

**24" Footing Spacer Bar for 10" (25/box), 2000/pallet  
(Part # CLF-24FSB-112)**

**Rebar hooks for footing spacer bars, fits  
1/2, 5/8, and 3/4, 250/box**



# Wire Hooks

**Wire Hooks Are Designed To Secure Each ICF Block Together To Create A Strong Straight Wall**

## **Vertical/Horizontal Part # CLWH-VHFX1**

- ✓ High Tensile Strength
- ✓ Connects blocks vertically or horizontally
- ✓ 250 per box
- ✓ Fits Fox Style ICF Block



## **VH Combination Part # CLWH-VHCFX2**

- ✓ One Hook to connect both vertical & horizontal joints at the same time
- ✓ 150 per box
- ✓ Fits Fox Style ICF Block



## **Vertical Joint Hook Part # CLWH-VJC-N2**

- ✓ Connects Joints Vertically
- ✓ 200 per box
- ✓ Fits Nudura Style ICF Block



# Cable Ties

Cable Ties are used to secure each ICF block together horizontally and vertically. Our cable ties have proven quality and strength.

## Design Features

- ✓ 175lb Tensile strength
- ✓ Many sizes available
- ✓ UV Black or Natural
- ✓ Made in the USA



# Concrete Tapper Screws

Concrete Tapper Screws are used to attach wood or metal to concrete blocks or masonry.

**SIZE:** 3/16" & 1/4"

**LENGTH:** 1-1/4" - 4"

**PACKAGING:**  
500pcs or Bulk




**SIZE:** 3/16" & 1/4"

**HEAD SIZE:** 1/4" and 5/16"

**LENGTH:** 1-1/4" - 4"

**PACKAGING:** 500pcs or Bulk



## Design Features:

- ✓ Notched threads for drilling into concrete, brick and cement block.
- ✓ Hi-Low thread pattern creates higher pullout tolerances.
- ✓ Diamond point design cuts and clears debris during installation for better thread engagement.
- ✓ Blue ceramic coating exceeds 500/hrs. salt spray resistance.
- ✓ ACQ compatible



# Concrete Fasteners

## L-Bolts

### Part # CLBA-FB

- ✓ Galvanized finishing
- ✓ Comes with round washer and hex nut.
- ✓ 1/2" x 8 and 1/2" x 12 in stock



## Wedge Anchors

### Part # CLWA

- ✓ Zinc Coated
- ✓ 1/4", 3/8", 1/2", 5/8" stocked in various lengths
- ✓ 25-100 per box depending on size and length of anchor.

## Concrete Screw

### Part # CLCS

Used to attached wood or metal to concrete and are easily removable after use.

- ✓ Zinc Coated
- ✓ Various sizes are available



# Rebar Fastening



## Surspider Rebar Tie Gun

### Part # CLT-SRTK-ZKZ

- ✓ 99.2% Success rate, approved by SGS all knots are standard
- ✓ Passed 1 Million tie life test on all major components of the gun
- ✓ Three sizes- #2x#2 to #3x#4 - #3x#3 to #5x#5 - #3x#4 to #6x#6 rebar.
- ✓ Compact size makes it easier to fit into those compact spaces.
- ✓ Interchangeable jaw pieces.
- ✓ Very competitive prices
- ✓ Two 2AH batteries and dual charger included with purchase



## Surspider Tie Wire

### Part # CLT-SWC-W-100M

- ✓ .08 mm Diameter
- ✓ About 330 ft per roll
- ✓ Fits all three tools
- ✓ Available in bulk qty

## Double Wire Tie

### Part # CLT-TTWC-W

- ✓ Compatible with Max Twintier®
- ✓ Galvanized Coating
- ✓ Double Wire Spool
- ✓ 250-260 Ties Per Coil





# Spray Foam



## **ADFOAM PRO 1875 GUN GRADE POLYURETHANE INSULATING FOAM -5°C Part # CLAF-AFG-1875-750**

- ✓ Meets CAN / ULC S102 and ASTM E84 standards (URL26654)
- ✓ Used to seal cracks in ICF walls as well as bond the blocks to the footings, it is also used to insulate the perimeters of doors, windows and curtain walls or any other gaps, in plumbing and electricity, to insulate voids between walls and framing where installation is delicate or precise, to seal and caulk door and window frames
- ✓ Flexible with R5 insulation factor per square inch
- ✓ Low expansion
- ✓ Applicable in temperatures as low as -5°C (23 °F)
- ✓ Color: Champagne
- ✓ 600 or 750 ml cans / 12 per case / 65 cases per pallet

## **ADFOAM GUN - D001 Part #CLAF-AG-D001**

- ✓ Compatible with all Adfoam foams
- ✓ Rugged construction



## **ADFOAM CLEAN/500 ACETONE BASED CLEANER FOR ADFOAM APPLICATORS AND GENERAL PURPOSE**

### **Part # CLAF-AFC-500**

- ✓ Multi-purpose cleaner for Adfoam Guns and surfaces.
- ✓ Removes unreacted Adfoam polyurethane foam residues.
- ✓ Plug for spraying
- ✓ Adapter for Adfoam foam gun

# ICF Ledger Connector

## Part # CLBP-ICF-WLB

The Ledger Connector uses a double threaded cylinder to connect your ledger to the cement through the insulation of an ICF wall.



- ✓ 2520 lbs of vertical load per bracket.
- ✓ 25% Higher capacity than other brands.
- ✓ Designed for steel and wood ledgers.
- ✓ Designed for 3/4 - 1 3/4 wood ledgers.
- ✓ Comes with hardware, drill bits and templates needed for install.



# ICF JOIST HANGER

**Part # CLBP-ICF-JHB**

Burmon's ICF Joist Hanger utilizes the Burmon ICF Connector System, a revolutionary double threaded cylinder bolt assembly that connects and anchors wood ledger brackets, wood and steel ledgers, joist hangers, I-joists, beams and trusses to insulated concrete forms (ICF) walls.



- ✓ 1922lbs of vertical load per bracket
- ✓ G90 Galvanize coating
- ✓ Available in 1 1/2, 2 1/2, 3 1/2 and adjustable width brackets.
- ✓ Also available with cylinders that work in extra thick foam blocks.
- ✓ Comes with hardware and spade bit needed to assemble and install hangers.
- ✓ No wood ledger required.






# Concrete Imbed Roof Anchor

Part # CLBP-BHBCON-112-ICF

Burmon Hurricane Anchor is specifically designed to anchor roof trusses and rafters directly to the concrete for ICF construction. This eliminates the need for a top sill plate altogether which saves time and money on your project.



- ✓ Code Compliant
- ✓ 3105lbs of uplift capacity per bracket
- ✓ Designed and engineered to resist winds up to 250 mph
- ✓ No hand nailing required
- ✓ Trusses screw fixed through nail plate
- ✓ Hurricane Anchor fixed into place over ICF Wall
- ✓ Stronger, faster connection
- ✓ Anchors hold trusses in position making bracing easier and safer



# Single/Double Sill Plate Truss Anchor

## Part # CLBP-BHBSP-50

The sill plate truss anchor gets secured directly to the top plate and the roof truss gets placed inside the anchor making for a fast easy connection and eliminates the need to go back and add connectors after the roof is set.



- ✓ No toe nailing required
- ✓ Eliminates ugly dry wall bump made by standard hurricane anchors.
- ✓ Has higher capacities than ordinary connectors.
- ✓ All fasteners supplied in box
- ✓ 2010 lbs of Uplift Capacity
- ✓ Designed and engineered to resist 96% of all global high wind events
- ✓ Code Compliant





## ICF BUCK BRACE

### Part # CLBP-ICF-SBBB


The ICF Buck Brace removes the need for all the horizontal wood bracing, this saves on lumber costs. It is also adjustable for different width blocks and reusable for many projects.

- ✓ Faster and more convenient then cutting lumber on jobsite.
- ✓ Reusable
- ✓ Adjusts to fit 6" and 8" ICF blocks.
- ✓ Works with Wood, Steel and Polystyrene bucks.
- ✓ Reduces blocked openings to make it easier to pass through.
- ✓ 18 gauge galvanized steel



## ADJUSTABLE FLOORLOCK

Part # CLBP-AFL



- ✓ Fast & Easy To Install
- ✓ Saves Time And Money
- ✓ Fully Adjustable Ensuring A Perfect Fit On Every Joist
- ✓ DIY Friendly
- ✓ Costs Significantly Less Than A Steel Beam
- ✓ Can be used crossing or as passthrough.

## FIXED FLOORLOCK

Part # CLBP-160C-11-7/8-FB


- ✓ Transfers the Load to the End Walls
- ✓ Likened to Placing a Steel Beam Under Your Bouncy Floor
- ✓ Removes Squeaks and
- ✓ Eliminates Bouncy Floors
- ✓ Used only on 11 7/8" I-Beams placed 16" on center.





# SNOWVENTCO

## SNOWPROOF ROOF VENTS



**THE NEXT GENERATION IN  
ATTIC VENTILATION**



# SNOWVENTCO

## SNOWPROOF ROOF VENTS



### THE NEXT GENERATION IN ROOF VENTILATION

The next generation in attic ventilation begins with the Micropore Stainless Steel Filter (MPSSF), Thousands of 120 micron holes keep out rain, snow and other unwanted elements.

### ENGINEERED NOT TO CLOG

Snow won't block the vent, thanks to the porcelain-like smoothness of the steel mesh material and the outflow of warm air from the attic, which continuously cleans the filter.



### EXCEEDS CSA REQUIREMENTS

The patented pleated design provides 80 inches of filter surface for a 50 inch vent. Even in the unlikely situation that 40% of the filter does get covered during a storm, CSA testing shows that the SNOWVENTCO Roofers' Vent still ensures airflow well in excess of CSA standards.

### HEAVY-DUTY CONSTRUCTION

Extra-thick polypropylene construction and the steel filter ensure the vent can handle a lot of punishment. The SNOWVENTCO Roofers' Vent withstands over 400lb of standing weight.



### OVERSIZED FLANGE

A wider flange makes installation a snap and helps improve the overall seal.

### ARCHED DESIGN

An arched collar and cap helps snow slide off the vent, avoiding build-up behind the vent.

### COLORS

Available in black, grey, brown and clear.


# Painted Screws



## Painted Gutter Screws

### Part # CLGS-H/ GLGS-C

- ✓ Self Piercing
- ✓ Screw size #14
- ✓ 7" and 8" lengths available
- ✓ 4" Available in White T25 Torx Head
- ✓ 3/8" hex type or T25 Torx Head
- Stocked in White or Brown



## Painted Zip Screws

### Part # CLSP-812


- ✓ Self Piercing
- ✓ Screw size #8
- ✓ 1/2" length available
- ✓ 1/4" hex type
- ✓ Stocked in Polar White, Royal Brown, Sand Tone, Almond Crème, Terra Tone, Wicker Tone, Autumn Beige, Statutory Bronze

## Weatherstrip Screws

### Part # CLSP-8114PMT

- ✓ Self Piercing
- ✓ Screw size #8
- ✓ 1 1/4" Length available
- ✓ #2 Phillips Driver
- ✓ Stocked in Brown & White





# Hex Lag Screws

## Part # CLHL-14-Z

- ✓ 1/4" diameter
- ✓ Zinc coated
- ✓ 2-1/2" and 3-1/2" lengths available.
- ✓ 100 per box



# Plastic Washers




## Part # CLPW-02EIFS

- ✓ Plastic washers provide excellent
- ✓ Fastening support for Styrofoam buck systems.
- ✓ 2" natural EIFS Plastic Washer.
- ✓ 500 per box



**CLEARCO**  
Fasteners



burmon



**SNOWVENTCO**

## Contact Info:

[www.clearcofasteners.com](http://www.clearcofasteners.com)

(952)582-4895    [Sales@Clearcofasteners.com](mailto:Sales@Clearcofasteners.com)

Hours (8AM - 4:30PM) Mon-Fri