



SMARTHOME | REIMAGINED

PORTABILITY MEETS FLEXIBILITY

Eccotemp portable tankless water heaters & accessories offer endless off-grid uses. Pages 2-6

POINT-OF-USE

Eccotemp Mini-Tank water heaters are compact in size and designed to supply on-demand, instant hot water to any faucet or water outlet. Pages 7-11

HEATING WATER SMARTER

Experience Eccotemp's **SMARTHOME** tankless water heaters with voice commands by Google & Alexa. Pages 14-16, 21-22



FEATURES



- Portable, great for recreational use
- All weather raincap attached
- Manual adjustable gas and water knobs
- Water fittings are 1/2" G with 1/2" NPT adapters
- 2 x D Cell battery ignition
- Activation - 20 PSI / Maintain - 25 PSI
- Up to 18 hours of use on a 20 lb tank
- CSA gas regulator and hose included
- Shower head, hose & quick connect included
- CSA Certified

L5

SPECIFICATIONS

Installation	Outdoor Only
BTU	37,500
Flow Rate	Rated 1.5 GPM
Water Pressure	20-80 PSI
Portable	Yes
Power Source	2x D Batteries
Gas Type	Liquid Propane Only
Venting	Natural Draft
Regulator & Hose	Standard / Included
Temperature Control	Manual 50°-120°F
Warranty	1 Year Heat Exchanger 30 Days Accessories
Product Dimensions	18" x 11.5" x 5.25" - 10.8 lbs
Package Dimensions	23.6" x 13.8" x 7.5" - 12.4 lbs

The Eccotemp L5 Portable Outdoor Tankless Water Heater features an extreme all-weather rain cap making it durable for frequent use. It is CSA certified for safety and use in the US and Canada.

This portable tankless water heater is conveniently designed with a user-friendly on/off switch, easy accessible drain plug, and standard 1/2" G with included 1/2" NPT to 3/4" adapter for incoming and outgoing water connections.











Having endless hot water anywhere is now possible! Adjustable, easy-to-use water and gas knobs allow you to set the ideal outgoing water temperature to ensure maximum comfort. Adjusting water flow and temperature has never been easier.

PACKAGE CONTENTS

- 1 x L5 Portable Outdoor Tankless Water Heater
- 1 x White Spray Shower Head & 3' Hose
- 2 x Quick Connects
- 1 x 3.5' CSA Certified Gas Regulator and Hose
- 1 x Hardware Pack
- 1 x Product Manual

FEATURES



-  Portable, great for recreational use
-  Stainless steel rain cap included
-  Manual adjustable gas and water knobs
-  Water fittings are 1/2" G with 1/2" NPT adapters
-  2 x D Cell battery ignition
-  Activation - 20 PSI / Maintain - 25 PSI
-  Up to 18 hours of use on a 20 lb tank
-  CSA gas regulator and hose included
-  Quick connect adapter included
-  CSA Certified

L10

Installation	Outdoor Only
BTU	75,000
Flow Rate	Rated 3.0 GPM
Water Pressure	20-80 PSI
Portable	Yes
Power Source	2x D Batteries
Gas Type	Liquid Propane Only
Venting	Natural Draft
Regulator & Hose	Standard / Included
Temperature Control	Manual 50°-120°F
Warranty	1 Year Heat Exchanger 30 Days Accessories
Product Dimensions	32.25" x 14" x 7.75" - 22.4 lbs
Package Dimensions	35.4" x 15.7 x 9.6" - 28 lbs

SPECIFICATIONS

The Eccotemp L10 Portable Outdoor Tankless Water Heater features an extreme all-weather rain cap making it durable for frequent use. It is CSA certified for safety and use in the US and Canada.

This portable tankless water heater is conveniently designed with a user-friendly on/off switch, easy accessible drain plug, and standard 1/2" G with included 1/2" NPT to 3/4" adapter for incoming and outgoing water connections.

Having endless hot water anywhere is now possible! Adjustable, easy-to-use water and gas knobs allow you to set the ideal outgoing water temperature to ensure maximum comfort. Adjusting water flow and temperature has never been easier.

PACKAGE CONTENTS

- 1 x L10 Portable Outdoor Tankless Water Heater
- 1 x 3.5' CSA Certified Gas Regulator and Hose
- 2 x Quick Connects
- 1 x Stainless Steel Rain Cap
- 1 x Hardware Pack
- 1 x Product Manual

FEATURES



EL5

- Portable, great for recreational use
- All weather raincap attached
- Manual push & set adjustment knobs
- Water fittings are 1/2" G with 1/2" NPT adapters
- 4 x AA Cell battery ignition
- Activation - 20 PSI / Maintain - 25 PSI
- CSA gas regulator and hose included
- CSA Certified
- LED display with temperature, On/Off and pressure indicator
- Ecco Spray Shower Set, hose with On/Off controls and quick connect included

SPECIFICATIONS

Installation	Outdoor Only
BTU	37,500
Flow Rate	Rated 1.5 GPM
Water Pressure	20-80 PSI
Portable	Yes
Power Source	4x AA Batteries
Gas Type	Liquid Propane Only
Venting	Natural Draft
Regulator & Hose	Standard / Included
Temperature Control	Manual 50°-120°F
Warranty	2 Years Heat Exchanger 30 Days Accessories
Product Dimensions	17" x 12.5" x 5.5" - 14.5 lbs
Package Dimensions	28.1" x 14" x 7.4" - 16.75 lbs

The Eccotemp Luxe (EL5) Portable Tankless Water Heater features an extreme all-weather rain cap making it durable for frequent use. The Luxe EL5 is designed with 5/8" 18UNG pipe fittings for gas input and 1/2" G to 1/2" NPT to 3/4" (adapter included) incoming/outgoing water fittings. Simply attach a standard garden hose with the included adapter and a 20-pound (lb.) propane tank and you are guaranteed to enjoy the luxury of hot water anywhere.

The Luxe EL5 comes with a clear & bright LED Digital Temperature, ON/OFF, and Pressure Indicator Light; taking all the guesswork out of knowing whether your water heater has enough pressure to operate. Precision adjustable water and gas knobs allows you to set the ideal outgoing water temperature to ensure max comfort.

PACKAGE CONTENTS

- 1 x EL5 Portable Outdoor Tankless Water Heater
- 1 x Ecco Spray Shower Head & Hose
- 2 x Quick Connects
- 1 x 3.5' CSA Certified Gas Regulator and Hose
- 1 x Carrying Bag
- 1 x Hardware Pack
- 1 x Product Manual

FEATURES



EL7

- Portable, great for recreational use
- All weather raincap attached
- Manual push & set adjustment knobs
- Water fittings are 1/2" G with 1/2" NPT adapters
- 4 x AA Cell battery ignition
- Activation - 20 PSI / Maintain - 25 PSI
- CSA gas regulator and hose included
- CSA Certified
- LED display with temperature, On/Off and pressure indicator
- Ecco Spray Shower Set, hose with On/Off controls and quick connect included

SPECIFICATIONS

Installation	Outdoor Only
BTU	52,500
Flow Rate	Rated 1.85 GPM
Water Pressure	20-80 PSI
Portable	Yes
Power Source	4x AA Batteries
Gas Type	Liquid Propane Only
Venting	Natural Draft
Regulator & Hose	Standard / Included
Temperature Control	Manual 50°-120°F
Warranty	2 Years Heat Exchanger 30 Days Accessories
Product Dimensions	19.5" x 12.75" x 7" - 17.75 lbs
Package Dimensions	29.9" x 15.3" x 8.8" - 20.7 lbs

The Eccotemp Luxe (EL7) Portable Tankless Water Heater features an extreme all-weather rain cap making it durable for frequent use. The Luxe EL7 is designed with 5/8" 18UNG pipe fittings for gas input and 1/2" G to 1/2" NPT to 3/4" (adapter included) incoming/outgoing water fittings. Simply attach a standard garden hose with the included adapter and a 20-pound (lb.) propane tank and you are guaranteed to enjoy the luxury of hot water anywhere.

The Luxe EL7 comes with a clear & bright LED Digital Temperature, ON/OFF, and Pressure Indicator Light; taking all the guesswork out of knowing whether your water heater has enough pressure to operate. Precision adjustable water and gas knobs allows you to set the ideal outgoing water temperature to ensure max comfort.











PACKAGE CONTENTS

- 1 x EL7 Portable Outdoor Tankless Water Heater
- 1 x Ecco Spray Shower Head & Hose
- 2 x Quick Connects
- 1 x 3.5' CSA Certified Gas Regulator and Hose
- 1 x Carrying Bag
- 1 x Hardware Pack
- 1 x Product Manual

FEATURES



EL10

-  Portable, great for recreational use
-  All weather raincap attached
-  Manual push & set adjustment knobs
-  Water fittings are 1/2" G with 1/2" NPT adapters
-  4 x AA Cell battery ignition
-  Activation - 20 PSI / Maintain - 25 PSI
-  CSA gas regulator and hose included
-  CSA Certified
-  LED display with temperature, On/Off and pressure indicator
-  Ecco Spray Shower Set, hose with On/Off controls and quick connect included

SPECIFICATIONS

Installation	Outdoor Only
BTU	75,000
Flow Rate	Rated 3.0 GPM
Water Pressure	20-80 PSI
Portable	Yes
Power Source	4x AA Batteries
Gas Type	Liquid Propane Only
Venting	Natural Draft
Regulator & Hose	Standard / Included
Temperature Control	Manual 50°-120°F
Warranty	2 Years Heat Exchanger 30 Days Accessories
Product Dimensions	23.5" x 13.75" x 7.25" - 21.8 lbs
Package Dimensions	28.15" x 15.74" x 9.85" - 27.6 lbs

The Eccotemp Luxé (EL10) Portable Tankless Water Heater features an extreme all-weather rain cap making it durable for frequent use. The Luxé EL10 is designed with 5/8" 18UNG pipe fittings for gas input and 1/2" G to 1/2" NPT to 3/4" (adapter included) incoming/outgoing water fittings. Simply attach a standard garden hose with the included adapter and a 20-pound (lb.) propane tank and you are guaranteed to enjoy the luxury of hot water anywhere.











The Luxé EL10 comes with a clear & bright LED Digital Temperature, ON/OFF, and Pressure Indicator Light; taking all the guesswork out of knowing whether your water heater has enough pressure to operate. Precision adjustable water and gas knobs allows you to set the ideal outgoing water temperature to ensure max comfort.

PACKAGE CONTENTS

1 x EL10 Portable Outdoor Tankless Water Heater
1 x Ecco Spray Shower Head & Hose
2 x Quick Connects
1 x 3.5' CSA Certified Gas Regulator and Hose
1 x Carrying Bag
1 x Hardware Pack
1 x Product Manual

FEATURES



-  2.5 Gallon size tank
-  Easy & ready to install
-  Compact Size
-  110/120V AC 3' power cord
-  98% Energy efficiency recovery rate
-  10-20 Minute recovery time
-  1/2" NPT water connections
-  ETL Certified
-  Adjustable temperature control from 90° - 140°F
-  Point-of-Use water heating for instant hot water

EM-2.5

Installation	Indoor Only
Tank Volume	2.5 Gallons
Voltage	110/120V AC
Amps	12
Phase	Single
Temperatures	90°-140° F
Heating Capacity	1440 Watts
Max Water Pressure	150 psi
Color / Material	White / Plastic & Steel
Fittings	1/2" NPT Connections
Warranty	2 Years Heat Element 30 Days Accessories
Product Dimensions	15" x 13.5" x 10.75" - 18 lbs
Package Dimensions	16.1" x 15.7" x 14.5" - 21 lbs

SPECIFICATIONS

The Eccotemp EM-2.5 Mini-Tank Water Heater delivers hot water efficiently by heating and storing at the point of use. This model has a 2.5-gallon capacity suitable for a variety of applications from residential to commercial. Boasting a 98% energy efficiency rating and a quick 10-20 minute recovery time, it's engineered for peak performance.

Eliminate the need for costly recirculating lines and pumps; its straightforward installation into a 110/120v outlet simplifies setup. Whether you're looking to enhance your existing hot water system or require hot water for a standalone sink, this model has you covered. With accessible temperature controls and a compact design, it's a top pick for those prioritizing efficiency and convenience.

PACKAGE CONTENTS

- 1 x EM-2.5 Mini Tank Water Heater
- 1 x Hardware Pack
- 1 x Mounting Bracket
- 1 x Product Manual

FEATURES



4.0 Gallon size tank



Easy & ready to install



Compact Size



110/120V AC 3' power cord



98% Energy efficiency recovery rate



10-20 Minute recovery time



1/2" NPT water connections



ETL Certified



Adjustable temperature control from 90° - 140°F



Point-of-Use water heating for instant hot water

EM-4.0

Installation	Indoor Only
Tank Volume	4.0 Gallons
Voltage	110/120V AC
Amps	12
Phase	Single
Temperatures	90°-140° F
Heating Capacity	1440 Watts
Max Water Pressure	150 psi
Color / Material	White / Plastic & Steel
Fittings	1/2" NPT Connections
Warranty	2 Years Heat Element 30 Days Accessories
Product Dimensions	16.5" x 15" x 12.25" - 22 lbs
Package Dimensions	17.5" x 17.25" x 15.75" - 26.4 lbs

SPECIFICATIONS

The Eccotemp EM-4.0 Mini-Tank Water Heater delivers hot water efficiently by heating and storing at the point of use. This model has a 4.0-gallon capacity suitable for a variety of applications from residential to commercial. Boasting a 98% energy efficiency rating and a quick 10-20 minute recovery time, it's engineered for peak performance.

Eliminate the need for costly recirculating lines and pumps; its straightforward installation into a 110/120v outlet simplifies setup. Whether you're looking to enhance your existing hot water system or require hot water for up to two sinks, this model has you covered. With accessible temperature controls and a compact design, it's a top pick for those prioritizing efficiency and convenience.

PACKAGE CONTENTS

1 x EM-4.0 Mini Tank Water Heater
1 x Hardware Pack
1 x Mounting Bracket
1 x Product Manual

FEATURES



7.0 Gallon size tank



Easy & ready to install



Compact Size



110/120V AC 3' power cord



98% Energy efficiency recovery rate



10-20 Minute recovery time



1/2" NPT water connections



ETL Certified



Adjustable temperature control from 90° - 140°F



Point-of-Use water heating for instant hot water

EM-7.0

Installation	Indoor Only
Tank Volume	7.0 Gallons
Voltage	110/120V AC
Amps	12
Phase	Single
Temperatures	90°-140° F
Heating Capacity	1440 Watts
Max Water Pressure	150 psi
Color / Material	White / Plastic & Steel
Fittings	1/2" NPT Connections
Warranty	2 Years Heat Element 30 Days Accessories
Product Dimensions	18.25" x 17" x 14.5" - 28.2 lbs
Package Dimensions	19.1" x 19.1" x 17.1" - 33.8 lbs

SPECIFICATIONS

The Eccotemp EM-7.0 Mini-Tank Water Heater delivers hot water efficiently by heating and storing at the point of use. This model has a 7.0-gallon capacity suitable for a variety of applications from residential to commercial. Boasting a 98% energy efficiency rating and a quick 10-20 minute recovery time, it's engineered for peak performance.

Eliminate the need for costly recirculating lines and pumps; its straightforward installation into a 110/120v outlet simplifies setup. Whether you're looking to enhance your existing hot water system or require hot water for up to two sinks, this model has you covered. With accessible temperature controls and a compact design, it's a top pick for those prioritizing efficiency and convenience.

PACKAGE CONTENTS

1 x EM-7.0 Mini Tank Water Heater
1 x Hardware Pack
1 x Mounting Bracket
1 x Product Manual

FEATURES



- Voice Commands by Alexa and Google
- Control from your Smart App
- Manage electricity & water consumption
- Manual adjustable water temperature
- 10-20 Minute recovery time
- 1/2" NPT water connections
- 110/120V AC 3' power cord
- 98% Energy efficiency recovery rate
- Adjustable temperature from 90° - 140°F
- ETL/FCC Certified

ESH-2.5

Installation	Indoor Only
Tank Volume	2.5 Gallons
Voltage	110/120V AC
Amps	12
Phase	Single
Temperatures	90°-140° F
Heating Capacity	1440 Watts
Max Water Pressure	150 psi
Color / Material	Black / Tempered Glass/ Plastic
Fittings	1/2" NPT Connections
Warranty	2 Years Heat Element 30 Days Accessories
Product Dimensions	16.25" x 10.75" x 10.75" - 20 lbs
Package Dimensions	21.5" x 13" x 13" - 22.8 lbs

SPECIFICATIONS

The ESH is beautifully designed to supply on-demand instant hot water to any faucet or water outlet without the wait while simultaneously integrating with your smart home products. This model has smart button technology that allows for advanced error detection, network connectivity and turning the product on/off, all from a single button.

Integrates seamlessly with Amazon Alexa and Google Home, enabling you to control its settings with voice commands. Utilize the Eccotemp app not only to adjust temperatures and troubleshoot issues but also to monitor real-time energy usage.







PACKAGE CONTENTS

- 1 x ESH-2.5 Mini Tank Water Heater
- 1 x Eccotemp Branded Bag
- 1 x Hardware Pack
- 1 x Mounting Bracket
- 1 x Product Manual



FEATURES



-  Voice Commands by Alexa and Google
-  Control from your Smart App
-  Manage electricity & water consumption
-  Manual adjustable water temperature
-  10-20 Minute recovery time
-  1/2" NPT water connections
-  110/120V AC 3' power cord
-  98% Energy efficiency recovery rate
-  Adjustable temperature from 90° - 140°F
-  ETL/FCC Certified

ESH-4.0

Installation	Indoor Only
Tank Volume	4.0 Gallons
Voltage	110/120V AC
Amps	12
Phase	Single
Temperatures	90°-140° F
Heating Capacity	1440 Watts
Max Water Pressure	150 psi
Color / Material	Black / Tempered Glass/ Plastic
Fittings	1/2" NPT Connections
Warranty	2 Years Heat Element 30 Days Accessories
Product Dimensions	17.25" x 12.5" x 12.25" - 25 lbs
Package Dimensions	23.1" x 14.4" x 14.4" - 27.2 lbs

SPECIFICATIONS

The ESH is beautifully designed to supply on-demand instant hot water to any faucet or water outlet without the wait while simultaneously integrating with your smart home products. This model has smart button technology that allows for advanced error detection, network connectivity and turning the product on/off, all from a single button.


Integrates seamlessly with Amazon Alexa and Google Home, enabling you to control its settings with voice commands. Utilize the Eccotemp app not only to adjust temperatures and troubleshoot issues but also to monitor real-time energy usage.

PACKAGE CONTENTS

- 1 x ESH-4.0 Mini Tank Water Heater
- 1 x Eccotemp Branded Bag
- 1 x Hardware Pack
- 1 x Mounting Bracket
- 1 x Product Manual



FEATURES



- Compact size
- Child safety lock
- Rated at 4.0 GPM
- Easy & ready to install
- 110/120V AC 3' power cord
- Glass panel with touch screen
- Standard 1/2" NPT water connections
- Advanced digital temperature control & display
- Power ventilation for safety and efficiency
- LED display with temperature, On/Off and water flow indicator

i12

SPECIFICATIONS

Installation	Indoor Only
BTU	80,000
Flow Rate	Rated 4.0 GPM
Min Flow Activation	0.7 GPM
Voltage / Amps	120V AC / 0.5
Gas Type	Available in NG & LP
Venting	2.5" - Horizontal Kit Included
Color / Material	Black / Tempered Glass/ Stainless Steel
Temperature Control	Automatic 90°-140°F
Fittings	1/2" NPT Gas, 1/2" NPT Water
Warranty	5 Years Heat Exchanger 2 Years on Parts
Product Dimensions	26" x 14" x 4.75" - 21.8 lbs
Package Dimensions	27.5" x 15.7" x 10.9" - 29 lbs

The Eccotemp i12 Indoor Gas Tankless Water Heater delivers 4 gallons of hot water per minute and boasts an impressive 75,000 BTU heating capacity. Designed with state-of-the-art technology, the i12 incorporates an advanced exhaust system, which pairs seamlessly with the Eccotemp 3" stainless steel vent kit, ensuring a safe and effortless indoor installation.

The i12 features a sleek black tempered glass front and a digital display, designed for maximum user convenience. This display shows output water temperatures and flow rates, providing an optimal hot water experience for all users. Equipped with standard 1/2" NPT water connections, the i12 makes the installation process straightforward, economical, and reliable, meeting all your hot water requirements.

PACKAGE CONTENTS

- 1 x i12 Indoor Tankless Water Heater
- 1 x Wall Thimble
- 1 x Term Pipe
- 1 x 90 degree elbow
- 1 x Hardware Pack
- 1 x Product Manual

FEATURES



-  Compact size
-  Rated at 4.0 GPM
-  Easy & ready to install
-  110/120V AC 3' power cord
-  Manual adjustable gas and water flow
-  Digital temperature display
-  Power ventilation for safety and efficiency
-  Standard 1/2" NPT water connections
-  Pressure activated
-  Saves on energy and water consumption

FVi12

Installation	Indoor Only
BTU	80,000
Flow Rate	Rated 4.0 GPM
Flow Activation	Pressure Activated
Portable	No
Voltage	120V AC
Gas Type	Available in NG & LP
Venting	2.5" - Horizontal Kit Included
Temperature Control	90°-140°F
Fittings	1/2" NPT Gas, 1/2" NPT Water
Warranty	5 Years Heat Exchanger 2 Years on Parts
Product Dimensions	25" x 14.5" x 4" - 25.6 lbs
Package Dimensions	27.75" x 17.25" x 10.75" - 32.8 lbs

SPECIFICATIONS

The Eccotemp FVi12 Indoor Gas Tankless Water Heater delivers 4 gallons of hot water per minute and boasts an impressive 74,500 BTU heating capacity. Designed with state-of-the-art technology, the FVi12 incorporates an advanced exhaust system, which pairs seamlessly with the Eccotemp 3" stainless steel vent kit, ensuring a safe and effortless indoor installation.

Advanced 0.7 GPM low flow ignition technology allows users to enjoy hot water without experiencing cold spots. Manual temperature controls allow the temperature to be set and regulated at the front control panel, and not your sink or shower. Equipped with standard 1/2" NPT water connections makes the installation process straightforward, economical, and reliable, meeting all your hot water needs.

PACKAGE CONTENTS











- 1 x FVi12 Indoor Tankless Water Heater
- 1 x Wall Thimble
- 1 x Term Pipe
- 1 x 90 degree elbow
- 1 x Hardware Pack
- 1 x Product Manual

NEW



SHLX

FEATURES

-  Voice Commands by Alexa and Google
-  Control from your Smart App
-  Manage Electricity & Water consumption
-  Wireless remote control
-  Universal Energy Factor: 0.83
-  Power ventilation for safety and efficiency
-  1/2" NPT Gas Inlet and Water Inlet/Outlet
-  Glass panel with touch screen
-  110/120V AC 3' power cord
-  CSA/FCC Certified

SPECIFICATIONS


Installation	Indoor Only
BTU	80,000
Max Flow Rate	Rated 4.5 GPM
Min Flow Activation	0.7 GPM
Portable	no
Voltage	120V AC
Gas Type	Available in NG & LP
Venting	3" - Sold Separately
Fittings	1/2" NPT Gas, 1/2" NPT Water
Temperature Control	Automatic 95°-140°F
Warranty	5 Years Heat Exchanger 2 Years on Parts
Product Dimensions	22" x 13" x 6.5" - 22.1 lbs
Package Dimensions	27.5" x 15.5" x 8.75" - 25.4 lbs

Heat water smarter with the Eccotemp Smart Home 4.5 GPM Indoor Gas Tankless Water Heater. Use the Eccotemp app to control and monitor your water heater from anywhere. Connect with Amazon Alexa and Google Home for easy voice commands. Wake up to a hot shower by saying, "Alexa, set my water heater to 110 degrees."


This Smart Home Tankless Water Heater is not only convenient, but it's also energy efficient. Its advanced heating technology only heats water as it's needed, eliminating standby heat loss and reducing energy waste. Customize your hot water usage to match your lifestyle, while also optimizing energy usage and reducing utility bills.

PACKAGE CONTENTS

- 1 x **SMARTHOME SHLX** Indoor Tankless Water Heater
- 1 x Wireless remote control
- 1 x Hardware Pack
- 1 x Product Manual



NEW



SH12-A

FEATURES

- Voice Commands by Alexa and Google
- Control from your Smart App
- Manage Electricity & Water consumption
- Wireless remote control
- Universal Energy Factor: 0.83
- Power ventilation for safety and efficiency
- 1/2" NPT Gas Inlet and Water Inlet/Outlet
- Glass panel with touch screen
- 110/120V AC 3' power cord
- CSA/FCC Certified

SPECIFICATIONS

Installation	Indoor Only
BTU	80,000
Max Flow Rate	Rated 4.0 GPM
Min Flow Activation	0.7 GPM
Portable	No
Voltage	120V AC
Gas Type	Available in NG & LP
Venting	3" - Sold Separately
Fittings	1/2" NPT Gas, 1/2" NPT Water
Temperature Control	Automatic 95°-140°F
Warranty	5 Years Heat Exchanger 2 Years on Parts
Product Dimensions	20.5" x 13" x 6.5" - 22.1 lbs
Package Dimensions	27.5" x 15.5" x 8.75" - 25.4 lbs

Heat water smarter with the Eccotemp Smart Home 4.0 GPM Indoor Gas Tankless Water Heater. Use the Eccotemp app to control and monitor your water heater from anywhere. Connect with Amazon Alexa and Google Home for easy voice commands. Wake up to a hot shower by saying, "Alexa, set my water heater to 110 degrees."

This Smart Home Tankless Water Heater is not only convenient, but it's also energy efficient. Its advanced heating technology only heats water as it's needed, eliminating standby heat loss and reducing energy waste. Customize your hot water usage to match your lifestyle, while also optimizing energy usage and reducing utility bills.

PACKAGE CONTENTS

- 1 x **SMARTHOME SH12-A** Indoor Tankless Water Heater
- 1 x Wireless remote control
- 1 x Hardware Pack
- 1 x Product Manual



NEW



FEATURES

- Voice Commands by Alexa and Google
- Control from your Smart App
- Wireless remote control
- Adjustable output amp tuner
- Manage Electricity & Water consumption
- 96%+ Thermal efficiency
- Rated at 4.0 GPM
- 1/2" NPT Water Inlet/Outlet
- Glass panel with touch screen
- ETL/FCC Certified

SHiE-27

Installation	Indoor Only
Mounting	Bracket Included
Flow Rate	4 GPM
Voltage	240V AC
Kilowatt	27kw
Max Amp. Load	113
Breaker	3 X 40 Amp
Wire Size (AWG)	#8
Fittings	3/4" NPT Connections
Temperature Control	Automatic 86°-131°F
Warranty	5 Years Heat Chamber 2 Years on Parts
Product Dimensions	17.25" x 12.5" x 12.25" - 25 lbs
Package Dimensions	22.64" x 14.57" x 6.5" - 18.08 lbs

SPECIFICATIONS

The Eccotemp SHiE-27 Indoor Electric Tankless Water Heater can be used for up to three applications at once; making it ideal for a large apartment, town-home or small to medium-sized family homes. The SHiE-27 features a sleek, compact design with a digital display panel. This model requires a 240-volt electric service and has a max amp draw of 113 amps.

The SHiE series Electric Tankless Water Heaters are 96% efficient. The SHiE series Electric Tankless Water Heaters save water and can use up to 60% less electricity than conventional tank water heaters, making it cost-effective and environmentally friendly.

PACKAGE CONTENTS

- 1 x SHiE-27 Indoor Tankless Water Heater
- 1 x Wireless Remote Control
- 1 x Hardware Pack
- 1 x Valve Cover
- 1 x Product Manual
- 1 x Mounting Bracket



FEATURES



Universal Energy Factor: 0.81



Digital temperature display



3/4" NPT Gas Inlet and Water Inlet/Outlet



Rated at 6.0 GPM



Built-in anti-freeze circuit



Power ventilation for safety and efficiency



Tested-Safe electronic ignition system



110/120V AC 3' power cord



Easy & ready to install



CSA Certified

6GB

Installation	Indoor Only
BTU	145,000
Flow Rate	Rated 6.0 GPM
Min Flow Activation	0.5 GPM
Portable	No
Voltage	120V AC
Gas Type	Available in NG & LP
Venting	3" - Sold Separately
Fittings	3/4" NPT Gas, 3/4" NPT Water
Temperature Control	Automatic 90°-140°F
Warranty	10 Years Heat Exchanger 5 Years on Parts
Product Dimensions	23.9" x 15.5" x 7.3" - 36.4 lbs
Package Dimensions	31.1" x 18.7" x 10" - 39.5 lbs

SPECIFICATIONS

Rated at 6.0 gallons per minute at 145,000 BTUs, this ultra-efficient model can produce unlimited hot water for 2-3 applications simultaneously. Easily and safely install indoors with our 3" stainless steel horizontal or vertical vent kits. This space saving wall mounted model is designed with 3/4" NPT connections, making it compatible with most standard size plumbing.

Its internal structure features an exhaust fan, anti-freeze protection, and a fully automated control system. The LED digital display screen allows you to easily adjust and view output water temperature. Bright indicator lights show water flow, fan, and flame detection, along with advanced error code technology to quickly diagnose your water heater. This model is ideal for standard size homes.

PACKAGE CONTENTS

1 x 6GB Indoor Tankless Water Heater
1 x Gas Appliance Shut-Off Valve
1 x Hardware Pack
1 x Product Manual

FEATURES



Universal Energy Factor: 0.82



Digital temperature display



3/4" NPT Gas Inlet and Water Inlet/Outlet



Rated at 6.8 GPM



Built-in anti-freeze circuit



Power ventilation for safety and efficiency



Tested-Safe electronic ignition system



110/120V AC 3' power cord



Easy & ready to install



CSA Certified

6.8GB-I

Installation	Indoor Only
BTU	140,000
Flow Rate	Rated 6.8 GPM
Min Flow Activation	0.7 GPM
Portable	No
Voltage	120V AC
Gas Type	Available in NG & LP
Venting	"4 - Sold Separately
Fittings	3/4" NPT Gas, 3/4" NPT Water
Temperature Control	Automatic 90°-120°F
Warranty	10 Years Heat Exchanger 5 Years on Parts
Product Dimensions	25.5" x 14.5" x 6" - 36.4 lbs
Package Dimensions	28.5" x 16.75 x 9.25" - 41.8 lbs

SPECIFICATIONS

The Eccotemp Builders Series 6.8 GPM Indoor Tankless Water Heater features an exhaust system, that when paired with our Eccotemp 4" stainless steel venting, allows you to install indoors easily and safely. This model is equipped with an advanced burner rated at 140,000 BTUs, making it perfect for providing the best temperature rise and range for most standard size homes.











The compact, wall mounted Eccotemp 6.8GB-I Tankless Water Heater has a 110/120-volt UL listed power cord that powers the internal Exhaust Fan, Anti-Freeze Protection, Digital Display and Product Control Board. This model also features 3/4" NPT incoming and outgoing water connections. Designed for compatibility with most standard size plumbing makes installing the 6.8GB-I easy, straightforward, and affordable.

PACKAGE CONTENTS

1 x 45HI Tankless Water Heater
1 x Mounting Hardware
1 x Gas Appliance Shut Off Valve
1 x Product Manual

FEATURES



-  Universal Energy Factor: 0.82
-  Wired remote w/ controls and diagnostics
-  3/4" NPT Gas Inlet and Water Inlet/Outlet
-  Rated at 6.8 GPM
-  Built-in anti-freeze circuit
-  Tested-Safe electronic ignition system
-  110/120V AC 3' power cord
-  Easy & ready to install
-  Durable weather resistant steel
-  CSA Certified

6.8GB

Installation	Outdoor Only
BTU	140,000
Max Flow Rate	Rated 6.8 GPM
Min Flow Activation	0.7 GPM
Portable	No
Voltage	120V AC
Gas Type	Available in NG & LP
Venting	Not Needed
Fittings	3/4" NPT Gas, 3/4" NPT Water
Temperature Control	Automatic 90°-120°F
Warranty	10 Years Heat Exchanger 5 Years on Parts
Product Dimensions	25.5" x 14.5" x 6" - 36.4 lbs
Package Dimensions	28.5" x 16.75 x 9.25" - 41.8 lbs

SPECIFICATIONS

The Eccotemp Builders Series 6.8 GPM Outdoor Tankless Water Heater features an exhaust that is designed to save you money. With no venting required, you will find this to be a quick and easy installation. This model is equipped with an advanced burner rated at 140,000 BTUs, making it perfect for providing the best temperature rise and range for most standard size homes.

The compact, wall mounted Eccotemp 6.8GB Tankless Water Heater has a 110/120-volt UL listed power cord that powers the internal Exhaust Fan, Anti-Freeze Protection, Digital Display and Product Control Board. This model also features 3/4" NPT incoming and outgoing water connections. Designed for compatibility with most standard size plumbing makes installing the 6.8GB easy, straightforward, and affordable.

PACKAGE CONTENTS

- 1 x 6.8GB Tankless Water Heater
- 1 x Mounting Hardware
- 1 x Remote Control
- 1 x Gas Appliance Shut Off Valve
- 1 x Product Manual

FEATURES



Universal Energy Factor: 0.81



Wired remote w/ controls and diagnostics



3/4" NPT Gas Inlet and Water Inlet/Outlet



Rated at 7.0 GPM



Built-in anti-freeze circuit



Tested-Safe electronic ignition system



110/120V AC 3' power cord



Easy & ready to install



Durable weather resistant steel



CSA Certified

7GB

SPECIFICATIONS

Installation	Outdoor Only
BTU	180,000
Flow Rate	Rated 7.0 GPM
Min Flow Activation	0.8 GPM
Portable	No
Voltage	120V AC
Gas Type	Available in NG & LP
Venting	Not Needed
Fittings	3/4" NPT Gas, 3/4" NPT Water
Temperature Control	Automatic 90°-140°F
Warranty	10 Years Heat Exchanger 5 Years on Parts
Product Dimensions	26.2" x 17.1" x 7.3" - 43.2 lbs
Package Dimensions	33.1" x 20.9" x 10" - 50.6 lbs

The 7GB Outdoor Gas Tankless Water Heater is designed for outdoor installation with no venting required. Rated at 7 gallons per minute at 180,000 BTUs, this ultra-efficient tankless hot water heater is the largest capacity model in the Eccotemp Builder Series and can produce unlimited hot water for up to 4 applications simultaneously. This space saving exterior wall mounted model is designed with 3/4" NPT connections, making it compatible with most standard size plumbing.

Its internal structure features an exhaust fan, anti-freeze protection, and a fully automated control system. With our upgraded product control board performance and an all-new gas modulating valve, consumers can experience best-in class temperature performance that is budget-friendly.











PACKAGE CONTENTS

1 x 7GB Indoor Tankless Water Heater
1 x Gas Appliance Shut-Off Valve
1 x Hardware Pack
1 x Wired Remote Control
1 x Product Manual

NEW



FEATURES

-  Voice Commands by Alexa and Google
-  Control from your Smart App
-  Manage Electricity & Water consumption
-  Wireless remote control
-  Universal Energy Factor: 0.83
-  Built-in anti-freeze system
-  3/4" NPT Gas Inlet and Water Inlet/Outlet
-  Glass panel with touch screen
-  110/120V AC 3' power cord
-  CSA/FCC Certified

SH22

SPECIFICATIONS

Installation	Outdoor Only
BTU	140,000
Flow Rate	Rated 6.8 GPM
Min Flow Activation	0.5 GPM
Portable	No
Voltage	120V AC
Gas Type	Available in NG & LP
Venting	Not Needed
Fittings	3/4" NPT Gas, 3/4" NPT Water
Temperature Control	Automatic 95°-140°F
Warranty	10 Years Heat Exchanger 5 Years on Parts
Product Dimensions	23" x 14" x 7.25" - 39 lbs
Package Dimensions	39.72" x 17.5" x 9.4" - 44.5 lbs

Heat water smarter with the Eccotemp Smart Home 6.8 GPM Outdoor Gas Tankless Water Heater. Designed to be mounted on the exterior of your home and comes with a money-saving exhaust system. Its non-venting-required design results in a fast and straightforward installation process.

Use the Eccotemp app to control and monitor your water heater from anywhere. Seamlessly connect with Amazon Alexa and Google Home for easy voice commands. This model is equipped with an advanced Smart Power Button that simplifies operations. With a single touch, it turns your device on & off, detects error codes, connects to wireless networks, & activates sleep mode to prevent unnecessary energy use.

PACKAGE CONTENTS











- 1 x **SMARTHOME** SH22 Outdoor Tankless Water Heater
- 1 x Gas Appliance Shut Off Valve
- 1 x Wireless Temperature Remote Control
- 1 x Hardware Pack
- 1 x Product Manual



NEW



FEATURES

-  Voice Commands by Alexa and Google
-  Control from your Smart App
-  Glass panel with touch screen
-  Wireless remote control
-  Universal Energy Factor: 0.83
-  Power ventilation for safety and efficiency
-  3/4" NPT Gas Inlet and Water Inlet/Outlet
-  Built-in anti-freeze system
-  110/120V AC 3' power cord
-  CSA/FCC Certified

SH22-I

Installation	Indoor Only
BTU	140,000
Flow Rate	Rated 6.8 GPM
Min Flow Activation	0.5 GPM
Portable	No
Voltage	120V AC
Gas Type	Available in NG & LP
Venting	4" - Sold Separately
Fittings	3/4" NPT Gas, 3/4" NPT Water
Temperature Control	Automatic 95°-140°F
Warranty	10 Years Heat Exchanger 5 Years on Parts
Product Dimensions	23" x 14" x 7.12" - 39 lbs
Package Dimensions	29.72" x 17.5" x 9.4" - 44.5 lbs

SPECIFICATIONS

Heat water smarter and experience a hassle-free set-up process with the Eccotemp Smart Home 6.8 GPM Indoor Gas Tankless Water Heater. Easily and safely install indoors with our 4" stainless steel horizontal or vertical vent kits. Our technology-driven design guarantees comfort and ease.

Use the Eccotemp app to control and monitor your water heater from anywhere. Seamlessly connect with Amazon Alexa and Google Home for easy voice commands. This model is equipped with an advanced Smart Power Button that simplifies operations. With a single touch, it turns your device on & off, detects error codes, connects to wireless networks, & activates sleep mode to prevent unnecessary energy use.

PACKAGE CONTENTS

- 1 x **SMARTHOME** SH22-I Indoor Tankless Water Heater
- 1 x Gas Appliance Shut Off Valve
- 1 x Wireless Temperature Remote Control
- 1 x Hardware Pack
- 1 x Product Manual



FEATURES



Rated at 3 GPM



Sediment strainer and 1/2" threaded adapters, 90° barbed adapters, barbed adapters included



Runs dry safely without damage



Compact size for easy storage



110/120V AC 3' power cord



Endless run time



Easy and ready to install



Alligator clips Included



Great for Water Heaters, RV, Marine, Automotive, Agricultural Spraying Waterlines, Water Operated Equipment, Beverage processing, Filtration and Solar Water Systems



CE Certified

ECPI2V

Color	Black
Available Quantities	1 Piece, 8 Piece Master Carton
Miximum Pressure	55 PSI
Miximum Flow	3 GPM
Portable	Yes
Spray Modes	3
Connects	1/2" NPT
Voltage	12V AC
Certification	CE
Wires	Red & Black, Alligator Clips
Warranty	1 Year on Pump 30 Days Accessories
Product Dimensions	8" x 6" x 6" - 4.2 lbs
Package Dimensions	10.25" x 6" x 5.25" - 5 lbs

SPECIFICATIONS

The Eccotemp EccoFlo is a portable compact water pump allowing pressurized water wherever you need it. Whether you need to pull water from a creek to your Eccotemp Portable Tankless Water Heater or you need to transfer liquids from one area to another, the EccoFlo is the perfect tool for the job. Compatible with all Eccotemp Portable Tankless Water Heaters and can be used in any scenario where you need to pump or pressurize liquids.

With a self-priming feature this allows the pump to safely run dry without any damage. The EccoFlo is designed to turn on and off as you turn your water tap nozzle on and off. Powered using only 12V, this water pump can be used virtually anywhere and comes with everything needed for a quick and easy installation.











PACKAGE CONTENTS

1 x EccoFlo Triplex Diaphragm Pump
1 x Sediment Strainer
2 x 1/2" Threaded Adapters
1 x 1/2" 90° Barbed Adapter
1 x 1/2" Barbed Adapter
1 x Red & Black (+/-) Alligator Clips
1 x Product Manual

NEW



FEATURES

-  Three Spray Modes
-  Magnetic Mounting Bracket
-  Soft touch all weather coating
-  On/Off Switch
-  Premium rubber hose included
-  2 Quick connects included
-  Quick connects to 5/8" hose
-  Easy & ready to install
-  Compact size
-  Works with EccoTemp portable water heaters

ES1.5

Color	White
Available Quantities	1 Piece, 25 Piece Master Carton
Miximum Flow	3 GPM
Minimum Flow	0.5 GPM
Portable	Yes
Spray Modes	3
Connects	5/8" Garden Hose
Mounting	Magnetic or screw Mounting
Max Water Pressure	60 PSI
Min Water Pressure	3 PSI
Warranty	1 Year Shower Head 30 Days Accessories
Product Dimensions	5" x 3.38" x 1.63" - 1.10 lbs
Package Dimensions	11" x 7" x 3.25" - 1.43 lbs

SPECIFICATIONS

Introducing the ultimate showerhead for outdoor enthusiasts – the portable Ecco Spray Showerhead and Hose Set with magnetic mount and extra quick connect. Designed for those who love venturing into the great outdoors, our new showerhead combines convenience and comfort to be your perfect wilderness companion.











Engineered for adaptability, it pairs effortlessly with all EccoTemp Portable Tankless Water Heaters and can also be connected to a 5/8-inch garden hose. Choose from three distinct spray modes for a personalized shower experience in the great outdoors. Enjoy optimal water conservation with the integrated on/off switch. Take control of your water flow and never waste a drop.

PACKAGE CONTENTS

- 1 x Ecco Spray Shower Head with On/Off button
- 1 x White Rubber Shower Hose
- 2 x Quick Connects
- 1 x Magnetic Mounting Bracket
- 1 x Hardware Pack
- 1 x Product Instructions

FEATURES



-  Non-toxic
-  Fully Biodegradable
-  Certified to NSF/ANSI 60
-  Standard 1/2" NPT
-  Compact Size
-  Significantly improves efficiency
-  Extends the useful life of the equipment
-  110/120V AC 3' power cord
-  Works with all tankless water heaters
-  Water flow adjustment knob

EZ-KIT-2

SPECIFICATIONS

Voltage	110/120V AC
Fittings	Standard 3/4" NPT
Warranty	1 year on Manufacturer deemed defects Free Accessories 30 days
Product Dimensions	9.5" x 13" x 10.5" - 7.4 lbs
Package Dimensions	14.9" x 12.9" x 11.2" - 11.2 lbs
Recommended Uses	Ice Machines, Humidifiers, Water Heaters, Boilers, Heat Exchangers, Chillers, Vacuum Pumps, Condensers, Evaporators, Tanks, Potable Waterlines, Water Operated Equipment







The Eccotemp EZ-FLUSH System Descaler Kit is the answer to any water scale, lime, or rust deposit build-up in virtually any piece of water-based equipment. The EZ-FLUSH system has been designed to work seamlessly with Tankless Water Heaters and is compact for easy use and storage. It includes our Eccotemp Descaler that is specifically made to dissolve the toughest build-up and is a non-toxic concentrate which is certified to NSF/ANSI 60 for use as a cleaner in potable water systems. Keep your Tankless Water Heater running at full efficiency and ensure it provides hot water for years to come with the Eccotemp EZ-FLUSH System Descaler Kit.

PACKAGE CONTENTS

- 1 x Built in 1.8 GPM Pump
- 1 x 32 oz EZ-Descale Solution
- 2 x 5' Rubber Hoses
- 1 x Product Manual

FEATURES



-  Certified NSF/ANSI 60
-  Non-Corrosive
-  Non-Toxic
-  Fully Biodegradable*
-  Safe to Handle
-  Concentrated Formula
-  Works with all water heaters
-  Professional grade
-  Extends the useful life of the equipment
-  Significantly improves efficiency

EZ-Descale 1 Gallon and 32oz

Available Sizes	32 oz 1 Gallon
Weight	32 Ounces- 2.25 lbs 1 Gallon- 8.5 lbs
Available Quantities	2-Pack 4-Pack 6-Pack (32oz size only)
Recommended Uses	Ice Machines, Humidifiers, Water Heaters, Boilers, Heat Exchangers, Chillers, Vacuum Pumps, Condensers, Evaporators, Tanks, Potable Waterlines, Water Operated Equipment

SPECIFICATIONS

The Eccotemp System Descaler is made to quickly dissolves water scale, lime, rust, and other water formed deposits, restoring efficiency to most all appliances. The Eccotemp System Descaler is a non-toxic concentrate which is certified to NSF/ANSI 60 for use as a cleaner in potable water systems.

IMPROVE EQUIPMENT EFFICIENCY: Water scale deposits are a significant cause of heat transfer loss, along with the subsequent increase in energy costs. In fact, even a thin layer of scale (1/32") can cause a 30% increase in the cost to operate that piece of equipment. Keeping the heating passages free of mineral deposits significantly improves efficiency, conserves energy, extends the useful life of the equipment, and saves you time & money.



"Alexa, Turn my Mini Tank to 110 degrees."

"Ok, Turning Mini Tank to 110 degrees."

ECCOTEMP™

HEATING WATER SMARTER



(866) 356-1992 | support@eccotemp.com | www.Eccotemp.com

315-A Industrial Road, Summerville, SC 29483 United States



DESIGNED IN
SUMMERVILLE, SC

