

THE iXo SILL FEATURES

FLUSH MOUNT RISER ADJUSTMENT SCREWS


Completely eliminates the issues with lost or damaged screw caps.

HIGH DAM SILL PLATE

Features a Dual-Durometer Riser Cap for optimum shielding against air and water infiltration.

SILL FINISH IN DARK BRONZE, SATIN COPPER OR MILL

For all configurations, as well as Sill Covers, Sill Tape, End Seals and Notching options.



SURESEAL GASKET

An optional barrier of protection that seals the bottom of the sill from water or air penetration.

FULL COMPOSITE SUBSTRATE

Featuring the co-extruded, fully integrated one piece nosing.



EMBOSSED SYNTHETIC RISER AND NOSING

Available in Chocolate, Woodgrain or Mahogany for all configurations.



ALUMINUM RISER CHANNEL


Provides superior Astragal bolt connection in high wind environments.



VARIABLE-SWING CONFIGURATION ADAPTABLE



The iXo Sill features an easily interchangeable riser that allows for quick conversion between inswing and outswing configurations, a simple solution for reversing patio or sidelite sill handing and an easy fix for damaged riser replacement in the field.



HE iXo SILL

FIXED CAP INSWING

6-7/16"

IXF558 IXF4916 XOTB558 Chocolate Riser and **IXF6916 IXF758** TB558 IX4916 IX558 **IXS558** IX6916 IXTB558 IX758 5-5/8 6-9/16 IX4916CSS X558CSS IXS558CSS 1-3/4" TB558CSS **IX6916CSS** IX758CSS XO4916 XO558 **XOTB558** 5-5/8 XO6716 **XOTB712 XO712**

7-1/2"

7-1/2

THE IXO SILL **OPTIONS**



SILL TYPE		SILL FINISH						
	CHOCOLATE	EMBOSSED Mahogany	WOODGRAIN	SM Black	OOTH CHOCOLATE	MILL FINISH	SATIN COPPER	DARK BRONZE
FIXED CAP INSWING	•	•	•	•		•	•	•
ADJUSTABLE INSWING	•	•	•	•		•	All except IXS Sill	•
PATIO/SIDELITE SYSTEMS	•	•	•	•		•	All except IXS Sill	•
OUTSWING	XO4916, >	(O558, & XOTB5	558 Only	•	X06716, X0712 & X0TB712 Only	•	•	•

SILL ACCESSORIES

SILL PROTECTION OPTIONS


Protective tape and Sill Covers

END SEALS

For additional protection between sill and jamb

SURESEAL GASKET

An optional barrier of protection that seals the bottom of the sill from water and air infiltration.



NOTCHING OPTIONS



PATIO AND SIDELITE COMPONENTS



Sidelite base and mull post adapters allows for non-handed continuous configurations, creating virtually unlimited installation possibilities.

Composite Material
Eliminates Dado in Sill
Converts Double Jambs to
Sill Profile

CODE COMPLIANCE

IX STYLE INSWING IXO SILLS


• Florida Building Code Listing #13727

T-200FL DP60 RATED ALUMINUM ASTRAGAL


- Florida Building Code Listing #13727
- Texas Department of Insurance Listing #DR657
- NAMI Registered



SIDELITE VARIATIONS




Easily configurable in standard sidelite variations, The iXo Sill offers even more combinations and configurations up to 150" wide in any combination of active/static variations. The iXo sidelite system combines ultimate flexibility with a unique range of options.



SILL EXTENDERS

FINISH	SILL EXTENDER									
	A-112B	A-140B	A-112C	A-112E	A-112F	A-127B	A-127C	A-127E		
MILL FINISH	•	•	•	•	•	•	•	•		
SATIN COPPER	•		•							
DARK BRONZE	•		•	•	•	•	•	•		





One of the most respected names in the building materials industry since 1946, AFCO Industries operates four US manufacturing facilities specializing in Aluminum, Fiberglass, Vinyl and Composite production. AFCO, a 100% Employee-Owned ESOP corporation, is the only vertically integrated manufacturer of Door Components and Column and Railing systems in the country, as well as being an top tier OEM producer. Trust AFCO's 70 plus years of American manufacturing experience for your project's needs.



CUSTOMER SERVICE MANUFACTURING

AFCO MILLWORK PRODUCTS 11000 GREEN VALLEY DRIVE OLIVE BRANCH, MS. 38654

O - 800.238.0183 F - 888.246.0363

- in /showcase/afco-millwork-products
- AFCOInd
- www.afcomillworkproducts.com

