

DALIAN DYNAMIC WOODWORKS

QUALITY WOOD PRODUCTS SUPPLIER

DALIAN DYNAMIC WOODWORKS INC.
大连长盛木业有限公司

Manufacturing facilities:
Xiangying Jiedao, Chengdong Village, Jin Zhou Dist. Dalian City, Liaoning Province
116000, CHINA
Tel: +86 411-6291-7778
Jln. Bangsal KM.10, Mojokerto, Jawa Timur, INDONESIA
TEL: +62 811-3530-89

www.daliandynamic.com

For more custom capabilities or product information, please contact:

Mr. Hao Zhang, President & CEO
Mobile: +86 139-8228-0697 (WhatsApp available)
Email: zhiroshi98@yahoo.com
(Japanese and English)

Ms. Luka Zhao
Mobile: +1 949 606 5979 (WhatsApp available)
Email: lukazhao@hotmail.com
(English)

Ms. Rong Duan
Mobile: +86 137-0908-6501
Email: dr526@163.com
(Japanese)

Ms. Jinghan Yu
Mobile: +86 155 2469 3519
Email:dynamic_yuyu@163.com
(Japanese)

Dalian Dynamic Woodworks Inc.

Leading Manufacturer of Wood Building Material and Home Improvement Products

We have been supplying products to Japan, the US and France since 2002. We currently own three manufacturing facilities in both China and Indonesia. The main production base is Dalian Dynamic, a JAS-certified facility, located near the port of Dalian, China. Another two facilities are located, respectively, near the port of Xiamen, China, and Surabaya, Indonesia.

Our product lines include the following:

Finger joint and/or edge-glued panels in Nordic Red Pine, European White Spruce, Indonesian Pine, Chile Radiate Pine.

Wood doors: panel doors, bifolds and louvers, French doors, barn doors. Species: Red Alder, white Oak, Red Oak.

DIY products for home improvement market: Shelf systems, tables, finger joint and/or edge-glued panels, stools, ladders, etc.

Dalian Dynamic was founded on an uncompromising commitment to quality products and exceptional customer service. We value customer satisfaction and sustained business relationships as the highest rewards for our efforts. Our current production capability has grown up to 1500 cubic meters of panels and 4000 wood doors per month.

弊社、大連長盛木業有限公司（DALIAN　DYNAMIC　WOODWORKS　INC.）は大連で造作用集成材JAS認証工場として日本、北米向けに木製品を生産しています。

２００2年から日本向けを中心に木製品の生産を開始し、現在は中国大連だけでなく、厦門、インドネシアスラバヤに工場を所有し、３工場体制で造作用集成材、木製ドア、フローリング、羽目板、モールディング等の木製品の生産、あらゆるお客様の要求に応えられるように最善を尽くしています。

主な樹種：北欧材（レッドパイン、スプルース）南米材（ラジアータパイン）北米材（アルダー、イエローポプラ他）　全てFSC、PEFCの認証取得材

DALIAN DYNAMIC WOODWORKS INC.
Manufacturing facilities: Dalian, CHINA & Surabaya, INDONESIA
www.daliandynamic.com

Finger
joint panels



Red pine



Red pine



Alder



Alder



White Spruce



White Spruce

DALIAN DYNAMIC WOODWORKS INC.

Manufacturing facilities: Dalian, CHINA & Surabaya, INDONESIA

www.daliandynamic.com

Finger joint panels



Yellow poplar



Yellow poplar



Rubber Wood



Rubber Wood



Radiata Pine



Indonesian Pine

Wood doors:

We began with the door production for Japan market in the year of 2000. Our customer's strict quality standards and long-term on-site technical assistance helped us to grow into a quality door manufacturer in 3 years.

We began to manufacture wood doors for the US market in 2004. Our product line ranges from panel doors, bifolds and louvers, French doors, barn doors in species of alder, mahogany, white oak, and Chili radiate pine.

Our customers are satisfied with our knot repair, split-resistant panel construction (3-layer), strictly controlled MC, high-quality machining and sanding, and the factory pre-finishing with wire-brushing techniques. Both product quality and the customer service are positively confirmed.

Knotty Alder Doors

2-Panel Top Rail Arch – Plank Style V-Groove Panel





Panel and Stile
Split Resistent Construction

SPECIFICATIONS :
6'8'' , 7'0'' and 8'0'' heights
1'3'' to 3'6'' widths
1-3/8'' and 1-3/4'' thicknesses
Square and Arch Tops
Customized acceptable

Knotty Alder Doors

2-Panel Top Rail Arch – Double-hip Raised Panel





Panel and Stile
Split Resistent Construction

SPECIFICATIONS :
6'8'' , 7'0'' and 8'0'' heights
1'3'' to 3'6'' widths
1-3/8'' and 1-3/4'' thicknesses
Square and Arch Tops
Customized acceptable

DALIAN DYNAMIC WOODWORKS INC.

Manufacturing facilities: Dalian, CHINA & Surabaya, INDONESIA

www.daliandynamic.com

Knotty Alder Doors

2-Panel Square Top – Plank Style V-Groove Panel





Panel and Stile
Split Resistent Construction

SPECIFICATIONS :
6'8", 7'0" and 8'0" heights
1'3" to 3'6" widths
1-3/8" and 1-3/4" thicknesses
Square and Arch Tops
Customized acceptable

Knotty Alder Doors

2-Panel Square Top – Double-Hip Raised Panel





Panel and Stile
Split Resistent Construction

SPECIFICATIONS :
6'8", 7'0" and 8'0" heights
1'3" to 3'6" widths
1-3/8" and 1-3/4" thicknesses
Square and Arch Tops
Customized acceptable

Knotty Alder Doors

6-Panel – Double-Hip Raised Panel





Panel and Stile
Split Resistent Construction

SPECIFICATIONS :
6'8", 7'0" and 8'0" heights
1'3" to 3'6" widths
1-3/8" and 1-3/4" thicknesses
Customized acceptable

Knotty Alder Doors

Louvers





Louver
Constructure

SPECIFICATIONS :
6'8", 7'0" and 8'0" heights
1'3" to 3'6" widths
1-3/8" and 1-3/4" thicknesses
Customized acceptable

DALIAN DYNAMIC WOODWORKS INC.

Manufacturing facilities: Dalian, CHINA & Surabaya, INDONESIA

www.daliandynamic.com

Knotty Alder Door

6-Panel – Double-Hip Raised Panel





Panel and Stile
Split Resistent Construction

SPECIFICATIONS :
6'8", 7'0" and 8'0" heights
1'3" to 3'6" widths
1-3/8" and 1 3/4" thicknesses
Customized accptable

Knotty Alder Door

Louver





Louver
Constructure

SPECIFICATIONS :
6'8", 7'0" and 8'0" heights
1'3" to 3'6" widths
1-3/8" and 1 3/4" thicknesses
Customized accptable

Knotty Alder Door

Bifolds – Plank Panels With Top Rail Arch





Panel and Stile
Split Resistent Construction

SPECIFICATIONS :
6'8", 7'0" and 8'0" heights
1'3" to 3'6" widths
1-3/8" and 1 3/4" thicknesse
Square and Arch Tops
Customized accptable

Knotty Alder Door

Bifolds – Double-Hip Raised Panels With Top Rail Arch





Panel and Stile
Split Resistent Construction

SPECIFICATIONS :
6'8", 7'0" and 8'0" heights
1'3" to 3'6" widths
1-3/8" and 1 3/4" thicknesses
Square and Arch Tops
Customized accptable

DALIAN DYNAMIC WOODWORKS INC.

Manufacturing facilities: Dalian, CHINA & Surabaya, INDONESIA

www.daliandynamic.com

Knotty Alder Door

Barn Door： K-Style With V-Groove Panels



Front

SPECIFICATIONS :
6'8", 7'0" and 8'0" heights
3'0" to 5'0" widths
1 3/4" thicknesses

Knotty Alder Door



Back

Features :
Engineered stile and rail construction
Custom size and modifications available
Available in a wide variety of sizes

Knotty Alder Door

Barn Door： Z-Style With V-Groove Panels



Front

SPECIFICATIONS :
6'8", 7'0" and 8'0" heights
3'0" to 5'0" widths
1 3/4" thicknesses

Knotty Alder Door



Back

Features :
Engineered stile and rail construction
Custom size and modifications available
Available in a wide variety of sizes

DALIAN DYNAMIC WOODWORKS INC.

Manufacturing facilities: Dalian, CHINA & Surabaya, INDONESIA

www.daliandynamic.com

Knotty Alder Door

Barn Door: Z-Style With V-Groove Panels



Front



Panel and Stile
Split Resistent Construction

Knotty Alder Door



Back

SPECIFICATIONS :
6'8" , 7'0" and 8'0" heights
3"0" to 5'0' widths
1 3/4" thicknesses
Customized accptable

Knotty Alder Door

Barn Door: K-Style With V-Groove Panels



Front



Panel and Stile
Split Resistent Construction

Knotty Alder Door



Back

SPECIFICATIONS :
6'8" , 7'0" and 8'0" heights
3"0" to 5'0' widths
1 3/4" thicknesses
Customized accptable

DALIAN DYNAMIC WOODWORKS INC.

Manufacturing facilities: Dalian, CHINA & Surabaya, INDONESIA

www.daliandynamic.com

Knotty Alder Door

8-Lite With Double-Raised Bottom Ranel





Panel and Stile
Split Resistent Construction

SPECIFICATIONS :
6'8", 7'0" and 8'0" heights
1'3" to 3'6" widths
1-3/8" and 1 3/4" thicknesses
Customized accptable

Knotty Alder Door

10-Lite With Double-Raised Bottom Panel





Panel and Stile
Split Resistent Construction

SPECIFICATIONS :
6'8", 7'0" and 8'0" heights
1'3" to 3'6" widths
1-3/8" and 1 3/4" thicknesses
Customized accptable

Knotty Alder Door

3-Panel T-Shaker





Panel and Stile

SPECIFICATIONS :
6'8", 7'0" and 8'0" heights
1'3" to 3'6" widths
1-3/8" and 1 3/4" thicknesses
Customized accptable

Knotty Alder Door

3-Panel T - Shaker





Panel and Stile

SPECIFICATIONS :
6'8", 7'0" and 8'0" heights
1'3" to 3'6" widths
1-3/8" and 1 3/4" thicknesses
Customized accptable

DALIAN DYNAMIC WOODWORKS INC.

Manufacturing facilities: Dalian, CHINA & Surabaya, INDONESIA

www.daliandynamic.com

White Oak Door

Barn Door : Factory-Prefinished With Wire-Brush Techniques



SPECIFICATIONS:
6'8", 7'0" and 8'0" heights
2'0" to 5'0" widths
1 3/4"thicknesses

Features:
Hand selected Premium White Oak
Sold wire brushed/white washed

White Oak Door

Barn Door : Factory-Prefinished With Wire-Brush Techniques



SPECIFICATIONS:
6'8", 7'0" and 8'0" heights
2'0" to 5'0" widths
1 3/4"thicknesses

Features:
Hand selected Premium White Oak
Sold wire brushed/white washed

Knotty - Chili Radiata Pine Door

Two-Panel Top Rail Arch – Plank Style V-Groove Panel





Panel and Stile
Split Resistent Construction

SPECIFICATIONS :
6'8" , 7'0" and 8'0" heights
1'3" to 3'6" widths
1-3/8" and 1 3/4" thicknesses
Square and Arch Tops
Customized accptable

Knotty - Chili Radiata Pine Door

Two-Panel Square Top – Plank Style V-Groove Panel





Other Option :
Panel - Double Hip Raised

SPECIFICATIONS :
6'8" , 7'0" and 8'0" heights
1'3" to 3'6" widths
1-3/8" and 1 3/4" thicknesses
Square and Arch Tops
Customized accptable

DALIAN DYNAMIC WOODWORKS INC.

Manufacturing facilities: Dalian, CHINA & Surabaya, INDONESIA

www.daliandynamic.com

Mahogany Door

Flush Door



SPECIFICATIONS:
6'8", 7'0" and 8'0" heights
1'3" to 3'6" widths
1-3/8"and 1 3/4"thicknesses
Customized accptable

Mahogany Door

5-Lite Glass Door





Stile , Sticking and Glass

SPECIFICATIONS:
6'8", 7'0" and 8'0" heights
1'3" to 3'6" widths
1-3/8"and 1 3/4"thicknesses
Customized accptable

Mahogany Door

1-Lite Glass Door





Stile , Sticking and Glass

SPECIFICATIONS:
6'8", 7'0" and 8'0" heights
1'3" to 3'6" widths
1-3/8"and 1 3/4"thicknesses
Square and Arch Tops
Customized accptable

Mahogany Door

Sidelites





Stile , Sticking and Glass

SPECIFICATIONS:
6'8", 7'0" and 8'0" heights
1'3" to 3'6" widths
1-3/8"and 1 3/4"thicknesses
Square and Arch Tops
Customized accptable

DALIAN DYNAMIC WOODWORKS INC.

Manufacturing facilities: Dalian, CHINA & Surabaya, INDONESIA

www.daliandynamic.com



KAD-PV-01



KAD-P-02



KAD-PV-03



KAD-P-04



KAD-P-05



KAD-L-01



KAD-BF-01



KAD-BF-02



KAD-BD-01



KAD-BD-02



KAD-BD-03



KAD-BD-04

DALIAN DYNAMIC WOODWORKS INC.

Manufacturing facilities: Dalian, CHINA & Surabaya, INDONESIA

www.daliandynamic.com



KAD-SK-01



KAD-SK-02



KRD-PV-01



KRD-PV-02



MHD-FL-01



MHD-GL-01



MHD-GL-02



MHD-SL-01



KAD-GL-02



OKD-BD-01



OKD-UF-01

DALIAN DYNAMIC WOODWORKS INC.

Manufacturing facilities: Dalian, CHINA & Surabaya, INDONESIA

www.daliandynamic.com



RPD-PVG-01



RPD-PVG-02



ROK-ML40-01



OKD-L-01



OKD-FB-01



MPD-5P-01

DALIAN DYNAMIC WOODWORKS INC.

Manufacturing facilities: Dalian, CHINA & Surabaya, INDONESIA

www.daliandynamic.com



KRD-FB-01



KRD-1PV-01



BCD-5P-01



OKD-UF-01



OKD-UF-03

QUALITY WOOD PRODUCTS SUPPLIER