

TELL YOUR LOCAL
DISTRIBUTOR ABOUT
OUR DISTRIBUTOR
PROGRAM

FREE DISPLAY & MORE

CHECK
US OUT!



CONTACT
US



1590 Newaygo Rd. Bailey, MI



877.761.5111



info@accinc.us



www.americanflashings.com

FOLLOW OUR SOCIAL MEDIA
[@AMERICANFLASHINGS](https://www.instagram.com/americanflashings)



J'd OUT KICKOUT

INSTALLATION GUIDE

- Made in the USA 
- 2 Kickouts In One
- Works with Vinyl, Cedar, LP, Stucco, Brick, Fiber Cement, and more!
- Available in **6 colors** & paintable
- Roof to Wall Intersection - Dormers - Chimneys - Skylights
- Patented Water Shedding Technology
- Integrates With Siding & Roofing

ROOF-LIFETIME LASTING POLYPROPYLENE!


SPECS:

Length: 8"

Height: 3.75"


Width: 3.75"






DETAIL A

The back wall of the built-in channel of your J'd Out Kickout needs to align with the installed drip edge.



For video tutorials, go to:
www.americanflashings.com/installation



DIMENSIONS & SIZING

3 INCH KICK OUT
FROM WALL

SECONDARY KICKOUT

PRIMARY KICKOUT

1 INCH "J" POCKET

2 INCH REQUIRED
STAND OFF

INSTALLED DIMENSIONS

LENGTH: 8"

HEIGHT: 3.75"

WIDTH: 3.75"

MEETS ALL NATIONAL
BUILDING CODE
REQUIREMENTS



Works With:

- Vinyl
- Cedar
- LP
- Stucco
- Brick
- Fiber Cement

and more!

Works On:

- Side Walls
- Dormers
- Sky Lights
- Chimneys



COLOR OPTIONS



BLACK



BRONZE



WHITE



TAN



BROWN



GREY

AND PAINTABLE!

VISIT WWW.AMERICANFLASHINGS.COM AND
CHECK OUT ALL OUR QUALITY PRODUCTS!



Ridge Vent, Underlayment,
Housewrap, Tapes, Nails, and MORE!