METPURE®
Catalog

2025

M E T P U R E ®

Founded in 2013, Metpure is a leading manufacturer and supplier of high-quality water filtration systems and components, serving resellers, installers, wholesalers, and distributors in the water treatment, plumbing, and appliance industries. We are committed to providing a seamless, efficient, and user-friendly purchasing experience through our 24/7 online access, allowing resellers to easily browse our catalog, place orders, and manage their accounts anytime, anywhere.

Our extensive product line includes water filtration faucets, water filters, Versatile quick twist water filtration systems, tubing, fittings, and accessories—crafted to meet the highest industry standards for quality and reliability. With a focus on ease of access, fast order fulfillment, and dedicated reseller support, Metpure ensures that our partners have everything they need to succeed.

Product Line

- **Water Filtration Faucets:** NSF certified, stylish, and functional faucets designed specifically for filtered water applications. Available in various finishes and styles, our faucets ensure a sleek, high-quality solution for delivering purified water directly from filtration systems.

- **Water Filters:** Our selection of water filters ensures the removal of impurities, delivering clean and safe water suitable for diverse applications.

- **Water Filtration Systems:** Metpure offers advanced Versatile quick twist water filtration systems that provide efficient and reliable water purification solutions for various water filtration needs.

- **Tubing and Fittings:** Metpure provides durable tubing and fittings designed to withstand the operational pressures of environments, ensuring seamless integration into existing systems.

- **Accessories:** A range of additional components to enhance and complement our existing product lines.

Quality and Compliance

Committed to excellence, Metpure ensures that all products adhere to industry standards and certifications, guaranteeing safety, reliability, and performance. Our dedication to quality control and continuous improvement positions us as a trusted partner for businesses seeking dependable water filtration solutions.

Phone number: 714.202.0019
Website: www.metpure.com
Address: 4773 Brooks St., Unit D, Montclair, CA 91763
Email: support@metpure.com

MET*PRO*
MEMBERSHIP

Met Pro Program: Empowering Our Reseller Partners

Met Pro is a FREE program designed to provide business entities such as resellers, wholesalers, installers, and distributors with exclusive benefits to help them succeed in the water filtration industry, all with the ease of online access to streamline operations, such as online ordering, price viewing, payment processing, past order and invoice access, and shipment tracking.

Key Benefits of the Met Pro Program

- **Exclusive Wholesale Pricing** – Get instant access to view competitive pricing and bulk discounts directly through our online portal.

- **Priority Order Fulfillment** – Faster processing times and priority shipping to keep your inventory stocked.

- **Dedicated Account Management** – Manage your business effortlessly through our online account dashboard, while having direct access to a personal account manager for tailored support

- **Marketing & Sales Support** – Instantly download high-quality product images, specifications, and marketing collateral to enhance your sales efforts.

- **Custom Branding & Private Labeling** – We can help with OEM and private labeling of your products under your own company name, helping you build a strong market presence.

- **Flexible Ordering Options** – Place bulk or small-batch orders directly online, with real-time inventory updates ensuring you always have access to available stock.

- **Early Access to New Products** – Be the first to know about new product launches and updates with online notifications and exclusive early access deals.

FAQ

Who Can Join?
The Met Pro Program is open to resellers, installers, wholesalers, and distributors in the business of selling water filtration products. Whether you are just starting or already have an established business, Metpure provides the tools, resources, and products to help you grow.

How Much Does It Cost to Join?
FREE. There is no cost to join. Registration takes less than 2 minutes.

How to Join?
Visit www.metpure.com/metpro to sign up.
Access is provided once the account is verified.

Scan Here
to Join

CONTENT

RO FAUCET

FA-01-CHR-NAG

INCLUDED HARDWARE

FA-01
LONG REACH SPRING LEVER STYLE (NON AIR-GAP)

MATERIAL : Lead-free brass   **VALVE :** Spring gate   **QTY PER BOX :** 50

Long reach spring lever reverse osmosis drinking water non air gap RO faucet.

PREMIUM QUALITY : This long reach style reverse osmosis faucet is crafted with lead-free brass for durability and lasting finish. The product material feels solid and the dispenser operates smoothly for years of usage.

STANDARD FIT : This spigot is equipped with a standard 3" long stem that could be threaded with all 1/4" OD tubing. Complete hardware is included.

SLEEK DESIGN : The tall gooseneck of this faucet fixture rotates 360 degrees conveniently providing all dispensing directions and the spout curves upwards at a perfect pouring angle and its bell-shaped outlet gives a modern, contemporary appearance that is sure to match the look of any modern kitchen.

AVAILABLE FINISHES

BRUSHED NICKEL
DIELECTRIC PLATING
FA-01-BN-NAO

CHROME
DIELECTRIC PLATING
FA-01-CHR-NAG

FA-05-CG-NAG

INCLUDED HARDWARE

NSF
Certified to
NSF/ANSI/CAN 61

FA-05
VASE STYLE (NON AIR-GAP)

MATERIAL : Zinc alloy   **VALVE :** Ceramic disc   **QTY PER BOX :** 20

Vase style reverse osmosis drinking water air-gap and non air-gap RO faucet with ceramic disc valve.

HEAVY DUTY BODY : The faucet is crafted with zinc composite alloy that is built to last and its surface staying smooth for years of usage.

STANDARD FIT : Most filtration systems come in 1/4" feed tube, so every faucet comes with hardware kit that will fit 1/4" feed tube.

PREMIUM FINISH : The finish of all the faucets are layered with multiple coats and color matched to their exact specifications to ensure their appearance stay consistent in every batch and their color does not fade over time during usage.

AVAILABLE FINISHES

ANTIQUE BRASS DIELECTRIC PLATING FA-05-AB-NAG	ANTIQUE WINE DIELECTRIC PLATING FA-05-AW-NAG	BRIGHT GOLD DIELECTRIC PLATING FA-05-BG-NAG	BRUSHED GOLD DIELECTRIC PLATING FA-05-BSG-NAG
BRUSHED NICKEL DIELECTRIC PLATING FA-05-BN-NAG	CHAMPAGNE GOLD DIELECTRIC PLATING FA-05-CG-NAG	CHROME DIELECTRIC PLATING FA-05-CHR-NAG	CLASSIC BRONZE DIELECTRIC PLATING SOLID LEAD-FREE BRASS FA-05-CB-NAG-1
GUNPOWDER GREY DIELECTRIC PLATING FA-05-GG-NAG	MATTE BLACK BAKE COATING FA-05-MB-NAG	OIL RUBBED BRONZE BAKE COATING FA-05-ORB-NAG	POLISHED NICKEL DIELECTRIC PLATING FA-05-PN-NAG
ROSE GOLD DIELECTRIC PLATING FA-05-RG-NAG	SATIN NICKEL DIELECTRIC PLATING FA-05-SN-NAG	STAINLESS STEEL DIELECTRIC PLATING FA-05-SS-NAG	VENETIAN BRONZE DIELECTRIC PLATING FA-05-VB-NAG

PRE-ATTACHED TUBING AIR-GAP RO FAUCET

The airgap RO faucet comes with pre-installed tubings. RO systems requiring a 1/4" brine input (18" Length) and 3/8" brine output (18" Length) airgap hook up lines are compatible with this faucet.

1/4" PURIFIED WATER FEED FROM RO SYSTEM

1/4" DRAIN WATER (IN) RED TUBING (18" Length)

AIRGAP HOLE

3/8" DRAIN WATER (OUT) BLACK TUBING (18" Length)

FA-05-CHR-AGT

INCLUDED HARDWARE

PRE-ATTACHED TUBINGS

NSF

Certified to
NSF/ANSI/CAN 61

FA-05
VASE STYLE (AIR-GAP)

MATERIAL : Zinc alloy   **VALVE :** Ceramic disc   **QTY PER BOX :** 18

Vase style reverse osmosis drinking water air-gap and non air-gap RO faucet
with ceramic disc valve.

HEAVY DUTY BODY : The faucet is crafted with zinc composite alloy that is built to last
and its surface staying smooth for years of usage.

PREMIUM FINISH : The finish of all the faucets are layered with multiple coats
and color matched to their exact specifications to ensure their appearance stay
consistent in every batch and their color does not fade over time during usage.

PRE-ATTACHED TUBING AIR-GAP RO FAUCET : The airgap RO faucet comes with pre-installed
tubings. RO systems requiring a 1/4" brine input (18" length) and 3/8" brine output (18"length)
airgap hook up lines are compatible with this faucet.

AVAILABLE FINISHES

BRUSHED NICKEL
DIELECTRIC PLATING
FA-05-BN-AGT

CHROME
DIELECTRIC PLATING
FA-05-CHR-AGT

MATTE BLACK
BAKE COATING
FA-05-MB-AGT

BRUSHED GOLD
DIELECTRIC PLATING
FA-05-BSG-AGT

FA-06-CHR-NAG

INCLUDED HARDWARE

FA-06

ANAQUA (AVAILABLE IN AIRGAP AND NON-AIRGAP)

MATERIAL : Lead-Free Bass   **VALVE :** Ceramic disc

Elevate your kitchen with the Anaqua Series RO Faucet, a high-end style fixture designed for water filtration systems. Crafted for both precision and performance, this faucet seamlessly integrates into contemporary and minimalist kitchen aesthetics, offering the perfect balance of elegance and functionality.

EXCEPTIONAL CRAFTSMANSHIP : Constructed from solid lead-free brass, the Anaqua Series RO Faucet delivers outstanding durability, corrosion resistance, and a safe, pure water flow, ensuring long-lasting reliability.

LUXURIOUS FINISH : Coated with a multi-layer premium finish, this faucet maintains its pristine appearance, resisting tarnishing, discoloration, and wear—enhancing the beauty of any contemporary kitchen.

SEAMLESS FUNCTIONALITY : Designed for effortless use, the sleek 12-inch gooseneck spout with a full 360° swivel provides smooth maneuverability and precision, delivering purified water with ease in any modern kitchen.

AVAILABLE FINISHES

BRUSHED NICKEL
DIELECTRIC PLATING
FA-06-BN-NAG

CHROME
DIELECTRIC PLATING
FA-06-CHR-NAG

MATTE BLACK
BAKE COATING
FA-06-MB-NAG

BRUSHED GOLD
DIELECTRIC PLATING
FA-06-BSG-NAG

FA-08-BSG-NAG

INCLUDED HARDWARE

NSF
Certified to
NSF/ANSI/CAN 61

FA-08
STANDARD EURO STYLE (NON AIR-GAP)

MATERIAL : Zinc alloy   **VALVE :** Ceramic disc   **QTY PER BOX :** 20

Standard Euro style reverse osmosis drinking water non air gap RO faucet with ceramic disc valve.

EURO-INSPIRED DESIGN : The robust and straight line appearance are inspired by European fixtures' sleek, simple look. This popular style is made to be easily matched with most contemporary kitchen faucet styles.

STANDARD FIT : Most filtration systems come in 1/4" feed tube, so every faucet comes with hardware kit that will fit 1/4" feed tube.

SIMPLE AND CLEAN LOOK : With a round base and a soft angled-curve spout, this faucet is made to look simple and clean in all kitchen settings.

AVAILABLE FINISHES

BRIGHT GOLD
DIELECTRIC PLATING
FA-08-BG-NAG

BRUSHED GOLD
DIELECTRIC PLATING
FA-08-BSG-NAG

BRUSHED NICKEL
DIELECTRIC PLATING
FA-08-BN-NAG

CHROME
DIELECTRIC PLATING
FA-08-CHR-NAG

MATTE BLACK
BAKE COATING
FA-08-MB-NAG

OIL RUBBED BRONZE
BAKE COATING
FA-08-ORB-NAG

SATIN NICKEL
DIELECTRIC PLATING
FA-08-SN-NAG

FA-09-MB-NAG

INCLUDED HARDWARE

NSF

Certified to
NSF/ANSI/CAN 61

FA-09
LARGE EURO STYLE (NON AIR-GAP)

MATERIAL : Zinc alloy   **VALVE :** Ceramic disc   **QTY PER BOX :** 20

Large Euro style reverse osmosis drinking water non air gap RO faucet with ceramic disc valve.

LUXURIOUS DESIGN : This Large Euro style faucet has the same high quality as the Standard Euro style faucet but with larger profile and longer spout. This large faucet adds a luxurious, grand touch to the countertop and the overall layout of the kitchen.

STANDARD FIT : Most filtration systems come in 1/4" feed tube, so every faucet comes with hardware kit that will fit 1/4" feed tube.

CONVENIENT USAGE : The tall gooseneck of this RO faucet swivels 360 degrees for all dispensing angles and the built-in ceramic disc valve will provide a smooth operation on every dispense.

AVAILABLE FINISHES

BRUSHED GOLD
DIELECTRIC PLATING
FA-09-BSG-NAG

BRUSHED NICKEL
DIELECTRIC PLATING
FA-09-BN-NAG

CHROME
DIELECTRIC PLATING
FA-09-CHR-NAG

MATTE BLACK
BAKE COATING
FA-09-MB-NAG

OIL RUBBED BRONZE
BAKE COATING
FA-09-ORB-NAG

CERAMIC DISC VALVE

Our FA-05, FA-07, FA-08, and FA-09 faucets all come equipped with ceramic disc valve for easy, smooth, operation control of the flow rate on the faucets and its design is made to remain leak-free for years of usage.

DOUBLE O-RING GOOSENECK JOINT

Faucets are only as leak proof as its weakest point. So, all our faucets are double gasketed at the rotating joint to provide that long lasting leak-proof experience whenever the gooseneck is rotated.

FA-CP-1

RO FAUCET FINISHES COLOR PALETTE KEY CHAIN

An invaluable tool for installers or sales reps to provide onsite color match of kitchen faucet finish to Metpure faucet finishes. This will ensure all color finishes are uniform throughout the decor, and prevent mismatching fixture colors after installation.

RO-FW148

FILTER FAUCET WRENCH

Tool designed to significantly reduce installation time and securely tignten all water filtration faucets with minimal effort.

Height : 8"
Width : 1-5/8"
Nut fit: 14mm

Retail package

A must have tool for all faucet installations.

8" ABS durable wrench with non-slip grip design.

Fits 14mm RO faucet nuts.

Built-in torque nut and hole design for applying extra tightness to the faucet install.

WHAT MAKES THIS WATER FILTRATION SYSTEM VERSATILE?

Integrate with a variety of Metpure Versatile quick twist filters, space saving design, and the entire system is customizable to your need.

SPACE SAVING

3 times smaller than traditional RO systems

12.8"

11"

563 in³

Metpure Versatile RO
Water Filtration System

18"

16"

1,728 in³

Traditional RO Water
Filtration System

Metpure Versatile Water Filtration System Parts

Versatile Parts
4-Stage Aluminum Bracket

Item #	QTY / Price Breaks
MVRM4	50 / 200+

Versatile Parts
2-Stage Aluminum Bracket

Item #	QTY / Price Breaks
MVRM2	50 / 200+

Versatile Parts
Filter Clip Mount

Item #	QTY / Price Breaks
MVFCM	50 / 500 / 1000+

Versatile Parts
Filter CAM

Item #	QTY / Price Breaks
MVFCAM14	50 / 200 / 1000+

Versatile Parts
RO Membrane CAM

Item #	QTY / Price Breaks
MVROCAM14	50 / 200+

Versatile Parts
High Demand RO CAM

Item #	QTY / Price Breaks
MVHDROCAM14	50 / 200+

WATER**FILTERS**

RO membrane
50 GPD

Reverse osmosis (RO) is a water purification process that removes ions, unwanted molecules, contaminants, and larger particles from drinking water using a partially permeable TFC membrane. As a result, the solute is kept on the membrane's pressurized side and the pure solvent is allowed to pass to the other side, removing up to 99% of total dissolved solids (TDS).

Feature highlights

- Rated for up 50 gallons per day permeate water production
- Fits all universal 2.5" x 12" RO membrane housing
- Recovery rate up to 33%
- Gasket and o-rings to prevent rejection water contamination

Materials of construction

- Membrane: thin film composite
- Stem: polypropylene
- Brine seal: EPDM
- O-rings: EPDM

Applications

- Ice Makers
- Appliances
- Water Filtration Systems
- RODI Systems

50 GPD RO Membrane

Flowrate (GPD) vs Pressure in PSI

Product Information

Item #	Dimensions (W x H)	GPD	Micron Size	TDS Removal	Salt Rejection	Box Dimension	Box Weight (lbs)	Box QTY
FI-ROM-1812-50	11" x 1.75"	50	0.0001	up to 99%	up to 98%	12" x 12" x 13"	12	25

Notes

- For drinking water applications.
- Do not use where water is microbiologically unsafe or of unknown quality without adequate disinfection before or after the filter.
- Flush the filter with at least 3 gallons of water prior to usage or if contains carbon, until black carbon residue disappears.
- Use proper filter housing matching the specs of this filter.

⚠ WARNING: Cancer and reproductive Harm- www.P65Warnings.ca.gov

Sediment Filter

Removes large sediments such as sand, silt, dirt, and rust particles

100% melt-blown polypropylene. This filter is made with radial multi-gradient tight-packed structure polypropylene fiber designed to maximize impurity holding capacity and to provide optimal filtration result and service life.

Feature highlights

- Food grade material
- Radial multi gradient polypropylene structure
- High dirt-holding capacity

2.5" Sediment Filter

Percent Reduction Efficiency (%) vs Particle Size (µm)
2.5" x 10"
2.5" x 20"

4.5" Sediment Filter

Percent Reduction Efficiency (%) vs Particle Size (µm)
4.5" x 20"
4.5" x 10"

Materials of construction

- Melt blow polypropylene

Applications

- Water dispensers
- Coffee makers
- Ice makers
- Water filtration systems

Product Information

Item #	Dimensions OD x H	Service Life	Micron	Temperature Rating	Box Dimension	Box Weight (lbs)	Box QTY
FI-PP1061285	2.5" x 10"	6-12 Months	5 Micron	40 - 160 F	13" x 13" x 20"	13	50
FI-PP2061285	2.5" x 20"	6-12 Months	5 Micron	40 - 160 F	13" x 13" x 21"	14	25
FI-PP10110285	4.5" x 10"	6-12 Months	5 Micron	40 - 160 F	14" x 10" x 20"	12	12
FI-PP20110285	4.5" x 20"	6-12 Months	5 Micron	40 - 160 F	14" x 10" x 20"	12	6

Notes

- For drinking water applications.
- Do not use where water is microbiologically unsafe or of unknown quality without adequate disinfection before or after the filter.
- Flush the filter with at least 3 gallons of water prior to usage or if contains carbon, until black carbon residue disappears.
- Use proper filter housing matching the specs of this filter.

⚠ WARNING: Cancer and reproductive Harm- www.P65Warnings.ca.gov

Carbon Block

100% coconut shell activated carbon block

Reduces chlorine, taste, and odor. Efficient and effective in removing volatile organic carbon compounds and solvents. Great dirt holding capacity. This premium carbon block is designed to minimize release of carbon fines during initial flush and usage.

Feature highlights

- Made from virgin coconut shell.

- High grade coconut shell carbon to efficiently remove organic compounds chlorine, bad taste, and odor.

Materials of construction

- Body: Polypropylene

- Media: Coconut shell carbon

- Pads: Polypropylene

Applications

- Water dispensers
- Coffee makers
- Ice makers
- Water filtration systems

Product Information

Item #	Dimensions OD x H	Service Life	Micron	Temperature Rating	Box Dimension	Box Weight (lbs)	Box QTY
FI-CTO1063285	2.5" x 10"	6-12 Months 12,000 GAL (45,000 L)	5 Micron	40 - 125 F	15" x 16" x 10"	19	25
FI-CTO2063285	2.5" x 20"	6-12 Months 24,000 GAL (90,000 L)	5 Micron	40 - 125 F	15" x 13" x 21"	32	20
FI-CTO10113285	4.5" x 10"	6-12 Months 36,000 GAL (136,000 L)	5 Micron	40 - 125 F		30	12
FI-CTO20113285	4.5" x 20"	6-12 Months 51,000 GAL (193,000 L)	5 Micron	40 - 125 F	16" x 10" x 21"	35	35

Notes

- For drinking water applications.
- Do not use where water is microbiologically unsafe or of unknown quality without adequate disinfection before or after the filter.
- Flush the filter with at least 3 gallons of water prior to usage or if contains carbon, until black carbon residue disappears.
- Use proper filter housing matching the specs of this filter.

⚠ WARNING: Cancer and reproductive Harm- www.P65Warnings.ca.gov

INLINE COCONUT SHELL GRANULAR ACTIVATED CARBON
100% coconut shell granular activated carbon

METPURE®
INLINE COCONUT SHELL GRANULAR ACTIVATED CARBON (GAC)
100% virgin coconut shell granular activated carbon
← FLOW

Reduces chlorine, taste, and odor. Efficient and effective in removing volatile organic carbon compounds and solvents. Use with a reverse osmosis system as a post filter or as a single filter for icemakers, fridge water connections, coffee makers, water dispensers, or appliances.

Feature highlights

- Made from virgin coconut shell
- High performance GAC filter with service life up 6-12 months or 2500 Gal.
- Easy installation
- Female threads and quick connect ends options available

Materials of construction

- 100% coconut shell extruded carbon block
- Body: Polypropylene

Applications

- Water dispensers
- Coffee makers
- Ice makers
- Water filtration systems

2" x 10" GAC filter

Chlorine reduction rate vs. Volume in gal

y-axis: Chlorine reduction rate: 40%, 60%, 80%, 100%
x-axis: Volume in gal: 0, 190, 412, 665, 1812, 2615, 3397, 4530

Product Information

Item #	Dimensions (W x H)	Service Life	Connection Type	Temperature Rating	Max Flow Rate	Max Pressure	Box QTY
FI-GAC102IL-14QC	2" x 10"	6-12 Months 2,500 GAL (9,500 L)	1/4" OD Quick connect	40 - 100 F	0.50 GPM	120 PSI	25
FI-GAC102IL-14FIP	2" x 10"	6-12 Months 2,500 GAL (9,500 L)	1/4" OD Female MPT	40 - 100 F	0.50 GPM	120 PSI	25
FI-GAC102ILB-38QC	2" x 10"	6-12 Months 2,500 GAL (9,500 L)	3/8" OD Quick connect	40 - 100 F	0.75 GPM	120 PSI	25

Notes

- For drinking water applications.
- Do not use where water is microbiologically unsafe or of unknown quality without adequate disinfection before or after the filter.
- Flush the filter with at least 3 gallons of water prior to usage or if contains carbon, until black carbon residue disappears.
- Use proper filter housing matching the specs of this filter.

⚠ WARNING: Cancer and reproductive Harm- www.P65Warnings.ca.gov

Elemen+s
INLINE ALKALINE FILTER

This alkaline filter contains a proprietary blend of bio-ceramic media containing ionized calcium, magnesium, sodium, potassium, and coconut shell GAC; together, they produce a supercharged ionized alkaline water with electrolytes that provides a highly-energized, invigorating refreshing taste.

Feature highlights

- 8.5pH - 9.5pH alkalinity supercharged mineralization
- Lifespan: 6-12 months 2,500 Gal (9,500 L)
- Oxidation Reduction Potential (ORP) **-150mV** to **-300mV**
- 1/4" OD quick connect

Materials of construction

- Proprietary blend of bio-ceramic media
- Body: Polypropylene

Applications

- Water dispensers
- Water filtration systems

Antioxidant Media

Coconut shell blend media

Alkaline media

Mineral media

Antibacterial media

Product Information

Item #	Dimensions (W x H)	Service Life	Alkalinity	Connection Type	Temperature Rating	Max Flow Rate	Max Pressure	Box QTY
FI-ELEM1125IL-14QC	11" x 2.5"	6-12 Months 2,500 GAL (9,500 L)	8.5pH - 9.5pH	1/4" OD Quick connect	40 - 100 F	0.5 GPM	100 PSI	25

Notes

- For drinking water applications.
- Do not use where water is microbiologically unsafe or of unknown quality without adequate disinfection before or after the filter.
- Flush the filter with at least 3 gallons of water prior to usage or if contains carbon, until black carbon residue disappears.
- Use proper filter housing matching the specs of this filter.

⚠ WARNING: Cancer and reproductive Harm- www.P65Warnings.ca.gov

Water Filtration Connectors

Fittings, Valves & Tubings

Fittings
Water Filtration
Inches Polypropylene White

* Max pressure ratings up to 120psi

* Virgin polypropylene component

* High quality materials designed for fluids and air

* EPDM O-rings and stainless steel grip teeth

Inches Polypropylene White
Male Connector

Item #	QC (OD)	MIP	Qty / Bag
FT-QC2MA1	1/4"	1/8"	200
FT-QC2MA2	1/4"	1/4"	200
FT-QC2MA3	1/4"	3/8"	200
FT-QC3MA2	3/8"	1/4"	200
FT-QC3MA3	3/8"	3/8"	200
FT-QC3MA4	3/8"	1/2"	100

Inches Polypropylene White
Stem Male Adapter

Item #	QC (OD)	MIP	Qty / Bag
FT-S2MA2	1/4"	1/4"	200
FT-S2MA3	1/4"	3/8"	200
FT-S3MA2	3/8"	1/4"	200
FT-S3MA3	3/8"	3/8"	200

Inches Polypropylene White
Stem Reducer

Item #	Stem (OD)	QC	Qty / Bag
FT-QC2SR3	3/8"	1/4"	200

Inches Polypropylene White
Union elbow

Item #	QC (OD)	QC (OD)	Qty / Bag
FT-QCUE22	1/4"	1/4"	200
FT-QCUE23	1/4"	3/8"	200
FT-QCUE33	3/8"	3/8"	200

Inches Polypropylene White
Male elbow

Item #	QC (OD)	MIP	Qty / Bag
FT-QC2ME1	1/4"	1/8"	200
FT-QC2ME2	1/4"	1/4"	200
FT-QC2ME3	1/4"	3/8"	200
FT-QC3ME2	3/8"	1/4"	200
FT-QC3ME3	3/8"	3/8"	200
FT-QC3ME4	3/8"	1/2"	200

Inches Polypropylene White
Male elbow w/ check valve

Item #	QC (OD)	MIP	Qty / Bag
FT-QC2MECV1	1/4"	1/8"	200

Fittings
Water Filtration
Inches Polypropylene White

Inches Polypropylene White
Stem elbow

Item #	QC (OD)	Stem (OD)	Qty / Bag
FT-QC2SE2	1/4"	1/4"	200
FT-QC2SE3	1/4"	3/8"	200
FT-QC3SE2	3/8"	1/4"	200
FT-QC3SE3	3/8"	3/8"	200

Inches Polypropylene White
Union Tee

Item #	Thru QC (OD)	Branch QC(OD)	Qty / Bag
FT-QCUT222	1/4" x 1/4"	1/4"	200
FT-QCUT223	1/4" x 1/4"	3/8"	200
FT-QCUT332	3/8" x 3/8"	1/4"	200
FT-QCUT333	3/8" x 3/8"	3/8"	200

Inches Polypropylene White
Male Run Tee

Item #	Thru QC (OD) X MIP	Branch QC(OD)	Qty / Bag
FT-QC22MRT2	1/4" x 1/4"	1/4"	200
FT-QC32MRT2	3/8" x 1/4"	1/4"	100
FT-QC32MRT3	3/8" x 1/4"	3/8"	100

Inches Polypropylene White
Stem Run Tee

Item #	QC (OD)	Stem (OD)	Qty / Bag
FT-QCSRT2	1/4"	1/4"	200
FT-QCSRT3	3/8"	3/8"	100

Inches Polypropylene White
Stem Branch Tee

Item #	QC (OD)	Stem (OD)	Qty / Bag
FT-QC2SBT2	1/4"	1/4"	200
FT-QC3SBT3	3/8"	3/8"	100

Inches Polypropylene White
Male Branch Tee

Item #	QC (OD)	Stem (OD)	Qty / Bag
FT-QC2MBT2	1/4"	1/4"	200
FT-QC3MBT3	3/8"	3/8"	100

Fittings
Water Filtration
Inches Polypropylene White

Inches Polypropylene White
Two Way Divider

Item #	QC (OD)	Qty / Bag
FT-QCTWD222	1/4"	200
FT-QCTWD333	3/8"	100

Inches Polypropylene White
Union

Item #	QC (OD)	QC (OD)	Qty / Bag
FT-QCU22	1/4"	1/4"	200
FT-QCU23	1/4"	3/8"	200
FT-QCU33	3/8"	3/8"	200

Inches Polypropylene White
Faucet Adapter

Item #	QC (OD)	FIP	Qty / Bag
FT-QCFA22	1/4"	7/16" UNS or 1/4" COMP	100
FT-QCFA32	3/8"	7/16" UNS or 1/4" COMP	100

* Faucet adapter has a build-in gasket. No Teflon tape/sealant required on thread.

Inches Polypropylene White
Auto Shut Off Valve

Item #	QC (OD)	Qty / Bag
PT-QCASV2	1/4"	100

Inches Polypropylene White
Bulkhead Union

Item #	QC (OD)	QC Nut End (OD)	Qty / Bag
FT-QC2BU2	1/4"	1/4"	100
FT-QC2BU3	1/4"	3/8"	100
FT-QC3BU3	3/8"	3/8"	100

Fittings
Water Filtration
Inches Polypropylene White

Inches Polypropylene White
Union Connector W/ Check Valve

Item #	QC (OD)	Qty / Bag
PT-QCUCV22	1/4"	100
PT-QCUCV33	3/8"	100

Fittings Water Filtration
Flow Restrictor

Item #	Flowrate (CC)	QC (OD)	Qty / Bag
PT-QCFR550	550	1/4"	100
PT-QCFR1200	1200	1/4"	100
PT-QCFR1600	1600	1/4"	100

Fittings Water Filtration
Nylon Pipe Nipple

Item #	Color	NPT	Qty / Bag
FT-PN2	WHITE	1/4"	200
FT-PN3	WHITE	3/8"	200
FT-PN4	WHITE	1/2"	100
FT-PN6	BLACK	3/4"	100
FT-PN8	BLACK	1"	100

Fittings Water Filtration
Plug

Item #	Color	Stem (OD)	Qty / Bag
FT-QCP2W	WHITE	1/4"	100
FT-QCP3W	WHITE	3/8"	100

Fittings Water Filtration
Pressure Regulator

Item #	PSI	QC (OD)	Qty / Bag
PT-PR60QC3	60	3/8"	50
PT-PR60QC2	60	1/4"	50
PT-PR70QC2	70	1/4"	50

Water Filtration Connectors
Quick Connect
Ball Valves

* Max pressure ratings up to 120psi

* Virgin polypropylene component

* High quality materials designed for drinking water systems

* Nitrile O-ring and stainless steel grip teeth

Quick Connect Tank Ball Valve
Tank Ball Valve

Item #	QC (OD)	NPT	Qty / Bag
PT-TBV2QC2	1/4"	1/4"	100
PT-TBV2QC3	3/8"	1/4"	100

* Tank ball valve has a build-in gasket. No Teflon tape/sealant required on tank thread.

Quick Connect Tank Ball Valve
In-Line Ball Valve

Item #	QC (OD)	QC (OD)	Qty / Bag
PT-BVQC22	1/4"	1/4"	100
PT-BVQC32	3/8"	1/4"	100
PT-BVQC33	3/8"	3/8"	100

Quick Connect Tank Ball Valve
In-Line Ball Valve

Item #	QC (OD)	NPT	Qty / Bag
PT-BVQC2MA2	1/4"	1/4"	100
PT-BVQC3MA3	3/8"	3/8"	100

Fittings
Quick Connect
Brass

* Solid lead-free brass

* Max pressure ratings up to 120psi

* Virgin polypropylene component

* High quality materials designed for drinking water systems

EZ RO Adapter

Item #	VALVE	Qty / Bag
EZROADP14	1/4" QC	100
EZROADP38	3/8" QC	100

Quick Connect (Sold in bag qty)

Item #	QC (OD)	COMP	Qty / Bag
FT-QC2FA716B-5	1/4"	1/4"	5
FT-QC3FA716B-5	3/8"	1/4"	5
FT-QC2FA916B-5	1/4"	3/8"	5
FT-QC3FA916B-5	3/8"	3/8"	5

Fittings
Water Filtration
LLDPE TUBINGS

LLDPE Tubing

Item #	Size (OD)	Color	Length (M)
T-2W	1/4"	WHITE	300
T-2BK	1/4"	BLACK	300
T-2B	1/4"	BLUE	300
T-2Y	1/4"	YELLOW	300
T-2R	1/4"	RED	300
T-2O	1/4"	ORANGE	300
T-2C	1/4"	CLEAR	300
T-3W	3/8"	WHITE	150

Standard Colors Available

Black

White

Blue

Orange

Red

Yellow

Clear

LLDPE
25 Feet Tubing

Item #	Color	Size (OD)	Length (FT)
T-2BK-25	BLACK	1/4"	25
T-2W-25	WHITE	1/4"	25
T-2B-25	BLUE	1/4"	25
T-2R-25	RED	1/4"	25
T-2Y-25	YELLOW	1/4"	25
T-3W-25	WHITE	3/8"	25

LLDPE
4 Color Coded Tubings

Item #	OD Tubing	Length (FT)
T-2RBBKY-5	1/4"	5/EA

Fittings
Water Filtration
Ice Maker / Water Supply Kit

Ice Maker / Water Supply
Water Supply Valve Installation Kit

Item #	Quick Connect Valve OD	Tubing OD	Length (FT)
ICEMK2514	1/4"	1/4"	25
ICEMK2538	3/8"	3/8"	25

Ice Maker / Water Supply
Water Filtration System Installation Kit

Item #	Tubing OD	Length (FT)
ROFKIT2514	1/4" & 3/8"	25

Ice Maker / Water Supply
Quick Connect Fittings Variety Pack

Item #	Tubing OD	Length (FT)
T2W15QCUETTWDBV2PK	1/4"	25

Ice Maker / Water Supply
PEX Ice Maker Kit

Item #	Tubing OD	Length (FT)
PEX6FADP2D	1/4"	6

Laundry Washer Connection
Supply Water Feed Line Splitter Kit

Item #	Tubing OD	Length (FT)
LWOYS-25QC2-KIT	1/4"	25

Ice Maker / Water Supply
Self-Piercing Needle Valve Kit

Item #	Copper Tubing OD	Length (FT)
ICEMKNV2514	3/8" OD - 1-6/15" OD	25