

**40 AMP PORTABLE EV CHARGER**

**SPECIFICATIONS**

|              |                                |
|--------------|--------------------------------|
| AMP          | 40A                            |
| LEVEL        | 2                              |
| OUTPUT       | 9.6 kW                         |
| CONNECTOR    | SAE-J1772                      |
| CABLE LENGTH | 25 FT                          |
| DISPLAY      | LCD SCREEN                     |
| CONNECTIVITY | BLUETOOTH & WIFI               |
| INSTALLATION | PRE-WIRED WITH NEMA 14-50 PLUG |

| AVAILABLE |  |
|-----------|--|
| DXPAEV040 | INCLUDES: CONTROL BOX, CHARGING HANDLE, 25 FT. HIGH-GRADE CABLE, MOUNTING BRACKET, HARDWARE, T25 TORX L- KEY |

40 AMP PORTABLE EV CHARGER



FREE TO DOWNLOAD AND USE EV CHARGER APP





**48 AMP PORTABLE EV CHARGER**

**SPECIFICATIONS**

|              |                  |
|--------------|------------------|
| AMP          | 48A              |
| LEVEL        | 2                |
| OUTPUT       | 11.5 kW          |
| CONNECTOR    | SAE-J1772        |
| CABLE LENGTH | 25 FT            |
| DISPLAY      | LCD SCREEN       |
| CONNECTIVITY | BLUETOOTH & WIFI |
| INSTALLATION | HARDWIRED        |

| AVAILABLE |  |
|-----------|--|
| DXPAEV048 | INCLUDES: CONTROL BOX, CHARGING HANDLE, 25 FT. HIGH-GRADE CABLE, MOUNTING BRACKET, HARDWARE, T25 TORX L- KEY |

48 AMP PORTABLE EV CHARGER



FREE TO DOWNLOAD  
AND USE EV CHARGER APP





**16 AMP PORTABLE EV CHARGER**


**SPECIFICATIONS**

|               |   |
|---------------|---|
| AMP           | 16A                                       |
| LEVEL         | 2   |
| OUTPUT        | 3.84 kW                                   |
| CONNECTOR     | SAE-J1772                                 |
| CABLE LENGTH  | 25 FT                                     |
| CONNECTIVITY  | NEMA 6-20 PLUG<br>NEMA 5-15 PLUG ADAPTER  |
| COMPATIBILITY | TESLA TO J1772 ADAPTER<br>SOLD SEPARATELY |

| AVAILABLE |   |
|-----------|---|
| DXPAEV016 | INCLUDES: CONTROL BOX, CHARGING HANDLE, 25 FT. HIGH-GRADE CABLE WITH NEMA 6-20 PLUG, NEMA 5-15 PLUG ADAPTER, TRAVEL BAG |

**16 AMP PORTABLE EV CHARGER**





**32X AMP PORTABLE EV CHARGER**

**SPECIFICATIONS**

|               |   |
|---------------|---|
| AMP           | 32A   |
| LEVEL         | 2   |
| OUTPUT        | UP TO 7.6 kW                                  |
| CONNECTOR     | SAE-J1772                                     |
| CABLE LENGTH  | 25 FT   |
| CONNECTIVITY  | NEMA 5-15 PLUG<br>NEMA 14-50 PLUG ADAPTER     |
| COMPATIBILITY | TESLA TO SAE-J1772 ADAPTER<br>SOLD SEPARATELY |

**FULL RANGE OF NEMA ADAPTERS SOLD SEPARATELY**

| AVAILABLE |  |
|-----------|--|
| DXPAEV032 | INCLUDES: CONTROL BOX, CHARGING HANDLE, 25 FT. HIGH-GRADE CABLE WITH NEMA 5-15 AND 14-50 PLUG ADAPTERS, TRAVEL BAG |

32 AMP PORTABLE EV CHARGER

