




www.leyonpipingsystem.com



Web: www.leyonpipingsystem.com E-mail: info@leyonsteel.com Tel:0086 21 3471 3975 Fax:0086 21 3471 3979

Fire Fighting Piping System

Leyon Piping System Co.,Ltd



Introduction:

The Leyon Group was founded in 1996. For more than 27 years, Leyon has focused on providing plumbing system solutions to customers around the world in the fields of fire protection, mining, town gas, HVAC, etc.

Leyon mainly supplies fire valves, fire hose, fire cabinet, malleable cast iron pipe fittings, ductile iron pipe fittings, grooved pipe fittings, forged pipe fittings, stainless steel pipe fittings, brass pipe fittings, stainless steel valves, brass valves, seamless pipe, welded pipe and other full series of products.

Our products are UL, FM, CE, BSI, TSE, ISO certified and qualified supplier to many large companies such as NAFFCO, CHEVRON, Gulf Fire, etc.

At the same time to provide customers with technical support, inspection services. Working with Leyon means more than just purchasing, you hire one team of experts with deep understanding of your industry and your particular needs.

Certificate

CERTIFICATE OF COMPLIANCE

Certificate Number Report Reference **Issue Date**

20180313-EX27773 EX27773-20180310 2018-March-13

Issued to: Leyon Piping System Co., Ltd

Suite 401 Building D No. 255 Meigiang RD Minhang

District 201104 Shanghai, CHINA

This is to certify that representative samples of

FITTINGS, CAST IRON, DUCTILE IRON, MALLEABLE **IRON AND BRONZE**

Fittings, Cast Iron, Ductile Iron, Malleable Iron Fittings Model - , 90, 92, 90R, 120, 130, 130R, 130A, 130C, 180, 180R, 241, 270, 240, 529, 280, 291, 301, 121, 220, 221

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety:

EN 10242 - Threaded Pipe Fittings in Malleable Cast Iron ASME B16.3 - Malleable Iron Threaded Fittings

ASME B16.14 - Ferrous Pipe Plugs, Bushings, and

Locknuts with Pipe Threads

Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.

Bamble















CERTIFICATE OF COMPLIANCE

20221019 - EX28919 Certificate Number Report Reference EX28919-20221019 Issue Date

2022-October-19

SGF ENERGY ENGINEERING TECH. INC. Issued to:

> 1201 N Orange St Ste 600 Wilmington, DE 19801-1171

United States

FITTINGS, WELDED OUTLET This is to certify that representative samples of

Models

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 213B WELDED OUTLET FITTINGS FOR FIRE


ULC/ORD C213 WELDED OUTLET FITTINGS

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.































Fire Fighting Valves



Grooved Resilient OS&Y Gate Valve



Flanged x Grooved Resilient OS&Y Gate Valve



Grooved Resilient NRS Gate Valve



Flanged x Grooved Resilient NRS Gate Valve



Flanged Resilient OS&Y Gate Valve



Water Flow Indicator



Water Flow Indicator



Double Door Wafer Check Valve



Double Door Grooved Check Valve



Landing Valve



Flanged Resilient OS&Y Gate Valve



Flanged Resilient NRS Gate Valve



Flanged Resilient NRS Gate Valve, with Post Flange



Grooved Butterfly Valve with Tamper Switch



Grooved Butterfly Valve with Tamper Switch



Vertical Indicator Post



Grooved Wet Alarm Check Valve



Cast Iron Flanged Metal Seated NRS Gate Valve



Grooved Butterfly Valve with Tamper Switch



Threaded Buttefly Valve with Tamper Switch



Double Eccentric Grooved Butterfly Valve



Lugged Wafer Butterfly Valve with Tamper Switch



Wafer Butterfly Valve with Tamper Switch



Grooved Butterfly Valve



Flanged Resilient Swing Check Valve



Grooved Resilient Swing Check Valve



Grooved Y-Type Strainer



Flanged Y-Type Strainer

Brass Valves



Angle Hose



Angle Hose



Angle Hose



Angle Hose



Angle Hose



Hydrant Connection



Brass Adaptor



Hexagon cast brasshose connector



Brass Plug & chain **Hydrant Connection**



Angle Hose



Stop Valve



Stop Valve



Stop Valve



Stop Valve



Brass Adaptor



Hexagon cast brasshose connector



Brass Plug & chain



Gate Hose





Ball Valve



Ball Valve



Ball Valve





Siamese Connections with Clapper



Siamese Connections with Clapper



Siamese Connections with Clapper



Siamese Connections with Clapper

Grooved Pipe Fitting



Standard Flexible Coupling



Angle Pad Coupling



Heavy-duty Flexible Coupling



Standard Reducing Flexible Coupling



Standard Flexible Coupling





Reducing Cross with Female Thread



90° End-all Elbow



Groowed Eccentric Reducer



Groaved Concentric Reducer



U-Bolt Mechanical Tee



Mechanical Tee Grooved Outlet



Mechanical Tee Threaded Outlet



Light-duty Mechanical Tee Threaded Outlet



Mechanical Cross Threaded Outlet



Grooved Concentric Reducerwith Male Thread



Groaved Concenric Reducerwith Female Thread

Welded Outlet



Groaved Concentric



Groowed Flange Adaplor Flange



11.25° Elbow



45° Elbow



22.5° Elbow



90° Elbow



Light-duty 90° Elbow

Model LPS-To Female Threaded Outlet



Model LPS-Go Cut











Light-duty Tee



Reducing Tee with Female Thread



Reducing Tee



Reducing Tee

Grooved Outlet

Model LPS-Go Roll Grooved Outlet

Model LPS-To Female Threaded Outlet (Antirust) Grooved Outlet (Antirust)

Malleable Iron Pipe Fitting (Galvanized)



90° Elbow



90° Reducing Elbow



45° Elbow



90° Street Elbow



90° Reducing Street Elbow



(Black)

90° Elbow



90° Reducing Elbow



Malleable Iron Pipe Fitting

45° Elbow



90° Street Elbow



90° Reducing Street Elbow



45° Street Elbow



45° Street Elbow



Extension Piece



Reducing Coupling





45° Street Elbow



45° Street Elbow



Extension Piece



Reducing Coupling





Reducing Tee



Reducing Tee



Cross



Coupling



Left & Right Coupling



Reducing Tee



Reducing Tee



Cross



Coupling



Left & Right Coupling



Hexagon Nipple



Reducing Hexagon Nipple



Union with Brass Seat





Hexagon Nipple



Reducing Hexagon Nipple



Union with Brass Seat



Fire C-PVC Pipe & Fitting



90° Elbow



Tee



45° Elbow



Cross



Reducer Bushing



Male Adaptor



Pipe

Fire Cabinet



Fire Cabinet & Hose Reel



Fire Cabinet-1



Fire Hose Reel



Fire Hose Reel-1



Fire Cabinet



Fire Cabinet-3



Fire Cabinet-5



Fire Hose Reel-2



Fire Hose Reel-3

Flexible Hose



Sprinkler Adaptor

Unbraided Hose With Straight Nipple



Stainless Steel Flexible Hose, Braided. For Isolation Board Roof



Reducing Coupling

Braided Hose With Straight Nipple



Stainless Steel Flexible Hose, Braidedfor Clean Room Application



Flexible Hose For Sprinkler Industry



Fire Cabinet-2



Fire Cabinet-4

Rubber Fire Hose

Sprinkler Head(Brass & Chrome)



Spray Upwards



Spray Downwards



Spray Sideways



Spray Upwards



Spray Downwards

Fire Hose



Water Hose-1



Water Hose-2



Water Hose-3



Water Hose-4



Water Hose-4

11

Pipe Clamp



U Quick Lateral Bracing Clamp



Four-Way Adaptor



Beam Adapter



Pipe Clamp



Structural Attachment



Seismic Sway Brace Structural Adaptor



Heavy-Duty Tiger Mouth Clip-1



Heavy-Duty Tiger Mouth Clip-2



Heavy-Duty Tiger Mouth Clip-3



Heavy-Duty Tiger Mouth Clip-4



Hose Pipe Clamp



Structural Attachment



U Lateral Bracing Clamp



Pipe Clamp



Beam Clamp



Heavy-Duty Tiger Mouth Clip-5



Heavy-Duty Tiger Mouth Clip-6



Heavy-Duty Tiger Mouth Clip-7



Heavy-Duty Tiger Mouth Clip-8



Pear Shaped Clamp



Pipe Clamp



Bracket Pipe Clamps Adjustable



U-Shaped Hoop Suspension Hanger



EPDM Clevis Hanger Pipe



Pipe Rubber Metal Clamps



Pipe Bundle Fittings



Welded Boss



Strut Clamps



Swivel Joint Connector

_____ 14































