



TOP HARDWARES CO.,LTD

Create the hardware's beauty



TOP HARDWARES CO., LTD

The Brand

TOP HARDWARES is a company focusing on manufacturing and exporting door hinge, locks and other hardware accessories. TOP enjoys a good reputation among its customers and partners globally including many well-known companies, because it has been dedicated to providing high quality hardware with affordable prices, and also because it has products covering a wide spectrum of sizes and different materials such as iron, stainless steel, brass, aluminum, zinc alloy etc.

Started hinges production and business since 1980s. The first manufacturing site was in Shenzhen, Guangdong. With the help of abundant local resources, the site mainly produced stainless steel hinges and the products were exported to North and South America.

In 1998, the manufacturing plant was moved to Pinghu, in Zhejiang province and started to have its own electroplating plant, producing commercial, residential hinges, and spring hinges. The factory can then serve various needs from customers including duty hinges, T hinges, welding hinges, invisible & 3D hinges, functional hinges, as well as customized hinges.

From 2005, TOP start to attend the domestic and overseas famous hardwares fairs to introduce our products, TOP devote to providing better hardware and making service for more clients.

TOP means Excellent, and its Chinese pronunciation has meaning of exploration and practical. These meanings nicely manifested TOP' s commitment to its customers and its product quality.

In 2018, the brand TOBALIN was registered. In the same year, TOP invested locks and handles factory in Wenzhou. Up till now, Locks series have included tubular locks grade 3, deadbolts, economic knob/levers, grip handles, mortise locks, rim locks, aluminum & zinc alloy handles, stainless steel handles, cylinders that satisfy clients' various hardware demand.

With more than 30 years of efforts and persistence, TOP now has hundreds of employees with a complete system of manufacturing, management, sales and quality control. TOP partners with companies in more than 40 different countries including door manufacturers in America, supermarkets in Europe, construction companies in Japan, wholesalers in middle east and etc.

Under the TOP's professional exporting teams and leadership, TOP continues providing the best hinge, locks and hardware solutions to its customers. TOP aims at offering top quality products with reasonable prices as well as the satisfaction of its customers.




Durable



Environmental



Sustainable



Efficient

Create the hardware's beauty



TOP

TOBALIN®

TOP HARDWARES

Create the hardware's beauty




US32D



US3



USP



More color reference



US15



US26D



US4



US19



US26



Commerical hinges series

- SIZE: 4.5"x4.5", 4"x4", 3.5"x3.5"
- Finishing: US15, US19, ORB, US26, US26D, US3, US4, USP etc
- Ball bearing: 2BB, plain bearing
- Corner: Square, 1/4" R, 5/8" R
- Pin: Loose pin, fixed pin
- Screws: wooden and machine screws
- NRP: with or without
- Packing: box, blister
- Hinges are ANSI template

Spring series (UL LISTED)

- SIZE: 4.5"x4.5", 4"x4", 3.5"x3.5"
- Finishing: US15, US19, ORB, US26, US26D, US3, US4, USP etc
- Corner: Square, 1/4" R, 5/8" R
- Screws: wooden and machine screws
- Packing: box, blister
- WITH UL LISTED
- Hinges are ANSI template



Extra Heavy duty Commerical series

- SIZE: 4.5"X4.5"X4.7MM 4BB
- Finishing: US15, US19, ORB, US26, US26D, US3, US4, USP etc
- Corner: Square
- Screws: wooden and machine screws
- Packing: box
- Hinges are ANSI template



US Series

- Size: 3", 3.5", 4"
- Thickness: 2.2mm, 2.5mm,
- Finishing: US15, US19, ORB, US26, US26D, US2G, US3, US4 etc
- Ball bearing: 2BB, plain bearing
- Corner: Square, 1/4" R, 5/8" R
- Pin: Loose pin, fixed pin
- Screws: with or without
- NRP: with or without
- Packing: in bluk, box, pp bag, blister packing

Square Series

- Size: 2.5", 3", 3.5", 4"
- Thickness: 1.0mm, 1.2mm, 1.4mm, 1.5mm, 1.6mm, 1.8mm, 2.0mm
- Finishing: Stain nickel, Black, Brass plated, zinc plated, self color, etc.
- Pin: Loose pin, fixed pin
- Screws: with or without
- Packing: in bluk, box, pp bag, blister packing



Ball head series

- Size (inch): 3x2.5, 3.5x2-5/16, 3.5x3, 4x3
- Thickness: 2.0mm, 2.5mm, 2.7mm, 3.0mm
- Finishing: chrome plated, stain chrome, black, stain brass, antique brass
- Ball bearing: 2BB, 4BB, without ball bearing
- Pin: Loose pin, fixed pin
- Head: flat head, ball head
- Corner: Square, R16
- Screws: with or without
- Packing: box, blister packing





EZ SERIES

- Material: steel
- Mold: 4"x3.5"x2.5mm
- Finishing: VN, BK, WT, SB, AB
- Ball bearing: real ball bearings, brass
- Screws: Standard (steel, SS201, SS304)
- Packing: box (3pcs)

3K SERIES

- Material: steel
- Mold: 4"x3.5"x2.7mm (3K)
- Finishing: VN, BK, WT, SB, EB, AB
- Head: with or without
- Screws: standard
- Packing: box (3pcs)



4040 SERIES

- Material: steel
- Mold: 4"x4"x2.7mm (5K, 2BB)
- Finishing: VN, BK, WT, SB, AB
- Screws: standard
- Packing: box (3pcs)

Samba steel hinge series

- Model number: Top-3025, Top-3530
- Base material: Steel
- Corner type: square / R15
- Head: Flat head / ball head
- Size: 3" x 2.5"x 2mm, 3.5" x 3"x 2mm
- Package: bulk package or customized color box or plastic blister



Samba Stainless steel hinge (Washers) series

- Model number: Top-3025W, Top-3530W
- Base material: Stainless Steel 304 (with washer)
- Corner type: square / R15
- Size: 3" x 2.5"x 2mm, 3.5" x 3"x 2mm
- Package: bulk package or customized color box or plastic blister

Samba Stainless steel hinge series

- Model number: Top-3025
- Base material: Stainless Steel 304 or steel (with ball bearings)
- Corner type: square / R15
- Size: 3" x 2.5"x 2mm, 3.5" x 3"x 2mm
- Package: bulk package or customized color box or plastic blister





Normal Flush series

- Size (mm): 75x63, 100x75, 100x63, 125x75
- Thickness: 2.0mm, 2.5mm
- Ball bearing: 2BB
- Head: flat head
- Finishing: SN, CP, BP, AB, AC, BK, etc
- Screw size: 4x25mm, 4x30mm
- Packing: box, blister packing

Omega Flush series

- Size: 3", 3.5", 4"
- Material: Steel/ stainless steel
- Thickness: 2.0mm
- Finishing: zinc plated, grey painted, black, brass plated, AC, white
- Screw size: 4x25mm hardness screws
- Packing: box, pp bag



Small duty Flush series

- Size (inch): 1.5", 2", 2.5", 3", 3.5", 4"
- Finishing: zinc plated, painted, black, brass plated
- Packing: box, pp bag



Universal ball bearing Series

- Size (inch): 5x3, 4x3, 3x2.5
- Thickness: 2.0mm, 2.5mm, 3.0mm
- Ball bearing: 4BB, 2BB, without ball bearing
- Head: flat head or crown head
- Finishing: SN, CP, BP, AB, AC, BK, etc
- Screw size: 4x25mm, 4x30mm
- Packing: box, blister packing

Lift-off Series

- Size (inch): 5x3, 4x3, 4x2.5, 3x2.5
- Thickness: 2.0mm, 2.5mm, 3.0mm
- Ball bearing: 1BB, without ball bearing
- Head: flat head or crown head
- Pin: without or with ball on top of pin
- Finishing: SN, CP, BP, AB, AC, BK, etc
- Screw size: 4x25mm, 4x30mm
- Packing: box, blister packing



Bending Series

- Size (inch): 3.5x3, 4x3, 4x3.5
- Thickness: 1.8mm, 2.0mm, 2.5mm, 3.0mm
- Finishing: SN, GP, MAB, BK, etc
- Screws: without or with
- Packing: color box



Economic Gulf series

- Size (inch): 3.5x3, 4x3.5
- Thickness: 1.6mm, 1.8mm, 2.0mm, 2.2mm
- Finishing: SN, BP, Black, AB, AC
- Ball bearing: without ball bearing, 2BB
- Head: flat head, ball head
- Pin: loose pin
- Screws size: 4x25mm, 4x30mm
- Packing: box, blister

Medium duty Ball bearing Gulf series

- Size (inch): 3.5x3, 4x3.5
- Thickness: 2.0mm, 2.5mm, 2.7mm
- Finishing: SN, GP, Black, AB, AC
- Ball bearing: without ball bearing, 2BB
- Pin: loose pin
- Head: flat head, ball head
- Corner: Square, round corner
- Screws size: 4x25mm, 4x30mm
- Packing: box



Heavy duty Ball bearing Gulf series

- Size (inch): 5x3, 5x3.5, 3.5x3, 4x3.5
- Thickness: 3.0mm
- Finishing: SN, BSN, GP, Black, AB, MAB, AC
- Ball bearing: without ball bearing, 2BB, 4BB
- Pin: loose pin, fixed pin
- Head: flat head
- Corner: Square
- Screws size: 4x25mm, 4x30mm
- Packing: box





Big ball head Ball bearing Gulf series

- Size (inch): 3.5x3, 4x3.5
- Thickness: 3.0mm
- Finishing: BSN, GP, Black, AB, MAB
- Ball bearing: 2BB
- Head: screwing head, common head
- Corner: Square
- Screws size: 4x25mm, 4x30mm
- Packing: box

Heavy & Light duty series

- Size: 3/4", 1", 1.5", 2", 2.5", 3", 3.5", 4", 5", 6"
- Thickness: 0.6-1.0mm (light duty);
0.9-2.0mm (heavy duty)
- Finishing: self color, zinc plated, brass plated, painted
- Screws: with, without
- Packing: box, pp bag, blister



Security hinge

- Special for armoured doors
- Loose pin with trim(textured pattern & nylon on the long pin)
- Material: Steel/ stainless steel
- Size: 150mm×80×3mm
- Corner type: square corner/ round corner
- Head type: flat head/ crown head



H (plating) SERIES

- Material: Steel Iron, Stainless steel, Brass
- Size (mm): 140x55, 110x55, 95x45, 100x57
- Thickness: 2.0mm, 2.5mm, 3.0mm
- Head: flat head, crown head, big crown head
- Corner: round & square
- Finishing: SN, AB, BK, WT, SB
- Screws: with or without
- Packing: box

H (painted) SERIES

- Size (mm): 140x55, 110x55, 95x45
- Thickness: 1.8mm, 2.0mm, 2.5mm, 3.0mm
- Head shape: two flower, four flower, flat head
- Corner: round & square
- Finishing: black painted, red painted
- Screws: without
- Packing: box



H (zinc) SERIES

- Size (mm): 140x55, 110x55, 95x45
- Thickness: 1.8mm, 2.0mm, 2.5mm, 3.0mm
- Head shape: two flower or four flower
- Corner: round & square
- Finishing: Yellow zinc, white zinc
- Screws: without
- Packing: box





Dutch steel hinge

- Size: 89mm×89mm
- Thickness: 2.4mm
- MATERIAL: STEEL
- Finishing: Zinc plated
- Packing: bulk or customized

Dutch stainless steel hinge

- Size: 89mm×89mm
- Thickness: 2.4mm
- Finish: SN, BLACK
- Ball bearing: 2BB (inner/out)



Nylon bearing stainless steel hinge

- size: 89mm×89mm
- Thickness: 2.5mm
- Material: stainless steel
- Finishing: SN, BLACK, ETC.





Dutch drill-in hinge

- Model number: Top-75
- Base material: Steel
- Overall hinge length: 75mm
- Hinge axis diameter: 14mm



Drill-in hinge 530

- Model number: Top-530
- Base material: Steel
- Door weight: 100kg
- Diameter: 14mm/16mm/20mm
- The TOP drilled split hinge is
- Suitable for rebated interior doors in wooden frames



Drill-in hinge 030

- Model number: Top-030
- Base material: Steel
- Diameter: 13mm/14mm/16mm
- Door weight: 60 kg
- The TOP drilled split hinge is Suitable for rebated interior doors in wooden frames.

4228 Lift-off (CE CERTIFICATION) series

- Length (inch): 110mm
- Thickness: 3.0mm
- Finishing: zinc plated/ powdercoating
- Material: SPHC
- Packing: box



3248 Lift-off series

- Length (inch): 110mm
- Thickness: 3.5mm
- Finishing: zinc plated/ powdercoating
- Material: SPHC
- Packing: box

110 Lift-off (CE CERTIFICATION) series

- Material: steel
- For non-rebated exterior doors
- Can be used with smoke/fire resistant doors
- With the 5,0x25/5,0X40 screws



110-36K Heavy Duty Hinge

- Vertically adjustable +/- 3 mm, side adjustable +3 mm
- Can be used with smoke/fire resistant doors
- With the 5,0x25/5,0X40 screws
- Maximum door weight: 100 kg



Sanua hinge-65 SSD

- Material: steel, aluminium and plastic.
- Opening degree: 130 °
- Hinge is side adjustable +/- 3 mm.
- Door thickness : 7 or 8 mm
- Finishing: Brass/ Silver

Sanua hinge-75PSSD

- Opening degree: 130 °
- Hinge is side adjustable +/- 3 mm.
- Door thickness : 7 or 8 mm
- Load capacity: 20kgs-25kgs per hinge



Sanua hinge-716

- Material: Steel
- Opening degree: 180 °
- Adjustable for different door thickness



Steel hinge-601 (door part)

- Material: steel
- Packing: 200 pcs/ctn
- Erticallyadjustable +/- 2 mm
- Door part (Frame part 601D)



Steel hinge-601D (Frame part)

- Material: steel
- Packing: 200 pcs/ctn
- Erticallyadjustable +/- 2 mm
- Frame part (Door part 601)
- Height 65 mm
- Width 39 mm
- Thickness 7 mm
- Nylon door part for interior doors

Steel hinge-601Z (Frame part)

- Material: Zinc Alloy
- Packing: 200 pcs/ctn
- Height 55 mm
- Width 39 mm
- Thickness 5.5 mm
- Nylon door part for interior doors





Small steel hinge-AB

- Material: steel
- Brass pin
- Size: 25mm,30mm, 38mm, 45mm,50mm,60,,

Steel hinge-70KS

- Material: steel
- Packing: 160 pcs/ctn
- Vertically adjustable ± 3.0 mm
- Door frame must be at least 800 mm wide
- With the 4,5x25 screws



Steel hinge-605

- Material: steel
- Packing: 160 pcs/ctn
- Vertically adjustable ± 3.0 mm
- With the 4,5x25 screws



Window lock-WL44

- Material: plastic
- For door window

Window lock-202

- Material: steel
- Finishing: zinc plated
- For door window



Drill- in hinge

- Material: steel
- Size: M8/ 12X35mm, M6X25mm
- Finishing: zinc plated
- For door window

Concealed bolt-150

- Material: zinc alloy
- Used as a frame part for solid doors.





T series, lace series, strap series, bended

- series, special series,
- Size: 4", 5", 6", 8", 10", 12", 14", 16", 18"
- Finishing: bright, black Japanned, zinc plated

Welding series

- Type: circular series, core-pulling series, flag series, welded butt series
- Size (mm): 60, 80, 90, 100, 120, 140, 170, 200
- Thickness: 1.8mm, 2.2mm, 2.8mm, 3.0mm, 3.2mm, 4.0mm, 5.0mm
- Finishing: self color



Self closing series

- Size: 3/8" offset, 1/4" overlay
- Finishing: SN, AC, AB, BP, BK
- Packing: box

STS EZ SERIES

- Material: SS201, SS304, SS316
- Mold: 4"x3.5"x2.5mm
- Finishing: SS, PSS, VN
- Screws: standard
- Packing: box (3pcs)



STS 3K SERIES

- Material: SS201, SS304
- Mold: 4"x3.5" 3K
- Thickness: 2.7T, 3.0T
- Finishing: SS, PSS, EB, VN, Oil-sealed
- Head: with or without
- Screws: standard
- Packing: box (3pcs)



STS LIFT-OFF SERIES

- Material: SS201, SS304
- Mold: 4"x3.5" 1BB
- Thickness: 3.0T
- Finishing: VN, SS
- Direction: lift, right
- Screws: standard
- Packing: box (3pcs)



STS square Series



- Material: SS201, SS304, SS316
- Mold: 3030, 3535, 4040, 4545
- Thickness: 2.0mm, 2.5mm, 3.0mm
- Ball bearing: 2BB, 4BB, plain bearing
- Finishing: SS, PSS, PB, BK etc
- Corner: Square, 1/4" R, 5/8" R
- Screws: standard
- Packing: box, blister

STS ball bearing & butt Series

- Material: SS201, SS304
- Mold: 3025, 3530, 4030, 4035
- Thickness: 2.0mm, 2.5mm, 3.0mm
- Ball bearing: 2BB, 4BB, plain bearing
- Finishing: SS, PSS, PB, BK etc
- Corner: Square, 1/4" R, 5/8" R
- Screws: standard
- Packing: box, blister



STS BALL BEARINGS

- Material: SS201, SS304
- Mold: 6045, 5040, 5030, 4540
- Thickness: 3.0T
- Finishing: SS, PB
- Head: flat, crown head
- Screws: standard
- Packing: box



TOP-896115

- Material: SS304
- SIZE: 89X61X1.5MM
- Finishing: SS

TOP-1026615

- Material: SS304
- SIZE: 102X66X1.5MM
- Finishing: SS



TOP-F403520

- Material: SS304
- SIZE: 4"X3.5"X2.0MM
- Finishing: SS



STS H Series

- Material: SS201, SS304
- Mold: 100×55mm×2.0mm, 100×57×2.0mm, 140×55×28mm, 140×61×28mm
- Finishing: SS, PSS, PB, SB, BK etc
- Direction: left, right
- Screws: standard
- Packing: box



STS RAISE SERIES

- Material: SS201, SS304
- Mold: 4035
- Finishing: SS, PSS, PB, BK etc
- Direction: left, right
- Screws: standard
- Packing: box

STS lift-off Series

- Material: SS201, SS304
- Mold: 90×65×2.5mm, 100×86×3.0mm
- Finishing: SS, PSS, PB, BK etc
- Direction: left, right
- Corner: Square, Round
- Screws: standard
- Packing: box





DOUBLE SPRING HINGES

- Size: 3", 4", 5", 6", 8"
- Thickness: 1.5mm, 2.0mm
- MATERIAL: SS201, SS304, STEEL
- Head: zinc material with chrome plated
- Spring: 65# manganese steel
- Packing: box

Flag hinge 5"

- Size: 5"
- Thickness: 3mm
- MATERIAL: SS304
- Finishing: SS
- Packing: bulk or customized



SS HINGE WITH SECURITY PIN

- Size: 4"
- Thickness: 3mm
- MATERIAL: SS304
- Finishing: SS
- Packing: bulk or customized



Invisiable hinges series

- MOLD: 19×95mm(25kg), 28×118mm (40kgs)
34×140mm(50kgs)
- Material: zinc alloy
- Finish: SS, SN, BLACK , Golden

Heavy duty Invisiable 3D hinges series (Top-3D-150/177)

- MOLD: 150MM (40KGS), 177MM (80KGS)
- Material: Zinc alloy + Aluminum
- Finish: SN, BLACK, Sliver



Heavy Duty Invisiable 3D hinges series (Top-3D-005)

- MOLD: 29×135×140mm (60kgs/3pcs)
- Material: Zinc alloy +Aluminum
- Finish: SN, BLACK ,Golden, AB

Heavy Duty Invisiable 3D hinges series (Top-3D-008)

- MOLD:29mm×160mm×18mm
(80kgs/3pcs,60kgs/2pcs)
- Material: Zinc alloy
- Finish: SN, BLACK ,BN,Golden, AB





Sanua hinge-Top- E01

- Material: Zinc Alloy
- Finishing: Satin Nickel, Chrome plated
- Glass thickness: 8-10mm

Sanua hinge-Top- E01 inward-opening series

- Material: Zinc Alloy
- Finishing: Satin Nickel, Chrome plated, Black
- Glass thickness: 8-10mm



Sanua hinge-Top- E08

- Material: Zinc Alloy
- Finishing: Satin Nickel, Chrome plated, Black
- Glass thickness: 8-10mm



Sanua hinge-Top- E013

- Material: Zinc Alloy
- Finishing: Satin Nickel, Chrome plated
- Glass thickness: 8-10mm



Top-565 Mortise lock

- Product length: 225mm
- Product width: 74mm
- Thickness: 22mm
- Backset: 50mm
- Finishing: Satin Nickel plated brass/White spray



Top-2014 mortise lock

- Product length: 109mm
- Product width: 73mm
- Backset: 43mm
- Finishing: white, black, zinc plated


Top-1887-2 striking plate

- Product length: 200 mm
- Product width: 40 mm
- Finishing: Zinc plated/ Matt balck
- Can be customized different dimension



Top-1840 striking plate

- Product length: 135mm
- Product width: 40mm, 36mm, 35mm
- Finishing: Zinc plated
- Can be customized different dimension



Door handle Top-701

- Material: zinc alloy/ aluminum/stainless steel
- Finish: Finish: SN, VN

Door handle Top-201

- Material: zinc alloy/ aluminum/stainless steel
- Finish: SN, VN



Door handle Top-601

- zinc alloy/ aluminum/stainless steel
- Finish: SN, VN





Door handle Top-401

- zinc alloy/ aluminum/stainless steel
- Finish: SN, VN

Door handle Top-101

- zinc alloy/ aluminum/stainless steel
- Finish: SN, VN



Top-mortise lock 1

- zinc alloy/ aluminum/stainless steel
- Finish: SN, VN



TOP-9005 Heavy duty tubular locks

- Material: zinc alloy, aluminum
- Function: ET, BK, PS
- Finishing: BLACK, SN, Chrome, Golden, Brushed Gold, Black Nickel
- Standard: ANSI GRADE 3

TOP-9006 Heavy duty tubular locks

- Material: zinc alloy, aluminum
- Function: ET, BK, PS
- Finishing: BLACK, SN, Chrome, Golden, Brushed Gold, Black Nickel
- Standard: ANSI GRADE 3



TOP-9001 Heavy duty tubular locks

- Material: zinc alloy
- Function: ET, BK(quick lock), PS
- Finishing: BLACK, SN, Chrome, Golden, Brushed Gold, Black Nickel
- Standard: ANSI GRADE 3



TOP-9002 Heavy duty tubular locks

- Material: zinc alloy
- Function: ET, BK(quick lock), PS
- Finishing: BLACK, SN, Chrome, Golden, Brushed Gold, Black Nickel
- Standard: ANSI GRADE 3

TOP-9003 Heavy duty tubular locks

- Material: zinc alloy + alu.
- Function: ET, BK(quick lock), PS
- Finishing: BLACK, SN, Chrome, Golden, Brushed Gold, ORB, Black Nickel
- Standard: ANSI GRADE 3



TOP-9004 Heavy duty deadbolts

- Material: zinc alloy
- Function: ET, BK(quick lock), PS
- Finishing: BLACK, SN, Chrome, Golden, Brushed Gold, ORB, Black Nickel
- Standard: ANSI GRADE 3



TOP- eco Cylindrical Knob locks

- Material: SS, STEEL
- Finishing: SS, AB, AC, BP, BK, WT, SB,
- Function: ET, BK, PS, SR
- Backset: 60/70mm adjustable
- Key: steel keys, brass keys

TOP- eco Cylindrical Knob locks

- Material: SS, STEEL
- Finishing: SS, AB, AC, BP, BK, WT, SB,
- Function: ET, BK, PS, SR
- Backset: 60/70mm adjustable
- Key: steel keys, brass keys



TOP- Eco Lever lock

- Material: Aluminum, zinc alloy
- Finishing: SS, AB, AC, BP, BK, WT, SB,
- Function: ET, BK, PS, SR
- Backset: 60/70mm adjustable
- Key: steel keys, brass keys



TOP- eco Deadbolt

- Material: SS, STEEL
- Finishing: SS, AB, AC, BP, BK, WT, SB,
- Function: single open, double open
- Backset: 60/70mm adjustable
- Key: steel keys, brass keys

TOP- Zinc Deadbolt

- Material: ZINC
- Finishing: SN, BK, AB, AC, BP
- Function: single open, double open
- Backset: 60/70mm adjustable
- Key: steel keys, brass keys



TOP- Mortise lock 2

- Material: zinc alloy/ aluminum/stainless steel/Steel iron
- Finish: SN, zinc plating, Painting etc.





TOP-SS25

- Material : stainless steel
- Size : 25mm
- Finishing: SS, AB, CP, BK

TOP- Zinc 90

- Material : zinc alloy
- Size : 90mm
- Finishing: CP



TOP-C982

- Material : zinc alloy
- Size :136X29X42MM
- Finishing: AB

The package

CREATE THE HARDWARE'S BEAUTY





Mail: info@tophardwares.com.cn

Factory location 1: Qianjin Village, Quantang Town, Pinghu City, Zhejiang Province, China.

Factory location 2: NO. 80, Haiwei Road, Xiaolan Town, Zhongshan City, Guangdong Province, China.

Export department Office: ZhongYang Road No.323, GuLou District, Nanjing City, Jiangsu Province, China.