

CleanCo

PREMADE DRYWALL CORNERS

85% QUICKER



30% SAVINGS



125% TOUGHER

CLEANCO PREMADE DRYWALL CORNERS

WHY?

Drywall Corners (Inside & Outside) are time consuming and difficult for DIY & Pros
Final product is vulnerable to cracking from moisture and impacts

Typical Steps required for Inside & Outside Corners:

Cutting Beads
Installing beads
Folding/installing tape
Mudding beads/tape
Waiting for mud to dry
Sanding

COMMON ISSUES PRE & POST-INSTALLATION




Required Skills



Materials Needed



Peeling Paper



Mud Falling Off



Poor impact resistance



Flaking Paint

CLEANCO PREMADE DRYWALL CORNERS

WHAT?

A reinforced pre-made gypsum strip is fitted into an infinite number of angles. The CleanCo method eliminates the use of metal or plastic corners that saves up to 85% in labor time plus 30% on materials. The visual quality and finish of the corners are enhanced with improved paint adhesion to the outer board of the gypsum strip that has not been altered.



Simplicity:

Install in minutes, no special tools or training required.
Our flexible gypsum corners snap into place—simple, clean, done.



Time Savings:

Cut your installation time by over 85% No mud, no sanding, no waiting.
Get more done, faster



Quality Finish:

Every corner, perfectly straight. Every time.
Just screw and paint. CleanCo delivers a smooth, pro-grade finish with zero hassle.



Built to last:

Shock-resistant. No chipping. No cracking.
CleanCo corners absorb impact and stay flawless—because durability matters.



NO BEADS

NO MUD


NO MESS

CLEANCO- THE DURACORE™ ADVANTAGE


HOW?

The backbone of the product is its patented DuraCore™ integrated PVC extrusion. This revolutionary technology distributes impact energy up to 125% better than traditional plastic or metal corner beads.

Traditional Corner



CleanCo Corner



RESULT: The whole job has to be redone
(Corners, plasters, sanding, paint)

RESULT: Perfect & Damage Free Corners

INSTALLATION PROCESS



1

Trim to Fit



2

Secure to Wall



3

Paint to Finish

CLEANCO CONTRACTOR INSTALLATION



 **CleanCo**
PREMADE DRYWALL CORNERS

AVAILABLE SIZES

No-Mud 90™

Standard & Moisture Resistant

16 x .05 x 96 - 8ft Corner

7.5 x .05 x 96 - 8ft Corner/Window Return

16 x .05 x 120 - 10ft Corner

7.5 x .05 x 120 - 10ft Corner/Window Return


Fire Resistant

16 x .0625 x 96 - 8ft Corner

7.5 x .0625 x 96 - 8ft Corner/Window Return

16 x .0625 x 120 - 10ft Corner

7.5 x .0625 x 120 - 10ft Corner/Window Return



No-Mud 180™


Beam Cover

10 x 2.5 x 10 x .05 x 96 - 8ft Column Cover

10 x 2.5 x 10 x .05 x 120 - 10ft Column Cover

10 x 2.5 x 10 x .0625 x 96 - 8ft Column Cover


10 x 2.5 x 10 x .0625 x 120 - 10ft Column Cover



No-Mud 360™

Column Cover

Custom Sizes Available



CLEANCO ADVANTAGE VS. TRADITIONAL CORNER INSTALLATION



Tools

75% ↓

CLEANCO

Old way

- Drill ✓
- Hammer ✓
- Trowel ✓
- Knife ✓



Labor time

85% ↓

CLEANCO

Old way

- Work needed 3 min. **30 min.**
- Skills needed -- ✓




Drying time

NONE

CLEANCO

Old way

- Drying time 0 min **6 hours**



Finish

100%

Guaranteed

CLEANCO

Old way

- Straight ✓ ?
- Smooth ✓ ?
- Modern look ✓ ?



Durability

125%

Unrivaled


CLEANCO

Old way

- Chipped corner **None** ✓
- Mud falling off **None** ✓
- Peeling paper **None** ✓
- Protection needed **None** ✓



TARGET CUSTOMER



WHO

One solution, three customers:

Pros get speed and precision – more jobs, more profit.

Remodelers deliver perfect results every time.

DIYers succeed on their first try.

Stock one product, serve every customer. Smart business.



OVERALL ANALYSIS

...THE OLD WAY OF DOING CORNERS

...WITH CLEANCO PREMADE DRYWALL CORNERS

- DRYWALL, metal bead, mesh, tin snips, tape, plaster, nails
- Long process (\$\$\$)
- Can crack, paper peeling, holes, contractor skills are important
- Weak impact resistance (chipped corners, mud falling)
- Drying time for mud to build up
- Ext. corner trowel, knife, drill, hammer, sand paper
- Lot of skills and/or experience needed

- 
- 
- 
- 
- 
- 
- 

- Dry90
- Very quick installation
- Perfect everytime
- Unrivaled impact resistance
- No drying time
- Drill
- No skills and/or experience needed

**CROOKED STUDS, BEADS, TAPE, MUD, TOOLS
ALL ADD UP TO A TIME CONSUMING PROCESS FOR
A CORNER THAT DOESN'T STAND UP TO IMPACTS**



**CLEANCO CORNERS WILL BE CONSISTENT
REGARDLESS OF THE COMPLEXITY OF THE
JOB OR THE PERSON THAT COMPLETES THE JOB.**



IVORY INNOVATIONS
2026



CleanCo

PREMADE DRYWALL CORNERS

Marc Reid

VP of US Sales
m.reid@cleancoconstruction.com
617-901-7845

Diane Graham

VP, Commercial Strategy & Retail Partnerships
d.graham@cleancoconstruction.com
704-576-3400

JP Gagnon, Eng.

CEO
JPGagnon@cleancoconstruction.com
737-298-1285

123 Holmes, unit #2, Liberty Hill, TX, 78642

CleanCoConstruction.com

