



Bathroom remodeling solutions that won't destroy your floor or your budget.



Adding A Bathroom Just Got Easier





Installation Options And Benefits To Suit Your Needs

- · Choose an easy install in front of your wall or a discrete installation behind the wall
- Recessed side handles for carrying and installation
- Non-clogging vortex impeller for reliable operation
- Automatic reset protects the pump from thermal overload
- No gravity drain required
- · Smooth surface for easy cleaning
- · Collects used water from all fixtures including sinks, faucets, tubs, showers, and more

All Qwik Jon® Products are 100% Factory Tested



SELECT THE MODEL THAT BEST FITS YOUR PROJECT

CHOICE 200-0006

1/3 HORSE POWER CUTTING GRADE

Application: Residential Dimensions: 19.9" x 7.9" x 14.1" Power: 1/3 HP Macerator Pump Flushables: Toilet paper and organic waste only

METERS FEET PUMP PERFORMANCE CURVE ■ CHOICE 200-0006 ■ PREMIER 201-0006 30 9 8 25 7 20 TOTAL DYNAMIC HEAD 15 10 2 -5 1 -0 . **GPM** 10 20 30 40 50 LPM 60 180 120 FLOW IL262


PREMIER 201-0006

1/2 HORSE POWER CUTTING GRADE

Application: Residential/Light Commercial Dimensions: 19.1" x 8.1" x 14.7" Power: 1/2 HP Grinder Pump

Flushables: Toilet paper, organic waste,

and sanitary items



	Model#	Product	Cutting	Volts	PH	PH Amps (A)	Motor		Weight	
7	Model#	Product	Method	(V)			HP	KW _(p1)	lbs	kg
	200-0006	Qwik Jon® Choice	Macerator	115	1	5.1	1/3	0.48	24.3	11.0
	201-0006	Qwik Jon® Premier	Grinder	115	1	9.6	1/2	1.0	29.8	13.5
	202-2000	Qwik Jon [®] Toilet Bowl	-	-	-	-	ı	1	47.0	21.3
	202-3002	Qwik Jon® Rear Spigot Toilet Tank and Lid	-	-	-	-	-	-	40.0	18.1

Add A Toilet To Complete Your Project

Standard toilets drain to piping in the floor. Be sure to check out our rear spigot toilet to complete your installation. The combination of 202-2000 (bowl) and 202-3002 (tank) makes an EPA WaterSense compliant toilet with 1.28 gallons per flush.





