





INSPIRED BY NATURE, DESIGNED FOR LIFE



SUSTAINABLE BUILDING MATERIALS CATALOG















LOW ENVIRONMENTAL IMPACT

Holistically sustainable manufacturing & use of raw materials

When you choose Eva-Last, you're choosing the best solution for both you and the environment. Eva-Last products are the low-maintenance, reliable alternative to wood that consistently outperform timber and other composite materials. They're also the environmentally friendly material choice that is gentler on the Earth.



BAMBOO WASTES LESS & PROVIDES MORE

Eva-Last uses bamboo in its composite production. Bamboo can grow up to 50 times faster than timber and releases 35 percent more oxygen into our air than most hardwood trees. It can be made into composite with only 2 percent wastage (compared to over 80 percent wastage with timber) and is naturally antibacterial.



USE OF RECYCLED PLASTIC

By using recycled waste plastics, in combination with easily replenishable bamboo fiber, we are able to produce a highly durable composite product while saving millions of tons of plastic from entering landfills and oceans. Every year Eva-Last recycles over 26,000 tons of plastic. Recycling one ton of plastic results in carbon dioxide savings of approximately 0.73 tons – the same as traveling nearly 2,500 in a car.



USE OF SOLAR POWER IN THE MANUFACTURING PROCESS

Traditional manufacturing is an energy-intensive endeavor. That's why Eva-Last took the decision to start moving towards manufacturing using solar energy. Since 2017, 32,858 solar panels, or 88,716 m 2 of solar panels, have been installed. This leads to a saving of 2,000 tons of C0, every single day.

Eva-Last has been at the forefront of the green building industry since its inception in 2007. We are dedicated to consistently improving how we serve the environment and our clients. From the recycled and renewable raw ingredients we use to create our products, to the solar power we harness to manufacture, we are proud to offer holistically sustainable building products.

Holistically sustainable building products from a globally reputable brand





Featured: Infinity, Caribbean Coral Featured: Ultraspan, Xavia Capped composite decking and Ultraspan pergola

TECHNOLOGIES

Eva-Last has developed a resilient collection of bamboo composite technologies, each with its own unique characteristics and set of benefits. These versatile materials can be used in a variety of applications such as decking, cladding, screening, fencing, and architectural beams.





REINFORCED BAMBOO FOAMED-PVC COMPOSITE

Pioneer offers photorealistic print technology for a remarkable natural look and a glass fiber-reinforced core for increased strength.

50-Year Residential | 15-Year Commercial Warranty





REINFORCED, CAPPED BAMBOO FOAMED-PVC COMPOSITE

The Apex range boasts an exceptionally natural looking dual-tone finish and is also available in reinforced Apex PLUS for increased strength. 50-Year Residential | 15-Year Commercial Warranty





COOL TECHNOLOGY, CAPPED BAMBOO COMPOSITE

Altitude composite brings comfort and style to your outdoor space in the form of a cool decking, which boasts the fine look of high-end composite.

30-Year Residential | 15-Year Commercial Warranty





CAPPED BAMBOO COMPOSITE

Infinity composite adds value and good looks to your outdoor space and to your lifestyle by giving you steadfast composite that lasts for decades.

30-Year Residential | 15-Year Commercial Warranty





BAMBOO COMPOSITE

Eva-tech is a cost-effective bamboo composite. It offers reliable slip resistance, and is a low-maintenance alternative to timber.

10-Year Residential






REINFORCED BAMBOO FOAMED-PVC COMPOSITE

Pioneer composite brings to market a photorealistic print technology that creates the most natural looking composite finish available in the Eva-Last range. A bamboo foamed-PVC and glass fiber-reinforced core provides increased strength and span capability and reduces expansion and contraction of the PVC. Its advanced wear layer protects against fading, scratches, moisture, and stains.



Pioneer offers a reinforced core and a photorealistic print surface finish with a clear outer wear layer that provides extra protection for the color and resiliency of the board.





PIONEER PROFILE RANGE

Cross section	Description	Dimensions	Lengths	Joist spacing	Fasteners*
	Grooved board	5.70" X 0.83" (145 x 21 mm)	12', 16' & 20'	16"	Chain collated clip
	Starter board	5.70" X 0.84" (145 x 21.3 mm)	16′	16"	Chain collated clip & CDS
	Wide grooved board	7.48" X 0.83" (190 x 21 mm)	12', 16' & 20'	16"	Chain collated clip
	Wide starter board	7.48" X 0.84" (190 x 21.3 mm)	16′	16"	Chain collated clip & CDS
	Riser board	7.24" X 0.55" (184 x 14 mm)	12′	12" Non-load bearing applications only	Trim screws
	Fascia board	9.85" X 0.59" (250 x 15 mm)	12′	12" Non-load bearing applications only	Trim screws

^{*}The HULK Fasteners range includes Chain collated clip, the S-Series hidden clip system, color matching composite decking screws (CDS), and trim screws.

PIONEER COLOR GUIDE

The Pioneer color range celebrates the beauty of timber with exceptionally natural-looking composite. Pioneer offers state-of-the-art high resolution print technology to give each board an unrepeated realistic wood grain texture. This technology mirrors the hues and tones of specific timber types.





REINFORCED, CAPPED BAMBOO-PVC COMPOSITE

Apex PLUS offers you a resilient and natural looking eco-friendly composite, with a bamboo foamed-PVC and glass fiber-reinforced core, that allows for increased strength and span capability over the Apex product. Low-maintenance Apex PLUS is more stable with less expansion and contraction than its predecessor and is capped with a decay resistant coating to protect against fading, scratching, stains, insects, moisture, and the elements.









Capping material:

Engineered acrylic polymer

Core material:

Bamboo foamed-PVC composite with glass fiber-reinforcement





FSC certified bamboo composite product

Apex PLUS takes the benefits of Apex composite to the next level by offering the natural look of Apex with an improved structure. Its bamboo foamed-PVC and glass fiber-reinforced core creates increased span capabilities and a stronger, more stable board. Low-maintenance Apex PLUS is encased in a slip resistant capping for protection from all forms of decay and weathering.



RESIDENTIAL

INCREASED SPAN



MORE STABLE



NATURAL AESTHETIC



SLIP RESISTANT








DECAY RESISTANT



ECO-FRIENDLY



APEX PLUS PROFILE RANGE

Cross section	Description	Dimensions	Lengths	Joist spacing	Fasteners
	Grooved board	5.51" X 0.88" (140 x 22.5 mm)	12′, 16′ & 20′	16"	Chain collated clip or S9-clip
	Starter board	5.51" X 0.90" (140 x 22.8 mm)	20′	16"	Chain collated clip or S9-clip & CDS
	Wide grooved board	7.48" X 0.88" (190 x 22.5 mm)	12', 16' & 20'	16"	Chain collated clip or S9-clip
	Wide starter board	7.48" X 0.90" (190 x 22.8 mm)	20′	16"	Chain collated clip or S9-clip & CDS

^{*}The HULK Fasteners range includes Chain collated clip, the S-Series hidden clip system, color matching composite decking screws (CDS), and trim screws.

APEX PLUS COLOR GUIDE

The Apex PLUS dual tone color range adds an additional layer of color to each board to further enhance its natural look. The variance in shades within a single composite profile beautifully showcases the color tones found in timber making your composite all the more striking. Dual tone colors are ideal for mid-to-large-scale composite decks and projects or other areas that are all about that natural look.





LIGHTWEIGHT, CAPPED BAMBOO-PVC COMPOSITE

Apex offers you a resilient and natural looking eco-friendly composite. Its ultra-lightweight bamboo foamed-PVC core makes for easy installation and workability. Apex carries both fire and slip resistance ratings, and exceptional low maintenance, requiring only basic cleaning for optimal longevity. Its protective cap is made from a resilient acrylic polymer coating for long-term fade, scratch, and stain resistance.



Transform your outdoor space into a luxurious oasis with Apex lightweight, capped bamboo foamed-PVC composite. Apex invites you to relax in a beautiful outdoor space and enjoy the richness of what Mother Nature has to offer. Bask in the feeling of being completely present, surrounded by better performing, natural looking composite that's gentle on the Earth.



NATURAL AESTHETIC



LIGHTWEIGHT



FIRE RESISTANT



SLIP RESISTANT



LOW-MAINTENANCE




PROTECTIVE CAP



DECAY RESISTANT



ECO-FRIENDLY



APEX PROFILE RANGE

Cross section	Description	Dimensions	Lengths	Joist spacing	Fasteners
5	Grooved board	5.51" X 0.95" (140 x 24 mm)	12', 16' & 20'	12"	Chain collated clip or S9-clip
	Starter board	5.51" X 0.95" (140 x 24 mm)	20′	12"	CDS screws
	Riser board	7.24" X 0.55" (184 x 14 mm)	12′	12" Non-load bearing applications only	Trim screws
	Fascia board	11.22" X 0.63" (285 x 16 mm)	12′	12" Non-load bearing applications only	Trim screws

 $^{{}^*\!} The \, HULK \, Fasteners \, range \, includes \, Chain \, collated \, clip, the \, S-Series \, hidden \, clip \, system, \, color \, matching \, \, composite \, decking \, screws \, (CDS), \, and \, trim \, screws.$

APEX COLOR GUIDE

Apex offers a carefully crafted dual tone color range that adds an extra layer of color to each board to embrace the nuances found in timber and enhance the natural look of your project.





COOL TECHNOLOGY, CAPPED BAMBOO COMPOSITE

Altitude composite brings comfort and style to your outdoor space in the form of a cool decking, which boasts the fine look of high-end composite.



Altitude composite uses cutting-edge cooling technology to achieve a cooler deck underfoot and a double capping gives the unblemished look of upscale wood in a range of dual tone colors. This slip and decay resistant low-maintenance composite is eco-friendly and backed by a 30-year warranty.











Added benefits of I-Series



COST-EFFECTIVE



LIGHTWEIGHT



SPAN



INSTALLATION



ALTITUDE RANGE

MADE TO ORDER

Cross section	Description	Dimensions	Lengths	Joist spacing	Fasteners
5	Grooved board	5.35" X 0.91" (136 x 23 mm)	12', 16' & 20'	16"	Chain collated clip or S9-clip
	Starter board	5.35" X 0.92" (136 x 23.3 mm)	20′	16"	Chain collated clip or S9-clip & CDS
	I-Series grooved board	5.35" X 0.91" (136 x 23 mm)	12', 16' & 20'	16"	Chain collated clip or S9-clip
	Wide I-Series grooved board	6.83" X 0.91" (173 x 23 mm)	12', 16' & 20'	16"	Chain collated clip or S9-clip
	Riser board	7.24" X 0.65" (184 x 16.5 mm)	12′	12" Non-load bearing applications only	Trim screws
	Fascia board	11.90" X 0.71" (302 x 18 mm)	12′	12" Non-load bearing applications only	Trim screws

^{*}The HULK Fasteners range includes Chain collated clip, the S-Series hidden clip system, color matching composite decking screws (CDS), and trim screws.

ALTITUDE COLOR GUIDE

The Altitude range furthers the realistic aesthetic of composite with an innovative double capping which gives each profile the look of unblemished, high-end timber in natural dual tone colors.






CAPPED BAMBOO COMPOSITE

Infinity composite adds value and good looks to your outdoor space and to your lifestyle by giving you steadfast composite that lasts for decades.



Infinity bamboo composite is the ultimate in durability and one of the toughest co-extruded composite ranges available. Its resilient protective cap made of advanced polymer resists scratches, fade, mold, and mildew, and makes Infinity exceptionally low maintenance, requiring only the most basic cleaning for ultimate longevity. Enjoy the stain and slip resistance of this environmentally friendly alternative to wood.





COST-EFFECTIVE







LIGHTWEIGHT

SPAN




INFINITY PROFILE RANGE

Cross section	Description	Dimensions	Lengths	Joist spacing	Fasteners
2 3	Grooved board	5.35" X 0.91" (136 x 23 mm)	12, 16, 20'	16"	Chain collated clip or S9-clip
	Starter board	5.35" X 0.92" (136 x 23.3 mm)	20′	16"	Chain collated clip or S9-clip & CDS
	I-Series grooved board	5.35" X 0.91" (136 x 23 mm)	12, 16, 20'	16"	Chain collated clip or S9-clip
	Wide I-Series grooved board	6.83" X 0.91" (173 x 23 mm)	12, 16, 20'	16"	Chain collated clip or S9-clip
	Riser board	7.24" X 0.65" (184 x 16.5 mm)	12′	12" Non-load bearing applications only	Trim screws
	Fascia board	11.90" X 0.71" (302 x 18 mm)	12′	12" Non-load bearing applications only	Trim screws

^{*}The HULK Fasteners range includes Chain collated clip, the S-Series hidden clip system, color matching composite decking screws (CDS), and trim screws.

INFINITY COLOR GUIDE

Infinity composite boasts specialized streaked color technology to ensure that no two boards are identical and that all boards embody the beauty and essence of timber.





COST-EFFECTIVE BAMBOO COMPOSITE

Design an outdoor space that's more inspiring and inviting with Eva-tech bamboo composite, the original classic and trusted composite brand by Eva-Last.



Eva-tech IS combines all the benefits of Eva-tech with the advantages of I-Series to give you a cost-effective bamboo composite. It offers slip resistance for a safer, more beautiful outdoor space, and is a low-maintenance alternative to timber, offering the look of natural wood without the constant upkeep. Its reliable durability is long-lasting and its decay and weather resistance provides protection from insects and harsh weather. The revolutionary I-beam design creates a lightweight board that uses less material, yet maintains span capabilities, strength, and stiffness for a more efficient installation that requires less substructure and saves on transportation and labour. This improved environmentally friendly composite is holistically sustainable from its manufacturing to its use of raw material.



SLIP RESISTANT



LOW-MAINTENANCE



DURABLE



DECAY RESISTANT

Added benefits of I-Series



COST-EFFECTIVE



LIGHTWEIGHT



SPAN



INSTALLATION




EVA-TECH PROFILE RANGE

Cross section	Description	Dimensions	Lengths	Joist spacing	Fasteners
EEEE	I-Series grooved board	5.40" X 0.92" (137 x 23.4 mm)	12, 16, 20′	16"	Chain collated clip or S9-clip
	I-Series starter board	5.40" X 0.92" (137 x 23.4 mm)	20′	16"	Chain collated clip or S9-clip
	Fascia/riser board	7.95" X 0.43" (202 x 11 mm)	8′	12" Non-load bearing applications only	Trim screws

^{*}The HULK Fasteners range includes Chain collated clip, the S-Series hidden clip system, color matching composite decking screws (CDS), and trim screws.

EVA-TECH COLOR GUIDE

The Eva-tech color range offers natural colors in a timeless matte look and feel. Choose from the wyde grooved surface finish or the dual tone textured finish. Each Eva-tech color is specially designed to evoke the essence of a particular timber type. The dual tone range adds an extra level of color to each of the classic Eva-tech options to give you an even more natural looking composite.



BUILDING SYSTEMS

Innovative Eva-Last building systems bring the convenience and longevity of low-maintenance bamboo composite and specialized deck fasteners. Explore and enjoy an inspiring and naturally beautiful range of decay resistant outdoor building products.





RELIABLE DECKING FASTENER SYSTEMS

HULK Fasteners are purposefully designed to make decking installations more efficient, straightforward, and beautiful with their long-term durability, reliable grip, and range of colors to complement the look of your decking of choice.





ADVANCED BAMBOO COMPOSITE CLADDING


VistaClad bamboo composite cladding breathes vibrancy into your home or outdoor space and enhances your walls with the attractive look of hardwoods.





ALUMINUM FRAMED HORIZONTAL COMPOSITE FENCING

The Evolver system allows for complete customization by pairing optimized aluminum posts and framing with environmentally friendly bamboo composite for a durable, low-maintenance, modern-looking, and corrosion resistant fence.





BAMBOO COMPOSITE FENCING

Unlike traditional wood fencing, Oasis requires virtually no maintenance to continue to look as beautiful as it did the first day it was installed. This means no staining, painting, or replacing boards.





HYBRID ALUMINUM BAMBOO COMPOSITE BEAM

Ultraspan hybrid aluminum composite beams give you the creative freedom to build more memorable outdoor architectural designs.






RELIABLE DECKING FASTENER SYSTEMS

HULK Fasteners are purposefully designed to make composite or timber decking installations more efficient and straightforward by providing highly durable hidden fastener options that fit neatly into the edges of grooved boards, as well as a range of color matching top fixing screws.



DESIGNED FOR PROFESSIONALS. PERFECT FOR NOVICES.

HULK Fasteners offer higher performance and are a more efficient and subtle way to secure your decking and trim boards without disrupting its final look.



- 1 Chain Collated Clip or S-Series hidden clip system
- 2 Composite Decking Screw (CDS) for timber frames or Metal Decking Screw (MDS) for metal frames
- 3 Composite Trim Screw for timber frames or Metal Trim Screw for metal frames

HULK Fasteners hidden clips

Eva-Last recommends HULK Fasteners decking clips to provide a reliable long-lasting hold for composite decking boards. Both the Chain hidden clip and S-Series systems by HULK provide a neat and discreet fastening option for a flawless finished surface. Packs and starter kits include a drill bit and one screw per clip.



HULK composite top fixing screws

Color matching composite decking and trim screws are used for top fixing non-grooved and fascia or deck trim profiles to metal or timber frames, providing an invisible finish.





Corrosion Resistant



Color Matched Aesthetic



Neat Surface Finish



Fast and Easy Installation




No Pre-drilling Required



HIDDEN FASTENER SYSTEMS

UNIVERSAL COLLATED HIDDEN DECK FASTENER

Chain collated clips are innovatively engineered to work with composite or timber boards of varying thickness and with timber or metal frames for a more cost-effective and efficient installation. Chain offers superior durability and strength, a discreet appearance, and easier post-installation access and board removal.



Collation with screw for timber frames

Collation with screw for metal frames

Collated decking clip



S-SERIES HIDDEN DECK FASTENER

Eva-Last created the S-Series (Halo) clip to match the life expectancy and durability of Eva-Last composite decking materials. This product laid the foundation for the hidden fastener: no more protruding screws, no more ruined finishes, no more untidy aesthetics.



TIMBER CLIP SCREW





For fastening HULK hidden deck clips onto metal or timber frames without having to pre-drill



S9 CLIP

Use for fastening grooved deck boards with a foot height of approximately 0.354" (9 mm); compatible with metal and timber clip screws



VISTACLAD SYSTEM COMPONENTS

The VistaClad system combines Eva-Last composite technologies with an innovative installation process to provide a robust and convenient cladding solution. The resultant hidden fixing generates an unblemished finish and avoids the limitations or inconvenience of fastening through composite.







Clip Strips



Adaptors & Trim Profiles

CUTTING-EDGE SUSTAINABLE CLADDING

VistaClad bamboo composite cladding breathes vibrancy into your home or office space and enhances your walls with the attractive look of natural hardwoods. Let routine maintenance and premature replacement be things of the past as you look to the future with one of the most cutting-edge cladding systems available, complete with complementary trim for a neat and tidy finish.



CLIP LOCK DESIGN

Boards securely click & lock into place to withstand strong winds



COMPLETE CLADDING SOLUTION

Innovative system with concealed fastening & trim for a finished look



LIGHTWEIGHT

Smart system engineered for lighter weight & better airflow



VENTILATED & INSULATED

Design allows for system ventilation & natural insulation



LOW-MAINTENANCE

Ideal for large-scale projects & application at height



DECAY RESISTANT

Resists biodegradation, corrosion, insects, UV, & harsh weather




COST-EFFECTIVE SYSTEM

Save on fast, simplified installation & overall upkeep



ECO-FRIENDLY

Sustainable manufacturing & use of raw materials



THE CLIP STRIP

The VistaClad clip strip uses a punched spring design that allows the cladding boards to be easily and securely clicked into place. Three epoxy-coated, zinc-galvanized strip profile options provide flexibility in application and allow for optimal ventilation and drainage.







FLAT CLIP STRIP

CHANNEL STRIP

TOP HAT CLIP STRIP

BAMBOO COMPOSITE CLADDING














Multi-width, multi-depth Apex sizes

Cross section	Product description	Dimensions
~ TT	Flat (Apex)	6.42" x 0.96" (163 x 24.5 mm)
Triple	Two grooves (Apex)	6.42" x 0.96" (163 x 24.5 mm)
17	Narrow (Apex)	3.39" x 1.36" (86 x 34.5 mm)







Cross section	Product description	Dimensions
₹ ₹₹	Standard (Infinity)	6.28" x 0.89" (159.5 x 22.5 mm)






ALUMINUM FRAMED BAMBOO COMPOSITE FENCING

The Evolver fence system allows for complete customization by pairing lightweight optimized aluminum posts and framing with environmentally friendly bamboo composite boards for a low-maintenance, modern-looking, and long-lasting corrosion resistant fence.

ALUMINUM FRAMED HORIZONTAL COMPOSITE FENCE

Evolver aluminum framed composite fencing combines the best of both aluminum and composite fencing into one cool, contemporary solution. Enjoy the rich warmth of composite, coupled with the sleek durability of aluminum. This highly customizable fence stands out while standing up to UV, fading, mold, insects, wind and weather.

CUSTOMIZABLE DIY FENCING



CHOOSE YOUR ANGLE

Evolver offers both a square and octagonal post, which accommodates the most simple to the most complex angled yards and spaces.





SQUARE POST

OCTAGONAL POST

EVOLVER BENEFITS



CUSTOMIZABLE



LOW-MAINTENANCE



NATURAL AESTHETIC



DIRECTIONAL FLEXIBILITY



WEATHER RESISTANT



CORROSION RESISTANT



INSECT RESISTANT



ECO-FRIENDLY





 $The proprietary \,manufacturing \,process \,used \,in \,the \,creation \,of \,Eva-Last \,Infinity \,achieves \,an \,infinitely \,variable$ and authentic color finish, comparable only to natural timber. This advanced and innovative technology allows for incredible color blending and an authentic natural and durable finish for composite fencing.







FENCE & FRAME COMPONENTS

Profile Description	Profile Dimensions	Profile Mass
Composite fence board	8.66" x 0.76" (220 x 19.4 mm)	1.75 lb/ft (2.59 kg/m)
Aluminum octagonal post	3.54" x 3.54" (90 x 90 mm)	1.44 lb/ft (2.14 kg/m)
Aluminum square post	2.83" x 2.83" (72 x 72 mm)	1.28 lb/ft (1.91 kg/m)
Aluminum top rail	1.82" x 0.77" (30 x 19.5 mm)	0.16 lb/ft (0.24 kg/m)
Aluminum intermediate rail	1.98" x 0.77" (50.4 x 19.5 mm)	0.26 lb/ft (0.39 kg/m)
Aluminum bottom rail	1.57" x 0.77" (40 x 19.5 mm)	0.20 lb/ft (0.29 kg/m)
Aluminum post cover	0.94" x 0.31" (24 x 7.7 mm)	0.07 lb/ft (0.10 kg/m)
Nylon octagonal post cap	4.22" x 4.22" x 1.05" (107.1 x 107.1 x 26.6 mm)	N/A
Nylon square post cap	3.26" x 3.26" x 0.82" (82.9 x 82.9 x 20.7 mm)	N/A

FENCE GATE





Aluminum framework & accessories are available in black or silver.



CAREFREE COMPOSITE FENCING

Oasis composite fencing brings privacy and peace of mind to your outdoor oasis. Choose from its natural color range and customizable style options to get the look you want. Enjoy the hassle-free lifestyle it offers thanks to its low-maintenance and weather resistant features. Feel good knowing you've chosen an eco-friendly alternative to traditional wood fencing.







BOARDS & STYLES


6' Dog Ear

Oasis composite boards can be assembled to suit your preferences, including these styles:


Side By Side

Side By Side With Trim

8' Square Board



8' Square Board **Board on Board With Trim**





OASIS BENEFITS













LOW MAINTENANCE

INSECT RESISTANT MOISTURE RESISTANT

FADE RESISTANT


SIMPLE INSTALLATION ECO-FRIENDLY

FENCE & FRAME COMPONENTS

Profile Description	Profile Dimensions	Profile Mass
Standard 6" picket (Brushed)	5.35" x 0.43" (136 x 11 mm)	1.33 lb/ft (1.9 kg/m)
Standard 6" picket (Dual tone)	5.35" x 0.43" (136 x 11 mm)	1.23 lb/ft (1.8 kg/m)
Wide 8" picket (Brushed)	7.95" x 0.43" (202 x 11 mm)	1.97 lb/ft (2.9 kg/m)
Wide 8" picket (Dual tone)	7.95" x 0.43" (202 x 11 mm)	1.87 lb/ft (2.8 kg/m)
Top cap (Brushed finish only)	5.71" x 0.94" (145 x 24 mm)	0.59 lb/ft (0.87 kg/m)
2 x 4 steel composite rail	3.00" x 1.50" (76.2 x 38.1 mm)	0.71 lb/ft (1.05 kg/m)

All pickets available in standard and dog ear design, in 6ft and 8ft lengths.

FENCE GATE






BRUSHED FINISH


DUAL TONE FINISH











HIGH PERFORMANCE FOR HIGH EXPECTATIONS









PERGOLAS

PRIVACY SCREENS

CLADDING & SOFFITS

DECORATIVE ARCHITECTURE

Ultraspan beams add style and functionality in a diverse range of applications. Enjoy the shade and privacy of a pergola or screen, or enhance the appeal of your home exterior with beams that give the look of wood without the maintenance hassles. The versatility of Ultraspan decorative architectural beams is matched only by their beauty.



DESIGN VERSATILITY

Architectural beams offer a diverse range of aesthetic applications



LIGHTWEIGHT DESIGN

Specialized aluminum core for easier installation at height



LOW-MAINTENANCE

The look of timber beams without the upkeep



INCREASED SPAN

Reinforced bamboo composite beam with built-in aluminum core



DECAY RESISTANT

Resists biodegradation, corrosion, insects, & harsh weather



FADE RESISTANT

Built-in UV protection for beautiful durability



REINFORCED MODULAR COMPOSITE

Ultraspan architectural beams offer design versatility and increased span thanks to their specialized aluminum core that makes for easier installation at height. The outer coating of low-maintenance bamboo composite resists biodegradation, corrosion, insects, and harsh weather, and offers built-in UV protection for beautiful durability. Enjoy the look of timber beams without the upkeep.

TRI-EXTRUDED ALUMINUM BAMBOO COMPOSITE

- 1 Aluminum core
- 2 Engineered flexible adhesive
- 3 Outer protective composite coating (Eva-tech surface technology)





COMPOSITE PROFILES



End caps

End caps and post caps are available allowing for a neat finish to your Ultraspan composite beams.

Cross section	Product description	Dimensions
	Decorative Beam	1.97" x 1.18" (50 x 30 mm)
	Decorative Beam	3.94" x 1.18" (100 x 30 mm)
	Decorative Beam	5.91" x 1.97" (150 x 50 mm)
	Post	3.82" x 3.82" (97 x 97 mm) 5.91" x 5.91" (150 x 150 mm)

COLOR RANGE









TIER LUXURY PVC-FREE RIGID CORE INDOOR FLOORING

Discover the future of indoor flooring.



TIER Element flooring boasts cutting-edge high resolution 3D digital printing for floors that look and feel more like real wood. Built-in anti-slip & UV protection features along with a bamboo composition and recycled polymer core create the ultimate choice for flooring that offers longevity, safety, and style.

DIVERSE APPLICATIONS

Beautiful in any home, office, or commercial setting.



TIER Element indoor flooring is designed for versatility as well as durability. TIER Element can be applied to any room in your residential or commercial space. Let the low-maintenance and high-performance features of TIER Element enhance the look and functionality of your home or business.



TIER FEATURES & BENEFITS

Take them home.



PVC-FREE

Eva-Last® utilizes advanced technology for a more sustainable and better-performing PVC-free composition. Its Recycled Bamboo Polymer Composite (RBPC) core is UFLPA compliant, fully recyclable, and made using solar energy.



NATURAL AESTHETIC

State-of-the-art photorealistic technology creates an exceptionally natural aesthetic. Scans of real wood are used to give each TIER Element color option the authentic look of timber with virtually unrepeated patterns. Uniquely nuanced, realistic woodgrain textures are 3D printed onto the profiles to further enhance the natural look and feel of your floors.



MINIMAL REPEAT PATTERN

The innovative digital and 3D printing technologies used for TIER Element essentially eliminate repeat patterns on the surface of your boards for a more natural finish that boasts the beautiful look of wood in an upgraded material option.



WATER RESISTANT

The materials that comprise TIER Element flooring are highly resistant to moisture. The stability and rigidity of the profiles allow for a watertight, straightforward installation that will prevent spills from seeping beneath your floorboards and, therefore, will avoid swelling or buckling.



SOUND SUPPRESSION

The composite layers of TIER Element flooring give it impressively efficient sound reduction for all types of noise and make it soft under impact. The high density foam underlay suppresses the transmission of sound into its surroundings.



HEAT RESISTANT

The core layer of TIER Element can tolerate extremely high temperatures without adverse long-term effects. This means the boards will not behave differently in areas exposed to sunlight compared to those that do not have the same exposure.



STABLE

The specially engineered RBPC composition stabilizes each TIER Element board. It will not change shape or size under different temperature conditions and it will not react with typical cleaning chemicals. This stability allows you to install TIER Element flooring without expansion strips on areas up to 1,000 ft², even between adjacent rooms.



VOC-FREE

TIER Element is VOC-free to make it healthier for you and the environment. By avoiding the use or inclusion of VOCs, glues, phthalates, or plasticizers, TIER Element provides a cleaner and safer flooring option that gives you peace of mind.



RENEWABLE RESOURCES & RENEWABLE ENERGY

We believe that how we manufacture is just as important as what we manufacture when it comes to going green. That's why we've traded in fossil fuels for renewable energy. Our products use solar power as part of our manufacturing process. We are fully committed to bringing you a product that's holistically sustainable.

Every Eva-Last outdoor range pairs recycled raw ingredients with bamboo for a stronger, more sustainable composite. Bamboo rejuvenates over 30 times faster than traditional hardwoods and it releases 35% more oxygen into our air. Eva-Last is internationally recognized for our commitment to the environment. We're proud of the work we do to promote environmental sustainability and invite you to choose timber alternatives that are gentle on the Earth.

- **Tel** (325) 933-2701
- Sales

E-mail: USAsales@eva-last.com

- Made from recycled materials
- No trees felled
- No treatment or toxic chemicals required for maintenance
- Solar power used in the manufacturing process
- Reduced impact on landfills
- Reduced carbon footprint











