

KURIKI HARDWARE LEVER HANDLES AND BUILDERS HARDWARE CATALOG

About Kuriki Manufacture

Index

Lever Handles

Concept, Locks Function	02
Lock Cases Type	03
Lever Handles List	04
Finishing List	04
Escutcheon Type	05
Product No. List	06
Build to order method	07
Example on How to Write a Product Number when Ordering	07
Explanation of Right-Hand and Left-Hand	08
Lever Handle	
Aquila, Crux	09
Draco, Fornax	10
Grus, Hydra	11
Musca, Pavo	12
Pyxis, Lyra	13
Cygnus, Volans	14
Sagitta, Norma	15
Bootes	16
AP4 ·BP4 Type (Resin Lever)	17
Standard Strike	18
Adjustable Strike	18
FL Lock Case Cutaway View	19
FR Lock Case Cutaway View	20
FT Lock Case Cutaway View	21
FU (BS32) Lock Case Cutaway View	22
FU (BS51) Lock Case Cutaway View	23
KU Lock Case Cutaway View	24
LU Lock Case Cutaway View	25



Door Parts

Hinged Door Soft Closer	28
Concealed Hinged Door Closer	30
🔗 Smart Door Stopper (Magnet Type)	32
📀 Doors Keeper (Magnet Type)	33
Pivot Hinge	34
Butt Hinge, Lift Off Hinge, Stainless Lift Off Hinge	35
Reversible Door Stopper, Public Housing Door Stoppe	er 36
Upper Frame Door Stopper	36
Door Louver, Flush Bolt	37
Light Indicator Lens	
Round Type 35	38
Round Type 35 (O-ring specifications)	38
Round Type 38, Square Type 38	39

Sliding Door Parts

	40
Clear Cut Hook Lock	42
Product No. List	44
Example on How to Write a Product Number when Ordering	44
🔇 TS Hook Lock	46
NS Automatic Hook Lock	48
CL Automatic Hook Lock	50
Top Hung Soft Closer Set, Top Hung Soft Closer	52
4 Wheels Adjuster, Sliding Door Rail	53
Anti-Shake Guide Pin, 4 Wheels Adjuster Rail set	53
Sliding Door Soft Closer	54
Concealed Soft Closer	55
KT Adjustable Roller, Lintel Rail	56
T Floor Rail	57
Outset Sliding Door Parts	58
Upper Rail, Lower Rail, KT Adjustable Roller	58
Door Side Guide, Upper Stopper, Outset Lower Stopper	59
Strike Plate, Wooden Strike Plate	60
(for Outset Sliding Door Fitting)	

in general.

Sliding Door Parts

High rigidity Strike Plate	61
(for Outset Sliding Door Fitting)	
Outset Upper Stopper, Outset Lower Stopper	61
Magnet Catcher, F2 Adjuster Guide, Upper Rail	62
Door Stopper Cap	63
Bar Handle	64
Big Handle	65
Resin Pull Round & Rectangle	66
Resin Pull Rectangle One Touch	66
Resin One Touch Pull Rectangle	67
Round & Rectangle Pull	68
Metal One Touch Pull Round & Rectangle	69
TK One Touch Flush Pull, ND Flush Pull	70
Flush Edge Pull	71
Heavy Duty Hung Door	72

Accessories

	SL Series SL Paper Holder, SL Double Paper Holder SL Towel Bar, SL Towel Ring SL s Series	76 77
	SLs Paper Holder, SLs Towel Bar, SLs Towel Ring	78
	One Touch Paper Holder	79
	Recessed Paper Holder	80
	Towel Hanger with Shelf, Shelf, Towel Rack	82
	Towel Bar, Towel Shelf with Hooks	83
\otimes	Bathroom Push Pull Lock	84
	Child Lock, Bathroom Lid Holder	85
	YH Laundry Pipe	86
	KS Laundry Pipe	87
	KS Flexible Laundry Pipe (Double-sided tape)	88
	KS Flexible Laundry Pipe (Screw mounting)	89
	PP Shelf, Storage Tray, Tray Hook	90

Kuriki Manufacture Co., Ltd. is an ISO9001 certified manufacturing company focus on making architectural hardware and bathroom accessories, such as lever handle, hinged and sliding door fittings, toilet paper holder, towel bar, etc.

In more than 50 years, we are committed to helping everyone live In more than 50 years, we are committed to helping everyone live more comfortably by producing Japanese high-quality products. We understand that a good product does not only mean well-functioning. A good product should cover safety, universality, and aesthetically pleasing design. We always put our best effort into creating a product that can cover all of those fields, and several times now, our products have won the Good Design Award and achieved patents and utility models.

Until now, our bathroom lever handle still occupies the largest share in Japan, and the big residential developers here also widely adopt our products. But, most importantly, they have gained trust from the customers in the international markets. Our hotel lever, for example, is now used in well-known hotels, namely Swissotel the Stamford- Singapore, Village Hotel Sentosa- Singapore, The Outpost Hotel- Singapore, The Standard King Power- Thailand, Waldorf Astoria- Thailand. In the upcoming years, together with the growing number of customers, we will continue to be a leading manufacturer in providing hardware for residential and buildings

Accessories

Shower Door Handle

Cabinet Parts · Handrail

Knob	
Round Knob, ND Knob, Square Knob, Oval Knob	94
Closet Handle, Privacy Pull	95
Handle	
D Type Handle, TKC Handle, ND Handle	96
RK Handle, CA Handle, MJ Handle	97
Wardrobe Hanger Rail Set	98
Hanger Pipe Set	99
Round Bar Handrail	
NL Type, Free Joint	100
NE Type, Ring Joint	101
NI Type Entrance, Handrail	102
NI Type	103

Euro Series

Mortice Locks	106
Fire-rated Handle	108
Standard Cylinder	108
Euro Profile Escutcheon	108
Rectangular Flush Cover	109
Euro Fire-rated Hinge	109
Extension Flush Bolt	110
Box Type Flush Bolt	110
Automatic Flush Bolt	111
Dust Proof Socket, Door Selector	111
D-Pull Handle	112
Cup Ring Handle	112
H-Pull Handle	113

91

Icon guide





A Patent and Design Patent

The product has an exclusive right given for either utility or design patent.



Good Design Award

The product won the Good Design Award selected by Ministry of International Trade and Industry.



Rectangle Plate

The product has a rectangle strike plate and faceplate.



Round Plate

The product has a round strike plate and faceplate.



Load Capacity

The product is applicable on doors with a maximum weight shown in the icon.



Ooor Thickness

The product is applicable on doors with a specific door thickness shown in the icon.



Screwdriver

The product can be installed easily using a screwdriver.



No Tools

The product can be installed easily without using any tools.



Water Resistant

The product can be used in the bathroom.



Oigging Necessary

To install a product, you will need to drill or dig into the door, frame, wall, etc.



Adhesive Necessary


To install a product, you will need a suitable adhesive to combine parts.



Suild to Order

The product is not built until a confirmed order for the product is received.

KURIKI, delivering safe and convenient products for everyone.



Knob Closet Handle Privacy Door Pull Handle Hanger Rail Hanger Pipe

Accessories

Push Pull Lock Child Lock Laundry Pipe Towel Ring Towel Bar Paper Holder

Lever Handles <u>for t</u>he bathroom

Lever Handles Lock Case Strike


Handrail


Round Bar Handrail Free Joint Ring Joint Handrail only

Door Parts Smart Door Stop Oper Keeper Hinged Door Closer **Pivot Hinge** Hinge Door Stop Door Louver Flush Bolt **Sliding Door Parts TS** Hook Lock NS Automatic Hook Lock Sliding Door Soft Closer Roller Door **Outset Sliding Door Parts** Bar Handle Big Bar Pull Resin Pull, Metal Pull Lever Handles for the room

Lever Handles Lock Case Strike

Adjustment Method





Door Roller (Lower)

Euro


Lever Handles

Sliding

Concept


- Through different approaches in material, function, performance, design, and production cost, we provide high-quality products at an affordable cost.
- \cdot All lever handles and lock cases have passed strict endurance tests.
- \cdot Providing a wide range of designs to suit your living space.

Locks Function



Lock Cases Type

FL (Backset 51)



Material: (Case)Steel (Front)Stainless Finishing: (Case)Chromate (Front)Hairline Faceplate: Rectangle, Round



FR (Backset 51) A set of lock made of low-priced steel.


Material: (Case)Steel (Front)Stainless Finishing: (Case)Chromate (Front)Hairline Faceplate: Rectangle, Round



KU (Backset 32) A set of lock case made of resin with a

soundproof features. Material: 〈Case・Front〉Resin Finishing: 〈Case・Front〉Pearl White Faceplate: Rectangle







FT (Backset 51)

A tubular lock that is easy to install on the door.

Material: 〈Case〉ZDC 〈Front〉Stainless Finishing: 〈Case〉Chromate 〈Front〉Hairline Faceplate: Round



FU (Backset 32, 51)

A set of lock made of stainless steel with excellent durability. Material: 〈Case · Front〉 Stainless

Finishing: (Case) Metal Fablic (Front) Hairline Faceplate: Rectangle



LU (Backset 32)

A set of lock case made of resin with a soundproof features.

Material: 〈Case〉Resin 〈Front〉Stainless Finishing: 〈Case・Front〉Silver Faceplate: Rectangle





What is a Backset ?

Backset is the distance from the faceplate to the center of the lever handle or thumb turn installed on the door.

How to measure the backset ?

Use a length measurement tool to measure the distance from the side edge of the door to the center of the hole where you put the lever handle or thumb turn on the door. ever Handles





The finishing color is adjusted to match the lever handle.

Metal Metal 3 C 3 L 5 C 5 L Image: Second strain str											
Metal Metal 3 C 3 L 5 C 5 L Image: Second strain str	:k		Ind	icator L	ock	Cylinder Lock					
Image: Metal Image: Metal Image: Metal Image: Metal 3 C 3 L Image: Metal Image: Metal Metal Image: Metal Image: Metal Image: Metal Resin Metal Image: Metal Image: Metal Resin Metal Image: Metal Image: Metal Image: Resin Image: Metal Image: Metal Image: Metal											
Image: Metal Image: Metal Image: Metal Image: Metal 3 C 3 L Image: Metal Image: Metal Metal Image: Metal Image: Metal Image: Metal Resin Metal Image: Metal Image: Metal Image: Resin Image: Metal Image: Metal Image: Metal Image: Metal Image: Resin Image: Metal Image: Metal Image: Metal Image: Metal Image: Metal Image: Resin <			3 C	3 L		5 C					
3 C 3 L			•			0					
Image: Metal Image: Metal 3 M Image: Metal 3 M Image: Metal Image: Metal Image: Metal Resin Metal A 3 C 3 E Image: Metal Image: Metal Image: Metal				Metal							
Metal 3 M 3 M 3 M 00			3 C	3 L							
3 M M M Image: Constraint of the state o			•© •								
Resin Metal A 3 C 3 E A 3 C 3 E Image: Constraint of the state of the st				Metal							
Resin Metal A 3 C 3 E A 3 C 3 E Image: Constraint of the state of the sta			3 M								
A 3 C 3 E A 3 C 3 E A 3 C 3 E B Metal E 2 A 3 C 3 K B Q Q Q Q Resin Metal Resin Metal Resin Metal											
Resin Metal Image: Resin Image: Resin Resin Metal	Re	sin		Metal							
Resin Metal E 2 A 3 C 3 K 3 E Image: Constraint of the state o	Ą		3 C	3 E							
E 2 A 3 C 3 K 3 E				00							
Resin Metal		Resin		Metal							
Resin Metal	E		3 C		3 E						
		Od	0.0.	C.	00.						
	Re	sin		Metal							
	D		3 J	3 F							
			•••	¢.							
							I				

Lever

Handles

Door Parts

Sliding Door Parts

Accessories

Cabinet Parts•Handrail

Euro Series

Product No. List Please refer to page 7 for ordering customized products.

Lock Case Type (Backset) ^{※ 1}	Lever Handles	Locks Function Escutcheon Type	Finishing Color	Door Thickness ³⁶⁵ Quantity
 	Aquila 01 *3 Pyxis 09 Crux 02 Lyra 10 Cygnus 11 Draco 03 *3 Cygnus 11 Volans 131 Fornax 04 *3 Sagitta 14 Norma 15 *3 Hydra 06 Norma 15 *3 Bootes 16 Pavo 08 04 **3 Bootes 16	I I I I Passage Lock M Round C Oval L Rectangle 2 Privacy Lock C Oval 3 Indicator Lock C Oval 1 Rectangle 5 Cylinder Lock C Oval	SWSatin SilverAGAlumite GoldSASatin AmberSNSoft NickelSGSatin GoldPCPearl ChromeSBSatin BlackCGChampagne GoldCRChrome PlatedBCBS ChromePGGold PlatedSPCShot Pearl ChromeASAlumite SilverSCGShot Champagne GoldAAAlumite AmberSBCShot BS Chrome	1 1 28~33 34~36
FT(BS51) (Metal)	Aquila 01 *3 Pyxis 09 Draco 03 *3 Lyra 10 Draco 03 *3 Cygnus 11 Fornax 04 *3 Volans 131 Grus 05 Sagitta 14 Hydra 06 Norma 15 *3 Musca 07 Bootes 16	1 Passage Lock M Round C 0val L Rectangle 2 Privacy Lock C 0val L Rectangle 3 Indicator Lock C 0val	SW Satin Silver AG Alumite Gold SA Satin Amber SN Soft Nickel SG Satin Gold PC Pearl Chrome SB Satin Black CG Champagne Gold CR Chrome Plated BC BS Chrome PG Gold Plated SPC Shot Pearl Chrome AS Alumite Silver SCG Shot Bs Chrome AS Alumite Amber SBC Shot BS Chrome	28~33 34~36
FR(BS51) (Metal)	Aquila 01 **3 Pyxis 09 Crux 02 Lyra 10 Cygnus 11 Fornax 04 *3 Volans 131 Grus 05 Sagitta 14 Hydra 06 Norma 15 *3 Musca 07 Bootes 16	1 Passage Lock M Round 2 Privacy Lock M Round 3 Indicator Lock M Round	SW Satin Silver AG Alumite Gold SA Satin Amber SN Soft Nickel SG Satin Gold PC Pearl Chrome SB Satin Black CG Champagne Gold CR Chrome Plated BC BS Chrome PG Gold Plated SPC Shot Pearl Chrome AS Alumite Silver SCG Shot Champagne Gold AS Alumite Silver SCG Shot Champagne Gold	28~33 34~36
FU32(BS32) ^{¥2} (Metal)	Aquila 01 **3 Pyxis 09 Crux 02 Lyra 10 Cygnus 11 Fornax 04 **3 Grus 11 Volans 131 Grus 05 Sagitta 14 Norma 15 **3 Hydra 06 Norma 15 **3 Bootes 16 Pavo 08 AP4 **4 (bottom fix) **4	1 Passage Lock C Oval 2 Privacy Lock C Oval 3 Indicator Lock C Oval 2 Privacy Lock A Oval 3 Indicator Lock C Oval 4 Rectangle C Oval 5 Indicator Lock C Oval 6 Rectangle C Oval	SW Satin Silver AG Alumite Gold SA Satin Amber SN Soft Nickel SG Satin Gold PC Pearl Chrome SB Satin Black CG Champagne Gold CR Chrome Plated BC BS Chrome PG Gold Plated SPC Shot Pearl Chrome AS Alumite Silver SCG Shot Champagne Gold AA Alumite Amber SBC Shot BS Chrome	25~28 29~33 34~36 25~26 27~28 29~32 34 35~39
FU51(BS51) ^{#2} (Metal)	Aquila 01 *3 Pyxis 09 Draco 03 *3 Uyra 10 00	1 Passage Lock C Oval K Oval E Rectangle 2 Privacy Lock C Oval K Oval E Rectangle 3 Indicator Lock C Oval E Rectangle	SWSatin SilverAGAlumite GoldSASatin AmberSNSoft NickelSGSatin GoldPCPearl ChromeSBSatin BlackCGChampagne GoldCRChrome PlatedBCBS ChromePGGold PlatedSPCShot Pearl ChromeASAlumite SilverSCGShot Champagne GoldAAAlumite AmberSBCShot BS Chrome	25 28~33
	AP4 **4 (bottom fix) (Resin)	1 Passage Lock M Round 2 Privacy Lock A Oval (Resin)	WH Pale white	25~26 28 29 30~34
KU(BS32) (Resin)	Aquila 01 **3 Pyxis 09 Crux 02 Lyra 10 Draco 03 *3 Cygnus 11 Fornax 04 *3 Volans 131 Grus 05 Sagitta 14 Hydra 06 Norma 15 *3 Musca 07 Pavo 08 Bootes 16	1 Passage Lock J Oval 2 Privacy Lock J Oval 3 Indicator Lock J Oval 4 F Rectangle	SW Satin Silver AG Alumite Gold SA Satin Amber SN Soft Nickel SG Satin Gold PC Pearl Chrome SB Satin Black CG Champagne Gold CR Chrome Plated BC BS Chrome PG Gold Plated SPC Shot Pearl Chrome AS Alumite Silver SCG Shot Champagne Gold AA Alumite Amber SBC Shot BS Chrome	25 28~33
LU(BS32)	(bottom fix) (Resin)	(Resin)		28~29(70>}22) 30~32 33 30 30
(Resin)	Fornax 04 #3 (side fix) BP4 #4 (side fix) (Resin)	1 Passage Lock T Oval 1 Passage Lock S Oval (Resin) (Resin)	AS Alumite silver CR Chrome Plated WH Pale white	30

Build to order method

base refer to ge 6 for product The standard is the by The standard width The standard width Standard FR type Fr. and FR type Please specify if you want the side fix type. + The standard width + The standard width Fr. and FR type Please specify if you want the side fix type. + + The standard width + The standard width + + Please specify if you want the side fix type. + + The standard width + + The standard width + <t< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<>										
Picture A Picture B Picture C Picture D Picture E Picture F Picture A Picture B Picture C Picture D Picture E Picture F View B View B Picture C Picture D Picture E Picture F View B Standard specification Customized Picture F Picture F Picture F View B Lock Case Lever Handle Focks Escutcheon Finish Poor Picture F Picture F View B F L Musca - C - S G 28mm Picture S Blank, Only Rectangle F Type View B F T - Aquila 1 M - SW 30mm Pocs Blank, Only Blank, P Type View C F R - Lyra 3 M - C R 35mm Opcs Blank, Standard Standard, Standard	Product Number ease refer to ge 6 for product imber.	+	The standard is th bottom fix type. Please specify if you want the side		The standard w is 25mm. The 22 width is only available for FU	idth 2mm	The star FT, and round. T type is a for FL, F Meanwh LU can o	ndard for FL, FR type is The rectangle also available FR type. nile, FU, KU, only use	+	Please specify if you don't need the strike plate or want a different type other than the
Standard specification Customized Lock Case Lever Handle Locks Escutcheon Finish Door Quantity Handle Faceplate Faceplate Praceplate Arre A F L - Musca - 2 C - S G 28mm Opcs Blank Only Rectangle F Type Jure B F T - Aquila - 1 M - S W 30mm Opcs Blank Only Blank Ype Jure C F R - Lyra - 3 M - C R 35mm Opcs Blank Only Blank Standard Standard Retangle Blank Standard PType Jure D F U 3 2 - Fornax - 2 C - A S 25mm Opcs Blank Standard	ample on Ho	w t	o Write a Pro	oduct	t Number w	vhen O	rderin	g		
Type Lever Handle Function Type Finish Thickness Quantity Fixation Width Type Plate ure A F L - Musca - 2 C - S G 28mm Opcs Blank (Standard) Only standard Rectangle F Type ure B F T - Aquila - 1 M - S W 30mm Opcs Blank (Standard) Only Standard Blank (Standard) P Type ure C F R - Lyra - 3 M - C R 35mm Opcs Blank (Standard) Only Standard Blank (Standard) P Type ure D F U 3 2 - Fornax - 2 C - A S 25mm Opcs Blank (Standard) Only standard Blank (Standard) Only standard Blank (Standard) Only standard Blank (Standard) Only standard Maddid Maddid Maddid Maddid Maddid Maddid Maddid Maddid Madid Madid Maddid	Picture A	P				icture D		Picture E	Cus	N
Image of the termine of		Le	Var Handlal I				Quantity			
Imized Imited	ure A F L	-	Musca - 2	C	- S G	28mm	Opcs	Blank (Standard) sta	Only anda	rd Rectangle F Type
dard F R Lyra S M C R SSmm Opcs (Standard) [standard] [standard] [standard] ure D F U 3 2 Fornax 2 C A S 25mm Opcs Blank (Standard) [Standard] NA ure F L U B P 4 2 S W H 30mm Opcs Side fix Only Only NA	ure B F T	-	Aquila - 1	N	1 – SW	30mm	Opcs	Blank (Standard) sta		Blank rd (Standard) P Type
dard F 0 3 2 F 0 3 2 F 0 3 2 F 0 3 2 C A 3 25min Opcs (Standard) (Standard) (Standard) (Standard) ure E K U - A P 4 - 2 D - W 30mm Opcs Bottom fix 22mm Only standard NA ure F L U - B P 4 - 2 S - W H 30mm Opcs Side fix Only standard NA	ure C F R	-	Lyra - 3	N	1 - C R	35mm	Opcs	Blank (Standard) sta	Only anda	rd Rectangle Blank (Standard)
ure F L U - B P 4 - 2 S - WH 30mm Opcs Side fix Only Only NA	dard FU32	-	Fornax - 2	C	C – A S	25mm	Opcs			
I I U IFI BPA IFI Z I S IFI WH II 30mm II Opes II Sidetix II , i' ill , i' ill INA I	ure E K U	-	A P 4 - 2) – W	30mm	Opcs	Bottom fix 2	2mm	
	ure F L U	-	B P 4 - 2	S	6 - WH	30mm	Opcs			

	othou											
Product Number Please refer to page 6 for product number.	The s botto Pleas	ndle Fixation standard is the m fix type. se specify if vant the side pe.	+	The st is 25m width	eplate W candard v nm. The 2 is only ble for F be.	width 22mm	+	The star FT, and round. T type is a for FL, F	ile, FU, KU, only use		Strike F Please spe you don't n strike plate a different other than standard.	cify if eed the or want type
Example on Hov	w to Wr		duct	0	•	when		rderin	g Picture E		Pictur	e F
< <u> </u>		Standard	specifi	cation					< <u> </u>] Cu	stomized 🗔	
Lock Case Type	Lever Hai	Function	71	eon	Finish	Door Thicknes	s [Quantity		acepla Vidth	Туре	Strike Plate
ustomized FL	- Musca	a – 2	С	- 	SG	28mm		Opcs	(Standard) S	tanda	rd Reclangie	F Туре
icture B F T	- Aquila	- 1	Μ		SW	30mm		Opcs	Blank (Standard) S	Only tanda	Blank rd (Standard)	Р Туре
tandard	- Lyra	- 3	Μ	_	C R	35mm		Opcs	Blank (Standard) s	Only tanda	rd Rectangle	Blank (Standard)
								_	Blank	Diani	(Only	Blank
	- Forna	< - 2	С		AS	25mm		Opcs		Blanl Standa		(Standard)
Victure D tandard FU32 Victure E ustomized KU	- Fornax - AP4		C D	[A S W	25mm 30mm		Opcs			rd) standard	

×1: The escutcheon type depends on the type of lock case. Please be careful when specifying the product number.

 $\times 2$: Only FU lock case has two kind of backsets, 32 and 51.

3 : Alumite finish can only applied for Aquila (01), Draco (03), Fornax (04), Norma (15) handle.

𝒥 5 ∶ Please contact the Sales Division " tianjin6@kuriki-ss.co.jp " if your door thickness is not listed on page 6.

% 6 : Our standard lock case is suitable for a right-hand door. Please refer to the product manual if you want to change it to fit on left-hand door.

Ha

Door Parts

Sliding Door Parts

Accessories


Cabinet Parts • Handrail

Euro Series

Explanation of Right-Hand and Left-Hand

Kuriki Standard

We determine the right-hand or left-hand door by standing in the side of the door where you can see the hinges. If they are on your right side, then it is a right-hand door. Meanwhile, if they are on your left side, then it is a left-hand door.






1M-CR



3M-CR

2E-SW

Example (Foreign Countries)





1M-SW



3 C - C R

2C-CR


Aquila Type 01



This lever comes with a column shape that gives to the handle a symmetrical and elegant look.The grip part is designed with a perfect diameter to create comfort and safety.

Material: Aluminum

Standard Finish:SW·SA·SG·SB·CR·PG·AS·AA·AG Customizable Finish:PC·CG·BC·SPC·SCG·SBC Door Thickness:28~40mm







2J-CR

2C-SG






This lever has a beautiful, slim streamline design and a comfortable grip to give a perfect



Material: Aluminum Standard Finish: SW·SA·SG·SB·CR·PG

little touch to your room.

Customizable Finish:PC·CG·BC·SPC·SCG·SBC Door Thickness:28~40mm







2F-CR

2 C - S G


Draco Type 03



This lever has an adequate thickness to make you feel comfortable when gripping it. The design is also perfect to be used in a room with any ambiance.

Material: Aluminum

Standard Finish:SW·SA·SG·SB·CR·PG·AS·AA·AG Customizable Finish: PC·CG·BC·SPC·SCG·SBC Door Thickness:28~40mm





1M-SG



1M-SA







3C-SW

2E-SW


2C-SG



3M-CR

1C-SW








2C-CR

This simple and timeless design lever with an ideal grip thickness and a round-shaped edge creates comfort and safety.

Material: Aluminum

3 M - C R

Standard Finish:SW·SA·SG·SB·CR·PG·AS·AA·AG Customizable Finish: PC+CG+BC+SPC+SCG+SBC Door Thickness:28~40mm





1M-AS



1M-CR



3C-AS

2C-CR



2F-CR





3C-PG


10



This popular lever has been adapted in a five-stars hotel. Provided with a beautiful lining design, this is an ideal lever in terms of aesthetic and functionality.

Material: Aluminum

Standard Finish:SW·SA·SG·SB·CR·PG Customizable Finish:PC·CG·BC·SPC·SCG·SBC Door Thickness:28~40mm







3C-SG

2C-SA






This lever has a vast surface with a rounded shape on both edges, creating a gentle-looking and luxurious lever handle at the same time.



Material: Aluminum Standard Finish:SW·SA·SG·SB·CR·PG Customizable Finish:PC·CG·BC·SPC·SCG·SBC Door Thickness:28~40mm





1C-SW



2C-PG


Musca Type 07



The design of this lever is inspired by the smooth curve of a bird's feather. This lever is lightweight and the curved design creates comfortable and easy gripping.

Material: Aluminum

Standard Finish: SW·SA·SG·SB·CR·PG Customizable Finish: PC+CG+BC+SPC+SCG+SBC Door Thickness:28~40mm





1 M - S W



1 M - P G





2C-CR



2J-CR

1C-SW





3C-CR

2C-CR




07



This lever has a convex design to fit the palm. The ideal thickness is also adjusted to create comfortable gripping.

Material: Aluminum

Standard Finish:SW·SA·SG·SB·CR·PG Customizable Finish: PC+CG+BC+SPC+SCG+SBC Door Thickness:28~40mm





1M-CR



1 M - P G







2E-SW







3 M – P G

3C-SW

3C-SW

2 M - S G




Pyxis Type 09



The curved line of this lever is reminiscent of the water and wind flow. This lever creates a unique appearance and a comfortable gripping.

Material: Aluminum

Standard Finish:SW·SA·SG·SB·CR·PG Customizable Finish:PC·CG·BC·SPC·SCG·SBC Door Thickness:28~40mm







2E-SW


3J-CR





This lever has a short and roundish design, creating a unique style, perfect for giving a statement in their room.

Material: Aluminum Standard Finish:SW·SA·SG·SB·CR·PG Customizable Finish:PC·CG·BC·SPC·SCG·SBC Door Thickness:28~40mm







2K-SW

2J-CR


Cygnus Type 11



This lever has an adequate weight and a convex shape. Not only it emphasizes the comfort of usability, but it also creates the sense of casual perfect for a room with minimal decoration.

Material: Aluminum

Standard Finish: SW·SA·SG·SB·CR·PG Customizable Finish: PC+CG+BC+SPC+SCG+SBC Door Thickness:28~40mm















2L-SG

2C-SG





2K-PG

2C-CR



2M-SG




2C-SA

This lever has a basic round bar with a raised part in the middle of the lever, offering a unique design.

Material:Zinc

Standard Finish: SW·SA·SG·SB·CR·PG Customizable Finish: PC·CG·BC·SPC·SCG·SBC Door Thickness:28~40mm





1M-CR



1M-CR



3C-CR



3M-PG



3M-CR



2C-PG





2F-CR


14



This solid lever is heavier than the others. The angled cutting combines with the bent gripping part creates an unquestionably unique design.

Material: Aluminum

Standard Finish:SW·SA·SG·SB·CR·PG Customizable Finish:PC·CG·BC·SPC·SCG·SBC Door Thickness:28~40mm






2F-CR



2J-CR


Norma Type 15





Material: Aluminum Standard Finish: SW·SA·SG·SB·CR·PG·AS·AA·AG Customizable Finish:PC·CG·BC·SPC·SCG·SBC Door Thickness:28~40mm

%The shape varies slightly depending on the finish.



3C-PG

2C-SG


Bootes Type 16



This is also one of the popular lever that's been adapted in a five-stars hotel. This lever has a solid design and an excellent functionality suitable for your room.

Material: Aluminum

Standard Finish:SW·SA·SG·SB·CR·PG Customizable Finish:PC·CG·BC·SPC·SCG·SBC Door Thickness:28~40mm





1M-SW



 $1 \,\mathrm{M} - \mathrm{W} \,\mathrm{H}$



2C-CR



2C-SG



3M-CR

3C-SW






2A-WH

2 D – W

Resin




SAKURA



SENSU






AP4 ·BP4 Type (Resin Lever)



This lever combines simple design and strong durability, suitable for bathroom use. The AP4 type has a bottom fix screw, while the BP4 has a side fix screw.



2S-WH

1S-WH





АР Туре (bottom fix)



ВР Туре (side fix) Handles



Standard strike is a fixed type.

Material:Stainless, Steel

Standard Strike	
Product No	Finish/Color
227-010	Hairline
Screw included:	

 3.5×20 Flat head tapping screw 2pcs




Adjustable Strike The depth of the strike can be easily adjusted using


a screwdriver without losing the fixed screws.


Material: Stainless, Steel, Resin Finish/Color: Barrel Polishing Adjustment Range: Front-Back ± 2mm


Adjustable Strike

Product No	Specification	Function
227-011	F Туре	
227-012		Small door
227-013	Р Туре	
227-014		Small door
Screw include	ed:	
<f type=""></f>		
3.5×20 Flat	head tapping scre	w 2pcs
<p type=""></p>		
3.5×22 Flat	head wood screw	2pcs











For small door




For small door





FL Lock Case Cutaway View

■Appropriate door thickness 28~36mm










19


FR Lock Case Cutaway View


■Appropriate door thickness 2 8 ~ 3 6 mm







■Appropriate door thickness 28~36mm







Privacy Lock · Indicator Lock




 $\cdots \ensuremath{\mathsf{Shows}}$ the cut out part.

 \cdots Shows the cut out part.

FU (BS32) Lock Case Cutaway View


■Appropriate door thickness 28~36mm



FU (BS51) Lock Case Cutaway View

50

■Appropriate door thickness 2 8 ~ 3 6 mm ■Special Feature Lock (Available for Customization) We can provide a lock with a special feature, a mechanism that automatically unlocks the door if someone accidentally locks the door, even when the door is closing.



Accessories

Door Parts


Sliding Door Parts


Cabinet Parts • Handrail

Euro Series

KU Lock Case Cutaway View


■Appropriate door thickness 2 5, 2 8, 3 0, 3 3 mm






LU Lock Case Cutaway View

■Appropriate door thickness 3 0 mm





···Shows the cut out part.

Le

Door Parts

Sliding Door Parts

Accessories

Cabinet Parts • Handrail

Euro Series

··Shows the cut out part.

25

Door Parts

Door

Hinged Door Soft Closer Patent



This door closer is suitable for indoor use, either on a new or an existing door. It helps to reduce the unpleasant noise of the door hitting the frame and prevent it from slamming shut. The door closer will decelerate the speed of the door at \pm 40 mm towards the end and automatically pull the door to close perfectly. The installation can be done easily using the attached pattern paper. Once installed, the closing speed can be adjusted. Compared to the other products, ours has outstanding durability as it has passed 500,000 times during the performance test.

Adjustable range: Up- down ± 5 mm, right- left ± 5 mm, front- back ±4 mm Material: (Main unit/ Spool bracket) Resin, Steel (Liner)Steel

Hinged Door Soft Closer

THISOU	1 000		0001			
Produc	t No.					
LH		RH		Door Weigh	t	Finish/Color
312-02	21	312-025		10~30kg		Gold Painting
312-02	22	312-026		(98~294N)		Silver Painting
312-02	23	312-027		※ 1		Gray
312-02	24	312-028				Brown
312-05	51	312-055		45kg		Gold Painting
312-05	52	312-056		(441N)		Silver Painting
312-05	3	312-057		※ 2		Gray
312-05	54	312-058				Brown
Screw	inclu	ded:				

(Bracket)

 4×30 Binding head tapping screw 2pcs

〈Main unit〉


 4×30 Pan head tapping screw 2pcs

 4×20 Flat head tapping screw 3pcs $M4 \times 12$ Pan head machine screw 2pcs

M4 Flat washer 2pcs



There are LH and RH.






Brown (R)




The arm extends once it is released from the spool bracket.



Gray (R)









Gold Painting (R)


Right Hand



Silver Painting (R)



Door Installation Liner





For installation, please use the manual and pattern paper attached to the product.

Concealed Hinged Door Closer



A concealed hinged door closer for indoor use provides the functionality of an overhead door closer but is fitted within the door leaf and frame. This product helps decelerate the speed of the door at ± 100 mm towards the end and self-closing itself slowly to reduce the unpleasant noise of the door hitting the frame and prevent pinched finger accidents. In addition, this type of installation is aesthetically pleasing and helps reduce vandalism, as most of the door closer is hidden from sight. Once installed, the closing speed can also be adjusted.

Material: (Main unit) ZDC (Spool bracket) Resin Load capacity: 30kg(297N) %Please contact us for 70kg(686N) pecifications.


Concealed Hinged Door Closer

ooncoulou n	Inged Door old	501	
Product No.			
LH	RH	Finish/Color	
312-072L	312-072R	Brown	
Screw includ	ed:		
<pre>Spool brack</pre>	.et>		
4×30 Truss	head tapping	screw 2pcs	
4×20 Flat h	ead tapping sc	rew(D7) 1pcs	
$\langle Main unit angle$			Q
4×30 Truss	head tapping	screw 4pcs	
Attachment	Allen wrench		
			There ar




There are LH and RH.









The arm extends once it is released from the spool bracket.



position of bracket's guide groove. (Use adjusting screw for movable range of arm to matching center position.) %If the roller doesn't match the center position, it will not back to its original position automatically.





Smart Door Stopper (Magnet Type)

Using a magnet with a strong force, this door stopper can hold a door open and helps eliminate any damage to the adjoining wall. The installation is effortless and can be fixed either on a new or existing door. The mounting screws are invisible, and the height of the floor-mounted part is only 3 mm making this product barrier-free. This door stopper also passed the 100,000 times performance test. Moreover, this product won the Good Design Award for its seamless and smart design while maintaining maximum functionality.

30kg /+

Material: 〈Main unit〉 Magnet, Resin (Base)Resin, Stainless Load Capacity: 30kg(294N)

Product No.

18

28

220-251

220-252

220-253

Smart Door Stopper (Magnet Type) Finish/Color White Silver Gold Silver Painting

> 13 2

φ50

220-254 220-255 Gold Painting 220-256 Chrome Plating Screw included: 〈Main unit〉 4×20 Pan head tapping screw 2pcs $\langle {\rm Base} \rangle$ 3 × 12 Flat head tapping screw 3pcs

White

Gold

Gold Painting

Silver Painting

Silver

Chrome Plating







Silver

White



Gold





Chrome Plating











Doors Keeper (Magnet Type)

This door keeper uses a strong magnetic force that works well on a heavy door to stop it. Pushing the door once it is stopped will turn it into a lock position, and there will be no chance of it slipping and swinging through when opened. However, it will need a little to no effort to pull and close the door. The installation is effortless and can be fixed either on a new or existing door. In addition, the floor-mounted part is only 3 mm making this product barrier-free. This durable doorkeeper has also passed the 100,000 times performance test and won the Good Design award for its smart design while maintaining maximum functionality.

Material: (Main unit) Magnet, Resin (Base)Resin. Stainless Load Capacity: 100kg(980N)

Doors Keeper	(Magnet Type)	
Product No.	Finish/Color	
220-261	White	
220-262	Silver	
220-263	Gold	
220-264	Silver painting	
220-265	Gold painting	
220-266	Chrome plating	
Screw included	1:	


 $\langle Main unit \rangle 4 \times 20$ Pan head tapping screw 4pcs $\langle Base \rangle$ 3 × 12 Flat head tapping screw 4pcs

Door Keeper Concealed Type

Product No.	Finish/Color
220-271	White
220-272	Silver
220-273	Gold
220-274	Silver Painting
220-275	Gold Painting
220-276	Chrome Plating

Screw included:

 $\langle Main unit \rangle 4.2 \times 32$ Pan head tapping screw 4pcs $\langle Base \rangle$ 3 × 12 Flat head tapping screw 4pcs




Concealed Type



This hinge is fixed in the top and bottom of the door. The design is slim, so it doesn't interfere with the design of the door. Once the bottom part is fixed, the upper part is easily set by pulling down the upper pin and put it back in place. Once installed, the front-back, right-left, up-down adjustment can be made easily using a screwdriver. This type of hinge is very durable as it has passed 200,000 operation tests, and it is also available in four high-quality finishing colors.


Material: (Main unit) Steel, ZDC (Cover) Resin Load Capacity: 30kg(294N) Recommended Door Thickness:33mm Adjusting Range: Front-Back ± 2, Left-Right ± 2



Up-Down+2mm, -4mm Pivot Hinge

Product No	э.		
LH	RH	Lower Bracket	Finish/Color
215-011	215-015	No cover	Gold Painting
215-012	215-016		Silver Painting
215-013	215-017		Satin Silver
215-014	215-018		Chrome Plating
215-011N	215-015N	With cover	Gold Painting
215-012N	215-016N		Silver Painting
215-013N	215-017N		Satin Silver
215-014N	215-018N		Chrome Plating
Screw incl	uded:		


 $\langle Upper Bracket \rangle 3.5 \times 25$ Flat head tapping screw 4pcs (Lower Bracket) 3.5 × 25 Flat head wood screw 3pcs \langle Main unit \rangle 3.5 \times 30 Flat head tapping screw 6pcs



Left-Right: ±2

Front-Back:±2

Frame



Silver Painting

Satin Silver


Chrome Plating

With cover

Upper Main unit

Lower Main unit

18.5



102 φ13.5 0 0 5×4 6 0 t2.5 5

13


Silver Painting (R)

% This drawing is Right-Hand



Amber Painting (R)

Gold Painting (L)




There are LH and RH.




Amber Painting (R)

% This drawing is Right-Hand






Gold Painting (R)






Raw Material (R)

% This drawing is Right-Hand





Amber Painting (R)



X Digging is necessary on door and frame.

34



Butt Hinge

This standard type hinge consists of knuckles and leaves. The leaves use high-strength steel, and the hinge itself has passed 200,000 operation tests. Thus, this hinge has excellent strength and durability. In addition, the installation can be done easily as the leaves can be removed and then attached to the door and frame separately. The knuckles are also easy to insert and remove to ease the fixing process.

Material:Steel Load Capacity: 30kg(294N) When using 2pcs



Butt Hinge Product No.		
Product No.		
Left-Hand	Right-Hand	Finish/Color
201-021	201-011	Silver Painting
201-022	201-012	Amber Painting
201-023	201-013	Gold Painting
Screw inclu	ded: 4×25 Fla	t head tapping screw 10pcs

Lift Off Hinge



This flag hinge uses high-strength steel for the leaves part, and the hinge itself has passed 200,000 operation tests. Thus, this hinge has excellent strength and durability. In addition, the installation can be done easily as the leaves can be removed and then attached to the door and frame separately. The knuckles are also easy to insert and remove to ease the fixing process.

Material:Steel Load Capacity: 30kg(294N) When using 2pcs



Screw included: 4×25 Flat head tapping screw 8pcs



Stainless Lift Off Hinge

The leaves of this flag hinge uses SUS 304 with excellent resistance to corrosion and rust. Also, the hinge itself has passed 200,000 operation tests. Thus, this hinge has excellent durability. The installation can be done easily as the leaves can be removed and then attached to the door and frame separately. The knuckles are also easy to insert and remove to ease the fixing process.

Material:Stainless Load Capacity: 30kg(294N)_When using 2pcs

nd Finish/Color
nd Finish/Color
Raw Material
Amber Painting
Gold Painting

Gold Painting (R)

Screw included: 4 × 25 Flat head tapping screw 8pcs

Reversible Door Stopper

This reversible door stop is applicable on a right or left-hand door. By using this, it allows the door to be opened up to 90°. Furthermore, since this device is mounted on the top of the door instead of the floor, this door stopper is safe as it eliminates tripping hazards. This product has also passed 200,000 operation tests which ensure its durability in the long term.

Material: (Bracket) Stainless (Door Stop part) Rubber Load Capacity: 30kg(294N) Left or Right-Hand:Common use

Reversible Door Stopper

Product No. Finish/Color Rubber Color 220-212 Raw Material Black 220-214 Gold Painting 220-216 Raw Material White 220-218 Gold Painting

Screw included:

 3.5×35 Flat head tapping screw 4pcs

Public Housing Door Stopper

This type of door stopper is applicable on a right or left-hand door. This device helps the door stop once the rubber part hits the wall without damaging it. In addition, since this door stopper is mounted on the top of the door instead of the floor, this device is safe to use as it eliminates tripping hazards.

Material: (Bracket) Stainless (Door Stop part) Rubber Load Capacity: 30kg(294N) Left or Right-Hand:Common use

Public Housing Door Stopper

Product No. Finish/Color Rubber Color 220-221 Raw material White 220-223 Gold Painting Screw included: 3×16 Flat head wood screw 3pcs


Upper Frame Door Stopper

As its name, this door stopper is fixed on the upper frame of the door. It allows the door to be opened up to 90°. Furthermore, since this device is mounted on the top of the door instead of the floor, this door stopper is safe as it eliminates tripping hazards.

Material: (Bracket) Stainless (Door Stop part) Rubber Load Capacity: 30kg(294N)


Upper Frame Door Stopper Product No.

Left-Hand Right-Hand Finish/Color Rubber Color Raw Material White 220-241 220-231 220-243 220-233 Gold Painting Screw included: 4 × 25 Flat head tapping screw 4pcs





.





Raw Material (Rubber Color: White)

Raw Material

Gold Painting

(Rubber Color: Black)






There are LH and RH




Natural Wood









36

Door Louver



This door louver is mainly used in nursing homes. It has 39% aperture ratio, which is suitable for the door to provide cross-flow and help maintain a healthy environment. It is available in three different colors to match the color of the doors used in most hospitals or other facilities.

Material: Resin

-			
-	-	_	
	-		
		_	
_	-		
	-		
-	-		
-	-		
	-		
			-




Door Louver		
Product No.	Specification	Finish/Color
630-051	For one side	Natural Wood
630-031		Medium Birch
630-011		lvory
630-061	For both sides	Natural Wood
630-041		Medium Birch
630-021		lvory
Reversible de	oor thickness:28	~33mm

※ Please contact us, if you want other colors.



Using a rod flatten in some parts, this flush bolt will secure the inactive leaf of a pair of doors. The special feature also prevents the inactive door from shaking and rattling. The product is available in 5 different colors to match any color of doors.

Material: Resin, Stainless



25


Strike Bracket

Lever Handles

Strike Plate

Light Indicator Lens

This device helps users recognizing if the light inside a room is on from outside. The indicator lens can be easily attached to the door by pushing it into the hole (prior drilling needed). The thin ring on both ends is designed with a wider surface to hide the mark of the drilled hole on the door. It is available in three types: round type with Φ 35 and Φ 38, also square type.



Brown (B)



(D)

Cherry (C)

> Painting (HL Color)







(ME)

Beige (BJ)



Pearl (PA)





Dark

(DA)

Milkv

(MK)

(BK)





(BG)



Silver Painting (BS)




30

Round Type 35 (O-ring specifications)

It is a ϕ 35 O-ring specification. Uses an O-ring to make it difficult to loosen.

Material: Resin Door Thickness:28~36mm

Round Type 35(O-ring specifications)		
Product No.	Finish/Color	
250-318	Clear	





Clear









Mirror Finish





Round Type 38

Not only available in a convex lens, but the standard type also has a lens shaped like a diamond cut to reflect the light better. In addition, this type is available in 11 different colors to complement any doors color.

Material: Resin Door Thickness:28~36mm

Round Type 38					
Product No.	Finish/Color				
250-111	Dark	DA			
250-112	Medium	ME			
250-113	Beige	BJ			
250-114	Light	LT			
250-115	Milky	MK			
250-116	Pearl	PA			
250-117	Smoke	SK			
250-118	White	WA			
250-119	Black	BK			
250-120	Gold Painting	BG			
250-121	Silver Painting	BS			

Door Thickness 5_{11} 28 \sim 36 1_{11} 1.5 5 Installation dimension ϕ 38 30




Square Type 38

This product has a sharp design on both edges to enhances the look of the door. This square type is available in two exclusive finishes to complement any doors color.

Material: Stainless, Resin Door Thickness:28~36mm

Square Type 38	
Product No.	Finish/Color
250-211	HL(Hairline)
250-212	Mirror Finish













Diamond Cut specification lenses are available.



Lever Handles

Sliding Door Parts

Lever Handle

Door Part

Sliding Door Part

Cabinet Parts Handrail

Euro Serie

Clear Cut Hook Lock



This hook lock for indoor sliding doors is good to prevent the door from accidentally being locked. It's impossible to operate the lock unless the door is hitting the trigger part and close perfectly. The product is universal as it can be configured with a standard lever or UD lever with a bigger grip so that everybody can use it easily. UD lever also uses blue and orange indicators, which is easier for anyone to recognize. The cylinder type uses a dimple key that provides 100 combinations, and there are 2 master keys available to generate 126 different child keys combinations. (Please contact us for further details.)

The lock is available in 4 different functions. The escutcheon is available in round and square types. The thumb turn is available in standard thumb turn type, standard lever type, and UD lever type. Available in 6 different colors to guarantee a perfect harmony with the different series of sliding doors.

Material: (Rose) Aluminium (Lever)ZDC 〈Lock Case, Strike〉Stainless, Steel Door Thickness:30~40mm Strike Installation Range: Up-Down ± 5mm, Depth 3.5mm

Screw included: (Rose) M4 Flat head machine screw(D6) 2pcs (Refer to the Rose fixing screw / Spindle specification table) 〈Lock case〉 3.5×20 Flat head tapping screw(D7) 2pcs (Strike)

3.5 × 20 Flat head tapping screw(D7) 2pcs



type type Adjustable Strike (Bottom Lock)



Bottom Lock BS51 The hook lock strikes out from the bottom. Back set is 51 mm.




Clear Cut Hook Lock (Indicator lock)

Dead Bolt Lock BS51 The hook lock strikes out from above. At the same time, the dead bolt protrudes. Back set is 51 mm.


















Rose fixing screw / Spindle specification table

Indicator.	Privaci	lock
maioutor,	i nivaci	1001

0

•

Round Rectangle

type type

Adjustable Strike

(Top Lock)

malcutor, r				
Door thickness (mm)		30~34	35~39	40
Rose fixing	Standard, Lever type	M4	×16	$M4 \times 25$
screw	UD Lever type		$M4 \times 30$	
Spindle		L27	L32	L37.5

Top Lock BS38

Back set is 38 mm.

Clear Cut Hook Lock

(Indicator lock)

Cyllinder lock

30~35 36~39	40
xype M4×16 M4	1×25
M4×30	
L21(17.8) L27(23.	8)
r t	r type M4 × 16 M4 M4 × 30

Two sides Thumb-turn

1110 01000 1				
Door thickn	ess (mm)	30~34	35~39	40
Rose fixing	Standard, Lever type	$M4 \times 10$	$M4 \times 16$	$M4 \times 20$
screw	UD Lever type	$M4 \times 25$	M4 :	× 30
Spindle		L27	L32	L37.5



Clear Cut Hook Lock (Indicator lock)

Top Lock BS51 The hook lock strikes out from above. Back set is 51 mm.



The hook lock strikes out from above.

Sliding Door Parts

Product No. List

1	Lock Case Type		Rose Type	3	Loc	ks F	Function		Finish Tures		Door	Locks		Remarks
1	LOCK Gase Type	2	Rose Type		Inside		Outside	4	Finish Type	5	Thickness	Function	6	Remarks
				Ι				Ι						
NT51R	Top Lock BS51					2	Privacy lock	SG	Satin Gold	04	30~34	Privacy lock,		
NT38R	Top Lock BS38			s	Standard	З	Indicator lock	SW	Satin Silver	59	35~39	Indicator lock, Double-sided		
NU51R	Bottom Lock BS51					S	Standard	PG	Gloss Gold	40	40	thumb turn	Kau	No. etc.
ND51R	Dead Bolt Lock BS51							CR	Chrome Plating	05	30~35		Rey	NO. ELC.
% Round	type faceplate							TS	Silver Painting	69	36~39	Cylinder lock		
								ΤВ	Black Painting	40	40			
NT51S	Top Lock BS51									_				
NT38S	Top Lock BS38									_				
NU51S	Bottom Lock BS51			s	Standard	5	Cylinder lock	SG	Satin Gold					
ND51S	Dead Bolt Lock BS51			^s	Standard	6	Master key	SW	Satin Silver					
XRectar	ngle type faceplate							TS	Silver Painting					
								ΤВ	Black Painting					
		R	Round							_				
						2	Privacy lock	SG	Satin Gold					
				R	Lever	3	Indicator lock	SW	Satin Silver					
						R	Master key	PG	Gloss Gold					
								CR	Chrome Plating					
								TS	Silver Painting					
										_				
										_				
					Lever	5	Cylinder lock	SG	Satin Gold					
				R	Lever	6	Master key	SW	Satin Silver					
						3	Indicator lock	TS	Silver Painting					
				U	UD Lever	5	Cylinder lock							
				1	OD Lever	6	Master key							
						U	UD Lever							
										-				

				2 Privacy lock S	SG	Satin Gold					
				3	Indicator lock	SW	Satin Silver				
s	Square	S Standard	S Standard	S Standa	S Standard	Standard	S Standard	5	Cylinder lock	тв	Black Painting
					6	Master key					
			s	Standard							

Example on How to Write a Product Number when Ordering


	1	2	3	4	5	6
Picture A	NT38R	R	S3	SW	04	
Picture B	NT51R	S	S 3	ТВ	04	
Picture C	NU51R	R	S2	SW	04	
Picture D	ND51R	S	S6	ТВ	05	65

※ Cylinder lock comes with 2 keys.


- When specifying the key number, enter the key number in the remarks column.
 The finishing color of the strike plate and faceplate is hairline.

X Master key with master key specifications is sold separately.

※ Please contact us about the purchase of master keys.







Lock Case · Adjustable Strike				
Product N	Vo.			
BS38	BS51	Product Name		
NT38R	NT51R	Top Lock Case (Round type faceplate)		
NT38S	NT51S	Top Lock Case (Rectangle type faceplate)		
_	NU51R	Bottom Lock Case (Round type faceplate)		
_	NU51S	Bottom Lock Case (Rectangle type faceplate)		
ND38R	ND51R	Dead Bolt Lock Case (Round type faceplate)		
ND38S	ND51S	Dead Bolt Lock Case (Rectangle type faceplate)		
224-580	same	Adjustable Strike, Top Lock (Round type facepla		
224-588	same	Adjustable Strike, Top Lock (Rectangle type fac		
224-589	same	Adjustable Strike, Bottom Lock (Round type fac		
224-590	same	Adjustable Strike, Bottom Lock (Rectangle type		

Spare Ke	ey	
Product	No.	
BS38	BS51	Product Name
224-581	same	Spare key (No.000)
224-582	same	Spare key (No.B000)
224-583	same	Spare key (No.D000)



late) ceplate) (ceplate) pe faceplate)



Euro Series



TS Hook Lock is a well-design product winning the Good Design Award. It combines a hook lock and a puller in one unit to be attached to an indoor sliding door. The lock-unlock operation can be done easily by sliding the

knob up and down (see fig. Detailed photo 1). It has a streamlined design and a vast surface with some textured parts to highlight a modern minimalist style. On cylinder type, a dimple key with 100 combinations is used to ensure safety. The strike plate is available with or without a trigger. and there are 6 different colors to complement any sliding door color.

Material: (Pull) ZDC (Lock Case, Strike) Stainless, Steel Door Thickness:28~36mm Strike Installation Range: Up-Down ± 5mm, Depth 3.5mm

ΤS	Ho	ok	Lock	

Product N		Key	
No trigger	With trigger	Specification	Finish/Color
224-701	224-701T	Privacy lock	Gloss Pearl Chrome
224-702	224-701T	T HVdCy IOCK	Black Gold
224-702	224-702T		Satin Silver
224-704	224-703T		Black Silver
224-705	224-7041 224-705T		Matte Black Painting
224-706	224-705T		Chrome Plating
224-711	224-700T	Indicator lock	Gloss Pearl Chrome
224-712	224-712T	maleator look	Black Gold
224-713	224-712T		Satin Silver
224-714	224-714T		Black Silver
224-715	224-715T		Matte Black Painting
224-718	224-718T		Chrome Plating
224-721	224-721T	Cylinder lock	Gloss Pearl Chrome
224-722	224-722T	※1	Black Gold
224-723	224-723T	/	Satin Silver
224-724	224-724T		Black Silver
224-716	224-716T		Matte Black Painting
224-719	224-719T		Chrome Plating
224-725	224-725T	Cylinder lock	Gloss Pearl Chrome
224-726	224-726T	×1·×2	Black Gold
224-727	224-727T		Satin Silver
224-728	224-728T		Black Silver
224-717	224-717T		Matte Black Painting
224-720	224-720T		Chrome Plating
224-748	224-748T	Lock Case (Round	type faceplate)
224-749	224-749T	Lock Case (Recta	ngle type faceplate)
224-580	224-580	Adjustable Strike	(Round type faceplate)
224-598		Adjustable Strike	(Rectangle type faceplate)
224-750	224-750	Spare key	
	-lalf indicato	r. (It only show red	color when it locked.)
%1 With			
※2 This of	cylinder does	sn't protrude.	

※ The strike plate and faceplate is also available in rectangle type.

※ The finishing color of the strike plate and faceplate is hairline.

(Only for 33~36mm door thickness.)

 $M4 \times 25$ Flat head machine screw(D7) 2pcs

 3.5×20 Flat head tapping screw(D7) 2pcs

 3.5×20 Flat head tapping screw(D7) 2pcs

Screw included:

〈Lock Case〉

〈Pull〉

Strike



Rectangle Round type type Adjustable Strike

C

No trigger



TS Hook Lock










-


Indicator lock Gloss Pearl Chrome

Indicator lock Black Gold





TS Hook Lock + Adjustable Strike



Strike digging drawing

Pull-Lock Case digging drawing

Outdoor side



Privacy lock Black Silver



Indicator lock Matte Black Painting



0

Indicator lock Chrome Plating



Indoor side

Detailed photo 1

With trigger

When the sliding door is open, the hook doesn't protrude. The trigger retracts into the case when the sliding door is closed.



NS Automatic Hook Lock



By adding up a magnet, this product not only can prevent the door from not closing perfectly or bouncing back. But it can also automatically lock the door by dropping the hook once the door is pulled to close entirely by the magnet force. Pull the puller to lift the hook, and the door will become moveable. The product without a lock is also

an option for your sliding door.

Material: (Pull) Resin

(Lock Case, Strike) Stainless, Steel Door Thickness: DT33_29.5~34.0mm, DT36_35.0~39.0mm Strike Installation Range: Up-Down ± 4mm, Depth 4mm

NS	Automatic	Hook	Lock
----	-----------	------	------

Product No	р.	Key	
DT33	DT36	Specification	Finish/Color
224-621	224-624 🗆	Passage lock	Chrome Plating
224-622🗆	224-625🗆		Gold Painting
224-623	224-626□		Silver Painting
224-631	224-634🗆	Privacy lock	Chrome Plating
224-632🗆	224-635🗆		Gold Painting
224-633🗆	224-636🗆		Silver Painting
224-641	224-644 🗆	Indicator lock	Chrome Plating
224-642🗆	224-645🗆		Gold Painting
224-643	224-646		Silver Painting
224-651	224-654	Puller	Chrome Plating
224-652	224-655		Gold Painting
224-653	224-656		Silver Painting
※ □: Enter R for the front Round type or S for the Rectangle type.			
※ The price is for one inside and one outside set.			
※ The finish of the front of the lock case and the strike is			
harrel polishing			

barrel polishing.

Screw included:

 $\left< \text{Pull} \right>$ M3 \times 30 Flat head machine screw 2pcs

- $\langle Lock Case \rangle 4 \times 20$ Flat head tapping screw 2pcs
- \langle Strike \rangle 4 × 20 Flat head tapping screw 2pcs





-

Gold Painting Chrome Plating

0



Indicator lock

Silver Painting

8

Round

type

問

0

Rectangle

type

Adjustable Strike




NS Automatic Hook Lock

(Indicator lock)




Puller (no lock)






Adjustable Strike






When the sliding door approaches the jamb (strike plate), the magnet will attract each other, then the hook will automatically strikes down and lock.



48



NS Automatic Hook Lock



Pull the puller to lift the hook.



Accessories

CL Automatic Hook Lock



Not only provides the automatic-locking mechanism and other extensive practical benefits, but this lock is also designed exclusively to meet the demand for a good product, functionally and aesthetically. This product uses metal as the material, offering a solid and deluxe appearance, and the screws are also fixed in a concealed position, creating a seamless-looking product.

Material: (Pull) ZDC

(Lock Case, Strike) Stainless, Steel Door Thickness: 30~46mm Strike Installation Range: Up-Down ± 4mm, Depth 4mm

CL Automatic Hook Lock (Door Thickness:30~32mm) Product No. Key Specification Finish/Color

i louuot ivo.	Rey opcomoution	
224-661	Privacy lock	Chrome Plating
224-662		Satin Silver
224-663		Black Painting
224-664	Indicator lock	Chrome Plating
224-665		Satin Silver
224-666		Black Painting

CL Automatic Hook Lock (Door Thickness:33~36mm) Product No. Key Specification Finish/Color 224-667 Privacy lock Chrome Plating 224-668□ Satin Silver 224-669□ Black Painting 224-670 Indicator lock Chrome Plating 224-671 Satin Silver 224-672 Black Painting

CL Automatic Hook Lock (Door Thickness:37~46mm)

Product No.	Key Specification	Finish/Color
224-673	Privacy lock	Chrome Plating
224-674		Satin Silver
224-675		Black Painting
224-676	Indicator lock	Chrome Plating
224-677		Satin Silver
224-678		Black Painting

※ □: Enter R for the front Round type or S for the Rectangle type.

X The price is for one inside and one outside set. % The finish of the front of the lock case and the strike

is barrel polishing.

Screw included:

 $\langle Pull \rangle$ M3 × 10, 15, 18 Flat head machine screw 2pcs (Depends on the door thickness.)

 $\langle Lock Case \rangle 4 \times 20$ Flat head tapping screw 2pcs \langle Strike \rangle 4 × 20 Flat head tapping screw 2pcs



Chrome Plating



Satin Silver









Privacy lock


Indicator lock





CL Automatic Hook Lock






Digging process drawing



When the sliding door approaches the jamb (strike plate), the magnet will attract each other, then the hook will automatically strikes down and lock.



50



Pull the puller to lift the hook.


Lever Handles


Euro Series

Top Hung Soft Closer Set




Made to be installed on an indoor sliding door, this top-hung damper will slowly pull the door from \pm 70 mm before it closes. Thus, it can reduce the unpleasant noise of the door hitting the frame. The door will close completely without any gap regardless of the strength or speed adjusted during the installation. This product has passed the 200,000 times operation test and comes with an adjustable roller, and wheels with bearing for optimal long-term performance. Not only offering excellent technical function, but this soft closer is also fully recessed to embraces a stylish architectural appearance. This top hung soft closer can be attached to both ends of the door. %1 %1 Please contact us for further details.









Anti-Shake Guide Pin

This pin helps the door running in the track, prevents it from swinging and shaking during opening or closing. When it collides with the door, the cylinder will spin, and the door will operate smoothly. Additionally, as it is concealed by the door, it doesn't interfere with the architectural appearance and causes no dangers for the user. 24

Material:Stainless, Resin Load Capacity:30kg(294N)

Anti-Shake Guide Pin			
Product No.	Finish/Color		
320-084	Raw Material		
Screw included:			

 3.5×25 Flat head tapping screw 2pcs



4 Wheels Adjuster Rail set

4 Wheels Adjust	ster∙Rail set	
Product No.	Finish/Color	Rail Length(mm)
312-034	Amber	1,820
312-035		2,730
312-036		3,640
312-034W	White	1,820
312-035W		2,730
312-036W		3,640
Set contents:		

4 Wheels Adjuster 2pcs, Sliding Door Rail 1pcs, Anti-Shake Guide Pin 1pcs



4 Wheels Adjuster 🔀

This product has passed the 200,000 times operation test and uses wheels with bearing for smooth performance. In addition, the lower part can be detached and initially installed to the sliding door with one touch.

Material:Resin, Steel Load Capacity:30kg(294N) Installation Range: Up-Down±3mm, Left-Right±2mm



4 Wheels AdjusterProduct No.Finish/Color320-021Amber320-021WWhite※ 1pc price.Screw included:3.5 × 12 Flat head tapping screw 1pcs3.5 × 20 Pan head tapping screw 2pcs



Sliding Door Rail (without hole for the hook)

Material:Aluminum Load Capacity:30kg(294N)

	Sliding Door Rail				
	Product No.	Length(mm)	Finish/Color		
	310-512	1,820	Silver		
	310-522	2,730			
	310-532	3,640			
Screw included:					

3.5×45 Flat head tapping screw (The number depends on the rail length.)




Sliding Door Soft Closer



This external type of soft closer can be installed on existing sliding doors. This door damper will catch closing doors \pm 50 mm before the thud and then softly and silently close them. Thus, it reduces the unpleasant noise of the door hitting the frame and prevents the door from bouncing back. The door will close perfectly without any gap regardless





Soft Closer Main unit


54

74

Trigger

10

0



Trigger

(Silver Painting · Hairline)

rigger

(Brown Painting)

Drawing for Installation



Concealed Soft Closer





before the end, and then it will close slowly and quietly. The door will close completely without any gap regardless of the strength adjusted during the installation. As this product is a concealed type, it will not disintegrate the architectural appearance. In addition, this soft closer has also passed 200,000 times operation tests which guarantee long-term use.

Material: Stainless, Resin Load Capacity: 25kg(245N)

Concealed Soft Closer

Product No. Finish/Color 312-012 Raw Material Set contents: Soft closer 1pcs, Hook 1set Screw included: $\langle Main unit \rangle$ 3.5 × 20 Truss head tapping screw 2pcs (Hook) 3×16 Flat head tapping screw 4pcs






Drawing for Installation



This is a door damper for an indoor bottom-running sliding door. It will slowly pull the sliding door from about 80mm



Lever Handles

Door Parts

Sliding Door Parts

Accessories

Sliding Door Parts

KT Adjustable Roller



Using this device, adjusting the sliding door position to maintain a smooth operation is possible as, over time, the door will slightly change due to weather and friction.

Material:Resin, Steel Load Capacity: 30kg(294N) Installation Range: Upper Left-Right±2mm Lower_Up-Down ± 3mm, Left-Right ± 2mm Appropriate Rail: Upper_Lintel Rail, Lower_T Rail

KT Adjustable Roller

Product No. Specification Finish/Color 301-332 Upper side Amber Lower side 301-342 ※1 pc price. Screw included:

 4×30 Flat head tapping screw 1pcs




Upper side





Lower side















Upper side






Material: Aluminum Finish/Color:Amber

Lintel Rail		
Product No.	Specification	Length (mm)
310-312A	Single Rail	1,820
310-312B		2,730
310-312C		3,640
310-412A	Double Rails	1,820
310-412B		2,730
310-412C		3,640


Screw included:

 3.5×12 Flat head tapping screw

(The number depends on the rail length.)




Single Rail



Single Rail

Double Rails





T Floor Rail




This rail is used together with the lower KT Adjusting Roller. As the height of the rail is only 3 mm, this product is barrier-free.

Material: Aluminum Load Capacity: 30kg(294N)

T Floor Rail				
Product No	Length			
Amber	Silver	Specification	(mm)	
310-361A	310-364A	Single Rail	1,820	
310-361B	310-364B		2,730	
310-361C	310-364C		3,640	
310-362A	310-365A	Double Rails	1,820	
310-362B	310-365B		2,730	
310-362C	310-365C		3,640	
310-363A	310-366A	Triple Rails	1,820	
310-363B	310-366B		2,730	
310-363C	310-366C		3,640	
Screw included:				

 2.7×16 Flat head wood screw

(The number depends on the rail length.)



Triple Rails





Lever Handles

Outset Sliding Door Parts

ЗОкд 🛃 🍂 🧟

With this set, you can easily replace a hinged door with a sliding door.

Load Capacity: 30kg(294N)

Outset Sliding Door Parts

e accer e name			
	Upper Rail	Lower Rail	Lower Rail
Product No.	(mm)	(mm)	Color
330-001	1,388	1,392	Amber
330-002	1,570	1,574	
330-003	1,628	1,632	
330-001S	1,388	1,392	Silver
330-002S	1,570	1,574	
330-003S	1,628	1,632	

Set contents:

Upper Rail 1pcs, Lower Rail 1 pcs KT Adjusting Roller Door (For lower side) 2pcs Door Side Guide 2pcs Upper Stopper 2pcs Lower Stopper 2pcs



Material:Aluminium Load Capacity:30kg(294N)

Upper Rail (Outset)

Product No.	Length(mm)	Finish/Color	
330-051	1,388	White	
330-052	1,570		
330-053	1,628		
Screw included:			

 3.5×30 Flat head tapping screw

(The number depends on the rail length.)

Lower Rail (T Floor Rail)

Material:Aluminium Load Capacity:30kg(294N)

Lower Rail (T Floor Rail)				
Product No.				
Amber	Silver	Length(mm)		
330-054	330-057	1,392		
330-055	330-058	1,574		
330-056 330-059 1,632				
Screw included:				

Screw included: 2.7 \times 16 Flat head wood screw (The number depends on the rail length.)





Ð


KT Adjustable Roller

Material:Resin, Steel Load Capacity:30kg(294N) Installation Range:Up-Down±3mm, Left-Right±2mm

KT Adjustable Roller (Lower side)Product No.Finish/Color301-342-2Amber※ 2pcs price.Screw included:4 × 30 Flat head tapping screw 2pcs










28

m





















Door Side Guide

Material: Resin

Door Side Guide	
Product No.	Finish/Color
330-060	White
※ 2pcs price.	
Screw included:	

 $4\!\times\!25$ Flat head tapping screw 6pcs



Material: Resin

Upper Stopper	
Product No.	Finish/Color
330-061	White
※ 2pcs price.	
Screw included:	

 $\rm M4 \,{\times}\, 10$ Flat head machine screw 4pcs



Outset Lower Stopper

Material: Resin

Outset Lower Sto	opper
Product No.	Finish/Color
330-064	Black
※ 2pcs price.	
Screw included:	
4×30 Flat head	tapping screw 6pcs

Sliding Door Parts

Strike Plate

(for Outset Sliding Door Fitting)

This strike plate is suitable to be used together with the Outset Sliding Door Fittings set. The design is simple, so it doesn't interfere with the architectural appearance.


Ð

Material:Stainless, Resin Installation Range:Left-Right ± 4mm Front-Back 5.5~7.5mm Finish/Color: (Cover) White (Bracket)Barrel Polishing

Outset Sliding Door Hook Lock Strike

Strike hole Product No. width(mm) Spesification 330-005 8.8×43 330-006 11.8×43 330-007 11.8×33 Trigger Screw included: (Base) 4 × 50 Truss head tapping screw 3pcs (Plate) 3.5×16 Flat head tapping screw 2pcs





Wooden Strike Plate (for Outset Sliding Door Fitting)

This reinforced type strike plate is suitable to be used together with the Outset Sliding Door Fittings set. It is using natural wood, designed in sharp and sturdy looks.

Material: Stainless, Natural wood Installation Range: Left-Right ± 4mm Front-Back 5.5~7.5mm Finish/Color: (Cover) White (Bracket) Hairline


OS Sliding Door Wood Strike	
	Strike hole
Product No.	width(mm)
330-010	16×42
Screw included:	
〈Front〉	
M5×10 Flat head	d machine screw 2pcs
(Cover)	
4.5×20 Flat head	tapping screw 2pcs
<base/>	
4×50 Truss head	tapping screw 5pcs




0

X







LO

16



C

A

Silver





High rigidity Strike Plate (for Outset Sliding Door Fitting)

Strike Plate for with increased rigidity. The design is square and color is whiter.

Material:Stainless, Resin Installation Range:Left-Right ± 4mm Front-Back 6.0~7.5mm Finish/Color: (Cover) White (Bracket) Barrel Polishing

High rigidity Strike Plate

	Strike hole
Product No.	width(mm)
330-015	12×33
Screw included:	

(Base)

 4×50 Truss head tapping screw 4pcs (Plate)

 3.5×16 Flat head tapping screw 2pcs 4×10 Flat P head tapping screw 2pcs

Outset Upper Stopper



Door stopper installed to the wall for outset sliding door use.

Material:Steel, Resin

Outset Upper Stop	oper
Product No.	Finish/Color
330-065	Black
※ 1pc price.	
Screw included:	

 5×50 Pan head tapping screw 3pcs





Outset Lower Stopper



The stopper installed on the floor for the outset sliding door use.

Material: Resin

Outset Lower Stopper	
Product No.	Finish/Color
330-063	Silver
330-064	Black
※ 2pcs price.	

Screw included: 4×30 Flat head tapping screw 6pcs





Installation base



Euro Series

61





5

White

(W)




6.5 1.55

φ8

φ12.8

R20

(B)






50

φ5. 98.

N

A

R20,





Material: Aluminium Load Capacity: 30kg(294N) Finish/Color:Amber

F2 Adjuster Guide

Load Capacity: 30kg(294N)

Installation Range:Left-Right ± 2mm

4 × 45 Flat head tapping screw 1pcs

Material: Resin

F2 Adjuster Guide Product No.

305-012

※ 1pc price.

Screw included:

This rail is used together with the upper

Finish/Color

Amber

rail of a sliding door with lower roller.


Upper Rail

Opper Run		
Product No.	Specification	Length(mm)
310-012	One side	1,820
310-022		2,730
310-032		3,640
310-042	Both side	1,820
310-052		2,730
310-062		3,640

Screw included:

 3.5×25 Flat head tapping screw (The number depends on the rail length.)





() () ()

17

Φ





62



Door Stopper Cap


The cap which made of elastomer Resin with good cushioning and durability. We provide with a lot of color variations.

Material: Resin

Door Stopper Cap

Door Stopper	oup		
	Installation		
Product No.	diameter (mm)	Finish/C	olor
251-001	φ8	Birch	Κ
251-002		Natural	Ν
251-003		Cherry	С
251-004		Brown	В
251-005		Dark	D
251-009		White	W
251-010		Peach	Y
251-011	<i>ф</i> 10	Birch	Κ
251-012		Natural	Ν
251-013		Cherry	С
251-014		Brown	В
251-015		Dark	D
251-019		White	W
251-020		Peach	Υ
251-021	¢13 ≫1	Birch	Κ
251-022		Natural	Ν
251-023		Cherry	С
251-024		Brown	В
251-025		Dark	D
251-029		White	W
251-030		Peach	Υ
$\approx 1 \phi 13$ color is slightly different.			

 $\approx 1 \phi 13$ color is slightly different Door Stopper Cap



Example of use





Lever Handles

Door Parts

Sliding Door Parts

Accessories

Euro Series

Bar Handle



A puller handle for indoor sliding doors. The long bar with Φ30 mm diameter design provides an easier grip when opening a door and prevents your hand from slipping. This is a benefit to the children, the elderly, and those with physical disabilities. This product is available in 5 natural warm wood colors that will go well with any sliding door color.

Material: (Bar) Natural Wood (Rose) ADC Door Thickness:27~32mm

Bar Handle

Product No.	Set content	Finish/Color
863-101LP	Bar Handle	Pale
863-101LD	+ Pull	Dark
863-101WA		White
863-101LL		Rusk
863-101LM		Mocha
863-102LP	Bar Handle	Pale
863-102LD	+ Bar Handle	Dark
863-102WA		White
863-102LL		Rusk
863-102LM		Mocha


Screw included:

 $M5 \times 16$ Flat head machine screw 2pcs











Both sides bar handle specification




Digging process drawing



ħ l i 325土1 255 359









Big Handle

A Φ25mm diameter bar puller for indoor sliding doors. It has a complimentary design, combining a wooden bar and stainless steel bracket nicely. This product is aesthetic and usable to the greatest extent as it provides easier gripping for everyone.

Material: (Handle) Stainless, Natural Wood (Bracket)ZDC (Cover) Resin Door Thickness: 28~33mm, 34~38mm

Big Handle

15 manual	·			
roduct	DT	Handle		
0.	(mm)	Material	Finish	Color
61-325S	34~38	Stainless	Hairline	Raw material
61-325K		Natural wood	Urethane Painting	Dark
61-325C		Natural wood	Urethane Painting	Middle
61-325F		Natural wood	Urethane Painting	Light
62-325S	28~33	Stainless	Hairline	Raw material
62-325K		Natural wood	Urethane Painting	Dark
62-325C		Natural wood	Urethane Painting	Middle
62-325F		Natural wood	Urethane Painting	Light
arow incl	udad.			

Screw included:

 $M6 \times 60$ or $M6 \times 55$ Pan head machine screw 2pcs

M6 3 types nuts 2pcs

M6 Flat washer 2pcs

M6 Spring lock washer 2pcs

Bracket finish: (Bracket) Satin Silver (Cover) Nickel Plating + Clear Coating

% There is also one side specification. Please contact us for more information.



Resin Pull Round & Rectangle



This plastic flush pull for an interior sliding door is made of lightweight plastic. It is available in 2 different designs, round and rectangle edges, to suit your room style. The finishing color is also available in 2 beautiful colors to maintain the solid metal look.


Material: Resin Door Thickness:27~34mm

Resin Pull Round & Rectangle Product No. Round Square Finish/Color 222-563 222-583 Pearl Chrome 222-523 222-543 Gold ※ Price for two pieces as one set. Screw included: M4 × 25 Flat head machine screw(D6) 2pcs

29 14.5 (Digging 30) . 5 29 (Digging 130)

22. 26

Round shape



Square shape




Resin Pull Rectangle One Touch

This one-touch flush pull is effortless to install on an interior sliding door. Instead of using screws, it uses an adhesive for the installation. So not only it's functional to your door, but it also gives a beautiful and seamless accent to it.

Material: Resin Door Thickness:28~34mm

Resin Pull Rectangle One Touch		
Product No.	Finish/Color	
222-598	Pearl Chrome	
222-599	Gold	
※ Price for two pieces as one set.		



Core rod



Pearl Chrome

Gold

Pearl Chrome



Gold





Black Silver



Mad Black Painting



Pearl Chrome



Gold

66




Resin One Touch Pull Rectangle

This is a one-touch flush pull made of plastic for an interior sliding door. This product doesn't use screws but an adhesive for an effortless installation and a seamless appearance. The design and the color available are created to match any room and door color. It also creates a perfect match if you use the TS Automatic Hook Lock.

Material: Resin Door Thickness:28~36mm

Resin One Touch Pull Rectangle		
Product No.	Finish/Color	
222-600	Black Silver	
222-601	Black Gold	
222-602	Mad Black Painting	
※ Price for two pieces as one set.		





Sliding Door Parts

Door Parts

Lever Handles

Accessories

Sliding Door Parts



Round & Rectangle Pull


This flush pull for an interior sliding door is made of metal. It is available in 2 different designs, round and rectangle edges, to suit the style of your room. The finishing color is also available in 6 beautiful colors that will easily complement your door color.

Material:ZDC Door Thickness:27~34mm


Round & Rectangle Pull Product No.

TTOULCET	NO.		
Round	Square	Finish/Color	
224-812	224-912	Gloss Gold	
224-813	224-913	Satin Gold	
224-814	224-914	Gold Painting	
224-815	224-915	Chrome Plating	
224-816	224-916	Satin Silver	
224-817	224-917	Silver Painting	
※ Price for two pieces as one set.			
Screw included:			

M4×25 Flat head machine screw(D6) 2pcs











Satin Gold

Satin Silver





Gold Painting

Gloss Gold

Gloss Gold

Chrome Plating Silver Painting



Gold Painting Chrome Plating Silver Painting





Chrome Plating

Gloss Gold



Satin Gold

Satin Silver



Silver Painting

Matte Black Painting

Gold Painting





Metal One Touch Pull Round & Rectangle

This metal one-touch flush pull is effortless to install on an interior sliding door. Instead of using screws, it uses an adhesive to create a seamless appearance. The design and finishing color are also available in 2 different types to suit any door color.

Material: ZDC Door Thickness: More than 30mm

Metal One Touch Pull Round & Rectangle					
Product No.	Product No.				
Round	Square	Finish/Color			
222-671-1	222-677-1	Gloss Gold			
222-672-1	222-678-1	Satin Gold			
222-673-1	222-679-1	Gold Painting			
222-674-1	222-680-1	Chrome Plating			
222-675-1	222-681-1	Satin Silver			
222-676-1	222-682-1	Silver Painting			
222-684-1	222-683-1	Matte Black Painting			
※ 1pc price.					





Above digging specification can be applied to both round and rectangle shape.





Sliding Door Parts

TK One Touch Flush Pull




This one touch flush pull for an interior sliding door consists of 2 parts combined which create a stylish design. It has a seamless appearance as it doesn't use any screw for installation. To install, simply apply adhesive and fix it on the door. The length of this product is available in two types, 140 mm and 290 mm.

Material: (End) ZDC (Bar)Aluminium

TK One Touch Flush Pull

	Length	Finish/Color	
Product No.	(mm)	End	Bar
224-614	140	Chrome Plating	Alumite Silver
224-614SW		Hairline	Stain Alumite
224-614WH		White Painting	White Painting
224-614BK		Black Painting	Black Painting
224-629	290	Chrome Plating	Alumite Silver
224-629SW		Hairline	Stain Alumite
224-629WH		White Painting	White Painting
224-629BK		Black Painting	Black Painting
X+/ 1 :			

※ 1pc price.





Chrome Plating (Length: 290)

Black Painting Painting

Chrome Plating (Length: 140)

White





Satin Silver





Paint Silver

Mirror Silver







Satin Silver




This flush pull for an interior sliding door has round edges to create a sense of fluid design. It also has a seamless appearance as it doesn't use any screw for installation.

To install, simply apply adhesive and fix it on the door.

Material: ZDC

ND Flush Pull





Satin Gold

Satin Silver
















Flush Edge Pull

The edge pull is intended for the pocket door edge, but this one is also applicable to folding doors and underfloor storage. The product allows the finger grip to retract from the door by pushing the upper part. The appearance is flush mount, and the mounting screws are invisible.

Material:ZDC Door Thickness: More than 27mm

Flush Edge Pull 5	59
Product No.	Finish/Color
220-306	Paint Silver
220-307	Mirror Silver
220-308	Satin Silver
Screw included:	


3×12 Flat head tapping screw 2pcs



Flush Edge Pull 72 Product No.

Finish/Color 220-301 Paint Silver 220-302 Mirror Silver 220-303 Satin Silver Screw included:

 4×20 Flat head tapping screw(D6) 2pcs







Heavy Duty Hung Door A set of top-hung track and rollers for indoor sliding doors allows doors weighing up to 100 kg to glide smoothly. This heavy-duty top-hung roller also has passed 500,000 31 operation tests to ensure the door will operate at its 9 optimum for years to come. Material: < Roller > Resin, Steel 2 (Hung Door Rail) Aluminum (Upper Stopper) Resin (Floor Guide) Resin Load Capacity: 100kg(980N) 27 Finish/Color: (Roller) White Hung Door Rail (Hung Door Rail)Silver (Upper Stopper) White {Floor Guide} White Heavy Duty Hung Door Product No. Length of the rail (mm) 320-026 1,820 320-027 2,730 320-028 3,640 Parts included: Roller 2pcs, Hung Door Rail 1pcs Upper Stopper 2pcs, Floor Guide 1pcs Screw included: $\langle \mathsf{Roller} \rangle$ Heavy Duty Hung Door 4 × 40 Oval head tapping screw 16pcs 〈Hung Door Rail〉 4 × 45 Flat head tapping screw (The number depends on the rail length.) 〈Floor Guide〉 4×30 Flat head tapping screw 3pcs

Upper Stopper


Floor Guide


33





Heavy Duty Hung Door





72

Lever Handles
Door Parts
Sliding Door Parts
Accessories
Cabinet Parts • Handrail
Euro Series

Accessories

Lever Handles

Door Parts

Sliding Door Parts

Accessories

Cabinet Parts • Handrail

Euro Series

Accessories

SL Series

SL series is a set of exclusive bathroom accessories to complete your bathroom. They have a solid and unified design suitable for fancy restaurants or high-class condominiums. Especially, the SL toilet paper holder is trendy for its teeth on the front plate, allowing users to cut the toilet paper easily and neatly. In addition, it's available in 3 different colors to create a monochrome and modern bathroom.



83. 5

Material:ZDC

140

A

136

45 45

SL Paper Hole	der	
Product No.	Specification	Finish/Color
610-801	_	Chrome
610-802		Black
610-803		Matte White
610-821	One hand cut	Chrome
610-822		Black
610-823		Matte White
Screw included:		

4 × 35 Binding head tapping screw 3pcs






Black

Chrome

Matte White



Toilet Papper Installation state




SL Double Paper Holder

Material:ZDC

SL Double Paper Holder			
Product No.	Specification	Finish/Color	
610-931	One hand cut	Chrome	
610-932		Black	
610-933		Matte White	

4 × 35 Binding head tapping screw 4pcs






Matte White

Black







Matte White






SL Towel Bar

Material: (Bracket)ZDC

SL Towel Bar			
Product No.	P:length(mm)	Finish/Color	
610-851	400mm	Chrome	
610-852		Black	
610-853		Matte White	
Screw included:			
4×35 Binding head tapping screw 4pcs			








Material: {Bracket>ZDC Aluminium (Black, Matte White)

SL Towel Ring	5	
Product No.	Ring width	Finish/Color
610-871	200mm	Chrome
610-872		Black
610-873		Matte White
Screw include	d:	

 4×35 Binding head tapping screw 2pcs



Accessories

SLs Series

These SLs unified bathroom accessories are widely used for bathrooms and restrooms, from regular residential to high-end condominiums. This series features a luxurious chrome finish and invisible mounting screws. In addition, the SLs towel ring is available in 2 different types, round and square types.



Common base




Material: (Bracket) Resin (Bar) Stainless

SLs Towel Bar	
Product No.	Finish/Color
610-892	Chrome

Screw included:

 4×30 Truss head tapping screw 4pcs





White



lvory

Pink






Material: (Bracket) Resin (Ring) Stainless

SLs Towel Ri	ng	
Product No.	Ring	Finish/Color
610-890	Round	Chrome
610-891	Oval	
Screw include	ed:	

 4×30 Truss head tapping screw 2pcs










One Touch Paper Holder

This simple and well-designed one-touch toilet paper holder is popular due to its effortless toilet roll changing process. Press the new roll up from the bottom, pull the old roll's core out, and now you've got a fresh batch of toilet paper. This product is widely used for restrooms in residential, business hotels, and public facilities. It's available in 3 different colors to suit your bathroom interior design.


Material: Resin

One Touch P	aper Holder	
Product No.	Specification	Finish/Color
610-201	_	White
610-202		lvory
610-203		Pink
610-204	One hand cut	White
Screw include	ed:	

 4×30 Truss head tapping screw 3pcs








(vertical/ horizontal placement), either in semi-recessed and fully recessed types.


Material: (Body) Stainless (Holder)Resin

Recessed Paper Holder Product No. Specification

Finish/Color Semi Recessed Mirror Surface/Gray 610-221 610-211 Full Recessed Screw included:

 3.5×20 Truss head tapping screw 2pcs










Full Recessed





Recessed Double Horizontal Paper Holder Product No. Specification Finish/Color Semi Recessed Mirror Surface/Gray 610-321 610-311 Full Recessed Screw included:

 3.5×20 Truss head tapping screw 4pcs



Full Recessed




Semi Recessed



Full Recessed

Paper Holde	r's Back Guard
Product No.	Specification
610-332	Single semi Recessed / Chromate Coating
610-432	Single full Recessed / Chromate Coating
610-331	Double semi Recessed / Chromate Coating
610-431	Double full Recessed / Chromate Coating
	aper holder with a back guard type,
the instal	lation method is different.





Towel Hanger with Shelf



This is a bathroom shelf with a towel bar to maximize the wall space. The open shelf is made of natural wood to give enough storage. While the towel bar is made from sturdy metal to keep your towels accessible and dry. With this piece, you'll have more storage without taking up living space to keep your bathroom neat and tidy.

Middle

White



Screw included: 4×40 Flat head tapping screw 4pcs

Light 330 280 Middle 260 180 White 220

Light

120

160

200



Shelf

This wooden shelf is suitable to create extra space by maximizing the wall. It can be used widely from hotels to residential's various spaces such as bathrooms, kitchens, living rooms, bedrooms, etc., to store items. It's available in 3 different colors to suit any room's interior design.

Material : (Shelf) Natural Wood (Bracket)Stainless

Shelf		
Product No.	Width(mm)	Finish/Color
620-001	280	Light
620-002		Middle
620-003		White
620-007	330	Light
620-008		Middle
620-009		White
620-013	613	Light
620-014		Middle
620-015		White
Screw include	ed:	
4×40 Flat he	ad tapping scre	ew

(Shelf width 280, 330) 4pcs (Shelf width 613) 8pcs



This simple and easy to mount towel rack is suitable for use in the bathrooms, washrooms, etc. With the metal being resistant to moisture and corrosion, it means that it's not going to fade as time passes. It's available in 2 different sizes, 350 mm and 400 mm. This product is mostly used in the compact bathroom of a business hotel.

Material: (Bar) Stainless (Bracket)Resin

Towel Rack

Product No. P:length(mm) Finish/Color 610-111 350 White 400 610-121 Screw included: 4 × 30 Pan head tapping screw 4pcs

P=350 (400)

120

160 200

120

160

200

613

200

160



The towel bar is mostly placed in bathrooms or washrooms to allow towels to dry without being bunched up, so they dry faster. You can choose this product from different color, length, size of the bar, and the bracket to suit your bathroom's interior design.

Material: (Bracket) Resin (Bar)Stainless


Towel Bar

Product No.	P:length(mm)	Finish/Color
610-011	350	White
610-012	400	
Screw includ	ed:	
4×30 Pan h	ead tapping scre	ew 4pcs



Towel Bar K	B (Bar ϕ 16mm)	
Product No.	P:length(mm)	Finish/Color
610-021	400	White
610-022		Chrome
610-023	460	White
610-024		Chrome
610-025	610	White
610-026		Chrome
Screw includ	ed:	

 4×30 Pan head tapping screw 4pcs




Towel Shelf with Hooks

This product combines a towel bar and a hook for more convenience. It uses a square bar to prevent towels from falling off, and if you use robes, the hook is a useful complement to hold and stretch it out to length and get completely dry. Moreover, the design is also compact and seamless as the mounting screws are invisible.

Material: (Bracket) Resin (Bar)Stainless

Towel Shelf with Hooks (Bar 20×10mm) Product No. P:length(mm) Finish/Color 400 610-013 White Gray 610-014 Chrome Plating Screw included:

4 × 30 Truss head tapping screw 4pcs





82



Bathroom Push Pull Lock

This is a Good Design Award-winning push-pull lock for the bathroom door. The door can be easily opened or closed even when both of your hands are occupied. Not only it has good usability, but it also has a beautiful design.

25~33mm 🥱 🚰 🥢

Material: Resin

Bathroom Push Pull Lock Specification Finish/Color Product No. FUP-35LK/W Left-Hand White FUP-35RK/W Right-Hand Screw included: $M4 \times 40$ Truss head machine screw 3pcs $M4 \times 12$ Pan head machine screw with a washer 2pcs M4 × 10 Flat pan head machine screw 2pcs



There are LH and RH.



Installation example



Indoor side (Left-Hand use)

BITE

۲

Front width

L3(sleeve)

40

20

Thumb Turn

20

55.

118

Ω.

35

6

(55)




Outdoor side (Left-Hand use)


P

8

Unlock button

45





<u>76</u> 19.

ച

				(mm)
Door Thickness	L1	L 2	L 3	Front width
33	15	4	3	25
30	15	1	0	25
29	10	5	4	25
25	10	1	0	22



It also features the "child lock" function by placing it in a higher position where children cannot reach and operate it. It's available in 4 different colors to complement any bathroom

Child Lock	
Product No.	Finish/Color
610-920	Pearl White
610-921	S White
610-922	Silver
610-923	Black
Screw included:	

For other color finishes, the lock case is Silver.





This product is a holder to store the bathtub lid when not in use. This holder is not taking up the space on the floor but maximizes the use of the wall instead. Slide the hook up and down to take and store the bathtub lids. There are two different sizes to fit the size of your bathtub lids.

70.4 <u>م</u> For 2 lids Lower part use



100.5 For 3 lids Lower part use YH Laundry Pipe



This fixed-length laundry pipe allows you to dry the clothes in the bathroom. It uses sturdy stainless steel to hold the heavy laundry and maintain hygiene. It's available in 8 different lengths to suit the bathroom size.

Material: < Pipe > Stainless (Bracket)Resin Load Capacity: 10kg(98N)

YH Laundry Pipe set

1pc 301	
Bathroom's wall	
dimension(mm)	Finish/Color
1,050	White Gray
1,100	
1,150	
1,200	
1,300	
1,400	
1,600	
1,750	
1,050	Chrome Plating
1,100	
1,150	
1,200	
1,300	
1,400	
1,600	
1,750	
ed:	
	Bathroom's wall dimension(mm) 1,050 1,100 1,150 1,200 1,300 1,400 1,600 1,750 1,050 1,100 1,150 1,200 1,300 1,400 1,300 1,400 1,600 1,750

4 × 25 Truss head tapping screw 4pcs

Bracket set

Product No.	Finish/Color
610-629	White Gray
610-639	Chrome Plating
Screw included	1:

 4×25 Truss head tapping screw 4pcs % It is included in the main body set.

YН	Laundry	Pine	set
	Launury		SEL

Pipe	1pcs
Bracket set	1set

Bracket set	
Bracket	2pcs
Base plate	2sheets
Installation screw	4pcs

Warning

Safety Load Capacity: 10kg(98N)

Mostly, there is a reinforcing board behind the bathroom wall. However, in some cases, it's not there, and it can cause any damages or dangers caused by the wall that's not strong enough to hold the load. Thus, please make sure of the existence of the board before installing this product.



Installation state




White Gray



Chrome Plating Bracket


Pipe (With one set of cap)

W : Bathroom's wall dimension W-16=L % L is Pipe length ϕ 19






Installation state





Pipe (With one set of white cap) Bracket

W : Bathroom's wall dimension W-20=L % L is Pipe length ϕ 19





KS Laundry Pipe

This fixed-length laundry pipe allows you to dry the clothes in the bathroom. It uses sturdy stainless steel to hold the heavy laundry and maintain hygiene. Two color brackets, white and black, are available.

Material: (Pipe) Stainless (Bracket)Resin Load Capacity: 10kg(98N)

KS Laundry Pipe set			
Bathroom's wall			
Product No.	dimension(mm)	Finish/Color	
610-611	1,050	White	
610-612	1,100		
610-613	1,150		
610-614	1,200		
610-615	1,300		
610-616	1,400		
610-617	1,600		
610-618	1,750		
610-641	1,050	Black	
610-642	1,100		
610-643	1,150		
610-644	1,200		
610-645	1,300		
610-646	1,400		
610-647	1,600		
610-648	1,750		
Screw include	ed:		



Black

4×25 Truss head tapping screw 4pcs

Bracket set	
Product No.	Finish/Color
610-620	White
610-649	Black
Screw included:	
4×25 Truss head tapping screw 4pcs	
※ It is included in the main body set.	

KS Laundry Pipe set	
Pipe	

Pipe	1pcs
Bracket set	1set

Brac	:ke	t	set
0			

Bradhotoot	
Bracket	2pcs
Base plate	2sheets
Installation screw	4pcs

Warning

Safety Load Capacity:10kg(98N)

Mostly, there is a reinforcing board behind the bathroom wall. However, in some cases, it's not there, and it can cause any damages or dangers caused by the wall that's not strong enough to hold the load. Thus, please make sure of the existence of the board before installing this product.



KS Flexible Laundry Pipe (Double-sided tape)

This laundry pipe allows you to dry the clothes in the bathroom. The rod is expandable, so you can adjust the length to suit the size of your bathroom. It uses sturdy stainless steel to hold the heavy laundry and maintain hygiene.

Material: <Pipe>Stainless (Bracket)Resin Load Capacity: 10kg(98N) Finish/Color:White Grav

KS Flexible Laundry Pipe set (Double-sided tape)

	Bathroom's wall	
Product No.	dimension(mm)	
610-651	950~1,800	
Screw included:		
4×30 Truss head tapping screw 4pcs		

Bracket set (Double-sided tape) Product No. 610-655

Screw included:

4 × 30 Truss head tapping screw 4pcs % It is included in the main body set.

KS Flexible Laundry Pipe set

Pipe	1pcs
Bracket set	1set


Bracket set

Bracket	2pcs
Double-sided tape	2sheets
Installation screw	4pcs

Warning

Safety Load Capacity:10kg(98N)

Mostly, there is a reinforcing board behind the bathroom wall. However, in some cases, it's not there, and it can cause any damages or dangers caused by the wall that's not strong enough to hold the load. Thus, please make sure of the existence of the board before installing this product.



%1 You can use both double-sided tape and screws when installing the bracket to the wall.



Installation state



Installation state



Bracket



Pipe (With one set of cap)






Pipe (With one set of cap)

Bracket

Double-sided tape 950~1800 ϕ 19 φ21. 3 27





KS Flexible Laundry Pipe (Screw mounting)

This is for drying clothes in the bathroom. This laundry pipe allows you to dry the clothes in the bathroom. The rod is expandable, so you can adjust the length to suit the size of your bathroom.

> Material: (Pipe) Stainless (Bracket)Resin Load Capacity: 10kg(98N) Finish/Color: White Grav

KS Flexible Laundry Pipe set (Screw mounting)

	Bathroom's wall	
Product No.	dimension(mm)	
610-652	950~1,800	
Screw included:		
4×35 Flat head tapping screw 4pcs		

Bracket set (Screw mounting) Product No. 610-656

Screw included: 4×35 Flat head tapping screw 4pcs

% It is included in the main body set.

KS Flexible Laundry Pipe set	
Pipe	1pcs
Bracket set	1set


Bracket set	
Bracket	


Bracket	2pcs
Base plate	2sheets
Installation screw	4pcs

Warning

Safety Load Capacity: 10kg(98N)


Mostly, there is a reinforcing board behind the bathroom wall. However, in some cases, it's not there, and it can cause any damages or dangers caused by the wall that's not strong enough to hold the load. Thus, please make sure of the existence of the board before installing this product.







Bracket



Base plate

PP Shelf



This PP shelf is suitable to create extra storage in the bathrooms, laundry room, etc. There are different sizes and colors available to suit your requirements.

Material: Resin

PP ShelfProduct No.Width(mm)Finish/Color610-351190White610-352372Screw included:4 × 35 Truss head tapping screw 2pcsInstallation Dowel2pcs

PP Shelf Dowel Set (2pcs) Product No. 610-308 Screw included:

 4×35 Truss head tapping screw 2pcs



This storage shelf is suitable to create extra storage in the wall of your bathrooms, laundry room, etc. It's available in 3 different types to suit your bathroom preference.

Material: Resin

Storage Tray		
Product No.	Cover	Finish/Color
610-301	Chrome	Clear
610-304	NA	White
610-305	NA	Dark Gray
Screw include	ed:	
4×25 Truss head tapping screw 2pcs		

Installation Dowel 2pcs

Storage 7	Tray Dov	wel Set	(2pcs)	
Product	No.			
610-350				

610-359 Screw included:


 4×25 Truss head tapping screw 2pcs



This hook can be easily attached to the above storage shelves. For example, it's useful to hang your shaver.

Material: Resin

Tray Hook	
Product No.	Finish/Color
610-001	Clear









White



Clear+Chrome










L Type (Hairline)



L Type (Black Painting)





Shower Door Handle

This shower glass door handle is often used in luxury hotels. It's available in I type and L type. The I-type can be installed for both hinged and sliding doors. While the L type also allows you to hang the bath towel on the outer side of the door.


Material:Stainless Door Thickness:6~12mm

Shower Door	Handle	
Product No.	Specification	Finish/Color
610-901	L Type	Hairline
610-902	I Туре	
610-901B	L Type	Black Painting
610-902B	I Туре	
Screw include	ed:	
M6×40 Pan	head machine s	crew
1pcs <l td="" type<=""><td>e〉, 2pcs〈I Type〉</td><td>></td></l>	e〉, 2pcs〈I Type〉	>
M4 \times 8 Round flat head machine screw		
2ncs/L Type> Ancs/L Type>		

2pcs (L Type), 4pcs (I Type) Flat waher 6pcs (L Type), 4pcs (I Type) Spring lock washer 1pcs (L Type) Packing 6pcs (L Type), 4pcs (I Type) Water resistant poly tube 3pcs (L Type), 2pcs (I Type)

Set up hardware set.





I Type

Cabinet Parts · Handrail

Cabinet Parts • Handrail

Lever Нo

Sliding Do

Cabinet Parts

Knob

Not only comfortable to hold but these cabinet knobs are designed with different styles and finishes. The combination of function and beauty of the knobs are good reasons to use them in your house to enhance the design interior.

Iron Black

Satin Silver

Chrome Plating

Chrome Plating



Material:ZDC Door Thickness:16~26mm

Round Knob		
Product No.	Size(mm)	Finish/Color
222-011	φ25	Satin Silver
222-013		Satin Gold
222-014		Dark Amber
222-015		Iron Black
222-016		Brass Gold
222-021	φ 30	Satin Silver
222-023		Satin Gold
222-024		Dark Amber
222-025		Iron Black
222-026		Brass Gold

Screw included: $M4\!\times\!30$ Truss head machine screw 1pcs



Material:ZDC Door Thickness:18~26mm

ND Knob	
---------	--

ND Knob

Product No.	Size(mm)	Finish/Color
223-001	φ 30	Satin Silver
223-002		Satin Gold

Screw included: $M4 \times 30$ Truss head machine screw 1pcs



Material: ZDC Door Thickness:19~26mm

Square Knob		
Product No.	Size(mm)	Finish/Color
224-011	32×20	Chrome Plating
224-012		Gloss Gold

224-012 Screw included:

M4 × 30 Truss head machine screw 1pcs



Material: ZDC

Door Thickness:19~26mm

Oval Knob

Product No.	Size(mm)	Finish/Color
225-011	31.5×20	Chrome Plating
225-012		Gloss Gold
Screw include	ed:	

M4 × 30 Truss head machine screw 1pcs









Dark Amber

Satin Silver Satin Gold



Brass Gold






Satin Gold

Gloss Gold

Gloss Gold

3.



Effective screw

Effective screw

length 13

length 13





Satin Gold


Gold Painting

Satin Silver





Satin Gold



20

8

8

	φ15.6
Effectiv	e scr



Satin Silver

P120





d	Effective s length 14



Closet Handle


Sleek and stylish modern cabinet pulls are sophisticated yet simple hardware to elevate the style of spaces in your home. The pulls below are rich in styles, colors and designed to be comfortable to hold so that you can place them vertically or horizontally in cabinet doors or drawers in the living rooms, kitchens, bathrooms, etc. We also use several materials to suit your preferences, from affordable resin to ZDC.

Door Thickness:18~24mm

Closet Handle	е		
Product No.	P∶length	Material	Finish/Color
222-252	120mm	ZDC	Satin Silver
222-262			Satin Gold
222-272	240mm	ADC	Satin Silver
222-282			Satin Gold
222-292	120mm	Resin	Silver Painting
222-202			Gold Painting
0 1 1 1	1.		

Screw included:

 $M4 \times 30$ Truss head machine screw 2pcs



30~33mm


Privacy Pull

Material:ZDC Door Thickness: 30~33mm

Privacy Pull

Product No.	Finish/Color
222-722	Satin Silver
222-723	Satin Gold
※ Price for two p	ieces as one set.
Screw included:	

M4 × 20 Flat head machine screw 2pcs



Ver Handles

Cabinet Parts

Handle

There are variants of pulls with different designs and colors for cabinet doors or drawers that you can choose to suit the space in your room.



Material:ZDC Door Thickness:25~29mm

D Type Handle

Product No.P:length(mm)Finish/Color222-212100AmberScrew included:M4 × 35 Truss head machine screw 2pcs



92 P=100

108


M4 Effective


screw length 10

screw length 11

M4 Effective screw length 7.5

8





Material:ZDC Door Thickness:19~24mm


TKC Handle

TKC Handle

Product No.P:length(mm)Finish/Color223-120HS120Satin Silver223-120CRChrome Plating

19~24mm


Screw included: M4 × 30 Truss head machine screw 2pcs






Material:ZDC Door Thickness:13~14mm

ND Handle		
Product No.	P:length(mm)	Finish/Color
222-232	100	Satin Silver
222-242		Satin Gold
Screw includ	ed:	
M4×20 Trus	s head machine	screw 2pcs







RK Handle

This Cabinet handle has a stylish design and easy to grip. It can be installed in a wide range cabinets from living room, kitchen, and restroom.

Material:ADC Door Thickness:14~16mm

RK Handle

CA Handle

||7

| 7

THE FIGHTONE		
Product No.	P:length(mm)	Finish/Color
226-035	35	Satin Silver
226-060	60	
226-120	120	
Screw included:		

M4 × 22 Truss head machine screw 2pcs



A Cabinet and kitchen handle that made of Stainless. The hairline finish is harmonized with the door.

Material:Stainless Door Thickness:18~24mm

CA Handle		
Product No.	P:length(mm)	Finish/Color
224-020	150	Hairline
224-021	300	
224-022	600	
Screw includ	ed:	

M4×30 Truss head machine screw 2pcs % There is a possibility of bending depend on the usage of P=600.

MJ Handle



A storage and kitchen handle with a simple design. We made it with a clean design to fit various kinds of storage.

Material:Aluminum Door Thickness:18~24mm

MJ Handle		
Product No.	P:length(mm)	Finish/Color
224-001	200	Alumite Silver
224-002	230	
224-004	450	
Screw includ	ed:	
		•

M4 × 30 Truss head machine screw 2pcs % There is a possibility of bending depend on the usage of P=450.



Wardrobe Hanger Rail Set

This wall-mounted closet rod set uses an oval pipe with a matte finish. This product is available in 4 different lengths to suit the storage space in your closet.


Material:Aluminum, ZDC Load Capacity:40kg(392N) Finish/Color:Matte Finish Silver


Wardrobe Hanger Rail Set		
Product No.	Rail length(mm)	
330-011	427	
330-012	727	
330-013	1,027	
330-014	1,177	
Screw included:		
3.5×10 Flat head tapping screw 2pcs		











Example of installation



98





Hanger Pipe Set

A hanging closet rod set uses an oval pipe with a matte finish. You can hang this product on a ceiling or the upper part of your cabinet. This product is available in 3 different lengths to suit the storage space.

Material:Aluminum, ZDC Load Capacity:40kg(392N) Finish/Color:Matte Finish Silver

Hanger Pipe Se	et
Product No.	Pipe length(mm)
331-011	897
331-012	1,347
331-013	1,797
※331-011 with	out middle bracket.
Screw included	:
M4×20 Flat he	ead machine screw
(331-011) 2pc	S
〈331-012, 331-	-013) 3pcs





Round Bar Handrail

This product is a wall-mounted wooden handrail with different types of brackets. This series can be used as handrail support, but it can also be used as a toilet grab, which is ideal for those looking for a secure way to get on and off the toilet. The bracket's shape, the handrail's length, and the color option are available according to various scenes.



Material: (Handrail) Natural Wood (Bracket)ZDC, Resin


NI	Tyne	Round	Handrail	set

NL Type Round Handrall set			
	Length	Finish/Colo	r
Product No.	(mm)	Handrail	Bracket
856-043	400	Light	Silver
856-045		Light	Gold
856-044		Medium	Silver
856-042		Medium	Gold
856-063	600	Light	Silver
856-065		Light	Gold
856-064		Medium	Silver
856-062		Medium	Gold
856-083	800	Light	Silver
856-085		Light	Gold
856-084		Medium	Silver
856-082		Medium	Gold


Screw included:

 4×40 Pan head tapping screw 8pcs


NL Type Bracket Only (2pcs as one set)				
Product No.	Finish/Color			
860-072	Silver			
860-073	Gold			
Screw included:				
4×40 Pan head tapping screw 8pcs				
3.5×20 Round flat head tapping screw 4pcs				







Silver Black Medium Light 435/535/735/935






This angle joint connector is designed for joining handrails together at any angle between 90 and 150 degrees. Using this durable metal connector, you can connect the corner angle in the stairs or the connection between the railings in the corridor and the stairs.

Material:ZDC

Free Joint			
Product No.	Finish/Color		
860-083	Gold		
860-084	Silver		
Screw included:			
4×25 Round flat head tapping screw 2pcs			

Gold




When 150°

Silver





Silver



* It is possible to connect handrails in hallway, stairs, etc, by combining free joint and ring joints.



NE Type (Standing up and walking assist handrail)

Material: (Handrail) Natural Wood (Bracket)ZDC, Resin

NE Type Round Bar Handrail set

NE Type Not			
	Length	Finish/Color	
Product No.	(mm)	Handrail	Bracket
853-043	435	Light	Silver
853-045		Light	Gold
853-046		Light	Black
853-044		Medium	Silver
853-042		Medium	Gold
853-047		Medium	Black
853-063	535	Light	Silver
853-065		Light	Gold
853-066		Light	Black
853-064		Medium	Silver
853-062		Medium	Gold
853-067		Medium	Black
853-083	735	Light	Silver
853-085		Light	Gold
853-086		Light	Black
853-084		Medium	Silver
853-082		Medium	Gold
853-087		Medium	Black
853-093	935	Light	Silver
853-095		Light	Gold
853-096		Light	Black
853-094		Medium	Silver
853-092		Medium	Gold
853-097		Medium	Black
Screw included:			

20

15

 4×40 Pan head tapping screw 6pcs

NE Type Bracket Only (2pcs as one set)			
Product No.	Finish/Color		
860-042	Silver		
860-043	Gold		
860-044	Black		
Screw included:			
4×40 Pan head tapping screw 6pcs			
3.5×20 Pan head tapping screw 4pcs			



Ring Joint

This joint connector is designed to connect straight railings such as the handrails in the corridors. It is made of durable metal to guarantees long-term use.

Material: ZDC

Screw included:				
4×35 Round flat head tapping screw 1pcs				
3×25 Flat head tapping screw 6pcs				

Handrail



(Standing up and walking assist handrail)

Material: (Handrail) Natural Wood (Bracket) ZDC, Resin

NI Type Entrance Round bar Handrail set			
	Length	Finish/Colo	r
Product No.	(mm)	Handrail	Bracket
855-043	400	Light	Silver
855-045		Light	Gold
855-046		Light	Black
855-044		Medium	Silver
855-042		Medium	Gold
855-047		Medium	Black
855-063	600	Light	Silver
855-065		Light	Gold
855-066		Light	Black
855-064		Medium	Silver
855-062		Medium	Gold
855-067		Medium	Black
855-083	800	Light	Silver
855-085		Light	Gold
855-086		Light	Black
855-084		Medium	Silver
855-082		Medium	Gold
855-087		Medium	Black
Screw included:			

 4×40 Pan head tapping screw 8pcs

 NI Type Entrance Bracket Only (2pcs as one set)

 Product No.
 Finish/Color

 860-062
 Silver


 860-063
 Gold

 860-064
 Black


860-064 Screw included:

 4×40 Pan head tapping screw 8pcs

 3.5×20 Pan head tapping screw 4pcs







Handrail

This round bar handrail is made from natural wood.

Material:Natural Wood

Handrail		
Product No.	Length(mm)	Finish/Color
860-010	300	Light
860-014		Medium
860-011	400	Light
860-015		Medium
860-012	600	Light
860-016		Medium
860-013	800	Light
860-017		Medium









NI Type (Standing up and walking assist handrail)


Material:〈Handrail〉Natural Wood 〈Bracket〉ZDC, Resin

NI Type Round Bar Handrail set			
	Length	Finish/Colo	r
Product No.	(mm)	Handrail	Bracket
854-043	400	Light	Silver
854-045		Light	Gold
854-044		Medium	Silver
854-042		Medium	Gold
854-063	600	Light	Silver
854-065		Light	Gold
854-064		Medium	Silver
854-062		Medium	Gold
854-083	800	Light	Silver
854-085		Light	Gold
854-084		Medium	Silver
854-082		Medium	Gold
Corow included:			

Screw included:

 4×40 Pan head tapping screw 8pcs

NI Type Bracket Only (2pcs as one set)				
Product No.	Finish/Color			
860-052	Silver			
860-053	Gold			
Screw included:				
4×40 Pan head tapping screw 8pcs				



_

Euro Series

Lever Handles

Door Parts

Sliding Door

Parts

Accessorie:

Cabinet Parts•Handrail

Euro Series

Mortice Locks



This mortice lock conforms to DIN18251 and EN12209:2003/AC2005. It can be used on fire rated door and the fire rated period is effective for more than 2 hours.

Material: (Mortice) Steel, Stainless (Strike) Stainless (Strike Pocket) Resin Backset:60mm Durability Testing: 500,000 times Specification: EN12209, DIN18251 Mortice Lock Product No. Specification 500-010 Sash lock 500-011 Night latch lock 500-012 Deadlock 500-013 Passage lock 500-014 Privacy lock 500-015 Classroom lock 500-016 Roller lock Screw included: 4.8×25 Flat head tapping screw 2pcs 4×16 Flat head tapping screw 3pcs Parts included: Mortice Lock 1pcs Assembly screws 1set Strike 1pcs Strike Pocket 1pcs







Night latch lock



Deadlock





Strike




Sash lock A locking mechanism with a built in latch bolt operated by lever handle or key and deadbolt operated by key. (A lock with emergency specification allows the latch bolt and deadbolt to be operated by interior lever handle.) Night latch lock A locking mechanism with a built in latch bolt operated from interior lever handle and exterior key or thumb turn. (A lock with anti poke specification is impossible to be opened from the outside once the door's closed.) Deadlock A locking mechanism with a built in deadbolt operated by a key or thumb turn. Passage lock A locking mechanism with a built in latch bolt operated by both interior and exterior lever handle. Privacy lock A locking mechanism with a built in latch bolt operated from both interior and exterior lever handle, and dead bolt operated by thumb turn or certain tools. Classroom lock A locking mechanism with a built in latch bolt operated from interior lever handle and exterior key. The exterior lever handle is ineffective. Roller lock A locking mechanism with a built in roller latch and the deadbolt is operated by the key or thumb turn.

Passage lock










Deadlock



Lever Handles

Door Parts

Sliding Door Parts

Accessories

Fire-rated Handle

This lever handle is applicable on fire-rated door. The fire-rated period is 3 hours. Not only conforms to EN1634, but this lever also confirms to EN1906 and DIN18251.

Material: Stainless Finish/Color:Satin Finish Durability Testing: 200,000 times Fire-rated Testing period: 3 hours Specification: EN1906, DIN18251


Fire-rated Handle	9			
Product No.	Model No.			
500-030	LH8101			
500-031	LH8103			
Parts included:				
Fire-rated Handle 1pair				
Escutcheon 1pcs				
Assembly screws 1set				
Allenwrench 1pcs				



This is a 6 pins-tumbler locking cylinder made of brass and the bottom pin is made of stainless steel.

Material: Brass, Stainless Finish/Color:Satin Nickel Durability Testing: 200,000 times Specification: EN1303:2005

Standard Cylinder Product No. 500-046 Parts included: Standard Cylinder 1pcs Brass key 5pcs Steel screw 1pcs





Satin Finish



Material: (Escutcheon) Stainless (Base)Steel Finish/Color:Satin Finish

Euro Profile escutcheon Product No. 500-045 Parts included: Euro Profile escutcheon 1set



H L 8101

140

50

6

-0-

ΩТ

00

 ϕ 53

Escutcheon







H L 8103

130


19

Ð

ωT


20

53





Black



The number of hinges required				
Door height (mm)	Hinges Quantity			
Below 1523	2			
1524~2285	3			
2286~3048	4			






Rectangular Flush Cover

This product is useful to cover cylinder lock so the door looks seamless. Pull the cover up to operate the cylinder.

Material: Stainless

Rectangular Recessed Pull Product No. Finish/Color 500-040 Satin Finish 500-041 Black Screw included: 4×12 Flat head machine screw(D7) 4pcs Parts included: Rectangular Recessed Pull 1pcs Assembly screws 1set





Euro Fire-rated Hinge

This hinge is applicable on fire-rated door with a fire-rated period for 2 hours. This product not only conforms to EN1634, but it also confirms to EN1935:2002 Grade 13.

Material: Stainless Finish/Color: Raw Material

Euro fire-rated hinge

Product No.	Size(mm)	Material		
500-000	127×76×t3	SUS304		
500-001	$102 \times 76 \times t3$	SUS304		
500-002		SUS316		
500-003	127×89×t3	SUS304		
500-004		SUS316		

Screw included: 4.5×30 Flat head tapping screw 8pcs Parts included:

Euro fire-rated hinge 1pcs Assembly screws 1set

Load capacity table

Hinge size (mm)	Load capacity (kg)	Door Width (mm)
102×76×t3	45	Below 850
127×76×t3	50~60	Below 900
127 × 89 × t3	50~60	Below 900


Euro Series




Extension Flush Bolt

Material:Stainless Finish/Color:Satin Finish Fire-rated Testing Period:2 hours

Extension Flush Bolt Product No. Rod length(mm) 500-070 300 600 500-071 500-072 1,000 Screw included: $\langle Main unit
angle$ M5×12 Flat head machine screw 4pcs Strike M4 × 8 Flat head machine screw 4pcs Parts included: Extension Flush Bolt 2pcs Assembly screws 1set











Material:Stainless Finish/Color:Satin Finish

Fire-rated Testing Period:2 hours


Box Type Flush Bolt

Product No. Length(mm) 500-080 200 300 500-081 600 500-082 500-083 1,000 Screw included: $\langle Main unit \rangle$ 4×30 Flat head tapping screw 2 \sim 3pcs Strike 3.5×20 Flat head tapping screw 2pcs Parts included: Box Type Flush Bolt 1pcs Assembly screws 1set











Automatic Flush Bolt

Material:Stainless Finish/Color:Satin Finish Fire-rated Testing Period:2 hours

Automatic Flush Bolt Product No. 500-073 Screw included: 3.5 × 20 Flat head tapping screw 8pcs Parts included: Automatic Flush Bolt 2pcs Assembly screws 1set



Dust Proof Socket

Material:Stainless Finish/Color:Satin Finish


Dust Proof Socket Product No. 500-042 Parts included: Dust Proof Socket 1pcs



Door Selector

Material:Stainless Finish/Color:Satin Finish

Door Selector Product No. 500-060 Screw included: 4.8 × 35 Flat head tapping screw 3pcs Parts included: Door Selector 1pcs Assembly screws 1set




Euro Series



Material:Stainless Finish/Color:Satin Finish

D-Pull Handle Product No. 500-050 Screw included: 3.8 × 25 Flat head tapping screw 6pcs Parts included: D-Pull Handle 1pcs Assembly screws 1set











Material:Stainless Finish/Color:Satin finish

Cup Ring Handle Product No. 500-044 Screw included: 3.8 × 16 Flat head tapping screw 4pcs Parts included: Cup Ring Handle 2pcs Assembly screws 1set









Euro Series

Foundation	April 1948 November 1970		
Establishment			
Firm Name	Kuriki Manufacture Co.,Ltd.		
President	AKIYOSHI KURIKI		
Main Factory Location	 [Address] 1681-1 Onuki, Namegata City, Ibaraki Prefecture 311-1724, Japan [Ground] Ground:18,500m Factory Building:2,655m Office Building:180m [Access] Change from JYOBAN Line MITO Station to OARAIKASHIWA Line SHINHOKOTA Station 10 minutes by car JYOBAN Line TSUCHIURA Station 30 minutes by car 		
Overseas factory	 【Firm Name】TIANJIN KURIKI BUILDERS HARDWARE ETC CO.,LTD (天津久力家居用品有限公司) 【Address】 No.40 Sengdayizhi Road Xiqing Gaoduan Metal Product Industrial Area, Tianjin 		
Trade Company	 【Firm Name】TIANJIN KURIKI BUILDERS HARDWARE TRADING CO.,LTD (天津久力輝家居用品貿易有限公司) 【Address】 Jiefangnan Road and Wushui Road Junction Southwestside Hexi District Tianjin City 		
Main Product	Lever Handles	Metal & Resin Lever Handle, Metal & Resin Lock Case, Adjustable Strike	
	Door Parts	Hinge, Pivot Hinge, Door Stopper, Hinged Door Soft Closer, Light Indicator Lens, Door Louver, Flush Bolt	
	Sliding Door Parts	Hook Lock, Resin Pull, Metal Pull, Bar Handle, Adjustable Roller, Rail, Sliding Door Soft Closer, Outset Sliding Door Parts	
	Accessories	Paper Holder, Towel Ring, Towel Bar, Towel Shelf, Bathroom Push Pull Lock, Child Lock, Laundry Pipe, Storage Tray, Bathroom Lid Holder	
	Cabinet Parts, Handrail	Knob, Handles, Hanger Pipe, Round Bar Handrail, Handrail Bracket	
	Euro Series	Mortice Locks, Standard Cylinder, Rectangular Recessed Pull, Euro Fire-rated Hinge, Flush Bolt, Dust Proof Socket	
Home Page	https://www.kuriki-ss.co.jp/en/		
Contact Us	Head Office [TEL]	(+81)291-35-2636 [FAX] (+81)291-35-2683	



Price and specification are subject to change without prior notice.
The printed colors depicted may differ from the actual products.







Kuriki Manufacture Co.,Ltd.