



Cambodian Summit Woodware Co.,Ltd

Add: Sihanoukville Special Economic Zone, No.4 National Road 212Km, Prey Nob District, Preah Sihanouk Province, Cambodia, 18000


Tel: +855-0969229618

E-mail: admin@summit-wood.com



Cambodian Summit Woodware Co.,Ltd.









- Factory Overview
- Four Advantages
- Advantages ComparedWith Vietnam Peers
- Production Management
- Product Category

Project Case

CONTENTS



Cambodian Summit Woodware Co.,Ltd.



FACTORY OVERVIEW



INTRODUCTION



Cambodian Summit Woodware Co., Ltd. is located in Sihanoukville SEZ, Preah Sihanouk Province, Cambodia, only 20 kilometers away from Sihanoukville, the largest deep-water port in Cambodia, and located at No. 4 National Road 212 KM.

Our company was registered and established on Feb. 2023. It covers an area of 45,000 square meters, with a new factory building of more than 35,000 square meters, and a new office building and dormitory area of more than 2,100 square meters. The registered capital of our company is 8 million US dollars, and the actual investment exceeds 15 million US dollars.

\$30.0million

Total Investment



45000

Plant Size (square meter)



30+

R&D Staff



400+

Factory Employees



150+

Running Capacity (containers/month)





Our company majors in producing and processing kitchen cabinet and moulding trim. At present, all our products are exported, and the main market is the United States. Our company has a number of new assembly lines to achieve a high degree of automation.

Our company currently has more than 300 full-time employees, and it is expected to reach about 800 workers at full capacity, including 50 Chinese management and technical employees.

Our brief introduction as below,

- 1. Products: Kitchen Cabinet, Bathroom Vanity and Moulding Trim etc.
- 2. Material: Maple, Birch, Oak, Poplar, Plywood, Particle Board, MDF, HDF etc.
- 3. Finish: Painted, Stain, Melamine, Thermofoil /PVC, Acrylic, PET, UV etc.
- 4. Production Capacity: 3000 cabinets and 5000 trims per day.
- 5. Monthly Exporting Volume: 150 x 40HQ containers per month.
- 6. Advantages: High quality, Competitive Price, Short delivery date, Best service

Confucius saying "How happy we are, to meet friends afar!" Looking foward to working with you in the very near future.

Four Advantages









Advantages Compared | With Vietnam Peers

Vietnam & Malaysia

BILLING CODE: 3510-DS-P

DEPARTMENT OF COMMERCE

INTERNATIONAL TRADE ADMINISTRATION

A-570-106; C-570-107

Wooden Cabinets and Vanities and Components Thereof from the People's Republic of China: Initiation of Circumvention Inquiries on the Antidumping and Countervailing Duty Orders

AGENCY: Enforcement and Compliance, International Trade Administration, Department of Commerce

SUMMARY: In response to a request from the American Kitchen Cabinet Alliance, (AKCA), a

petitioner, the U.S. Department of Commerce (Commerce) is initiating **two country-wide circumvention inquiries** to determine whether: (1) U.S. imports **from Vietnam of wooden**

cabinets and vanities and components thereof (wooden cabinets and vanities) from the People's

Republic of China (China), which are further processed in the Socialist Republic of Vietnam

(Vietnam) and include Vietnamese components, are circumventing the antidumping duty (AD)

and countervailing duty (CVD) orders on wooden cabinets and vanities from China; and (2) U.S.

imports from Malaysia of wooden cabinets and vanities and components thereof (wooden

cabinets and vanities) from China, which are further processed in Malaysia and include

Malaysian components, are circumventing the AD and CVD orders on wooden cabinets and

vanities from China.

DATES: Applicable [Insert date of publication in the Federal Register].

FOR FURTHER INFORMATION CONTACT: Michael Romani or Richard Roberts, AD/CVD


Operations, Office I, Enforcement and Compliance, International Trade Administration, U.S.

Department of Commerce, 1401 Constitution Avenue, NW, Washington, DC 20230; telephone:


(202) 482-0198 or (202) 482-3464, respectively.

SUMMIT EINE CARNET AND TOTAL AND IS A THEFE

PRODUCTION EQUIPMENT



PRODUCTION PROCESS



SUMMIT FINE CABINET AND TRIM MANUFACTURER

Door/Drawer Front and Moulding Trim Workshop






- German Weining four-sided planer lines.
- Equipment lines of double-end tenoner machine.
- Large and heated assembly area.
- Wood seasoning rooms with numerical control screen to display the temperature, humidity, and moisture content.
- Double-end milling for 4 profile per time.
- 6 mass production lines of sanding machine.

SUMMIT FINE CABINET AND TRIM MANUFACTURER

Cabinet Carcass Manufacturing workshop





- 8 fully automatic CNC electronic cutting saw.
- Automatic feeding equipment, slotting machines, automatic steering wheels, six rows of drills, and automatic cutting equipment in one lines.
- The assemble line could finish 8 different processes in one time.
- Digital display temperature control meter is equipped.
- Full time on site Q/C check in semi-finished product inspection area.



Painting Workshop






- Auto painting hanging spray lines for primer.
- Auto reciprocating spray painting lines.
- Painting hanging lines for topcoat.
- Flat spray lines for topcoat.
- UV coating area.
- Color checking room.



Packaging Workshop





- Pre-assemble components preparation area.
- Full automatic packing assembly line.
- Hardware assembly area.
- Finished product inspection area




Kitchen Cabinets

Bathroom Vanity

Moulding Trim








PRODUCT CATEGORY

Cabinet Specification And Construction




5/8 " solid wood dovetail construction on all sides of drawer box with UV clearcoat on all exposed surfaces. Drawer glides are all steel constructed soft-close mechanisms. 3/8 " plywood drawer bottom



Cambodian Summit Woodware Co.,Ltd.





Cambodian Summit Woodware Co.,Ltd.






































Solidwood Door






SUM-08

SUM-09

Laminated Doors





SUM-09

SUM-10

I-10 SUM

SUM-11

SUM-12



SUM-19





CABINET CONSTRUCTION OPTIONS

	STANDARD	SELECT	ALL PLYWOOD	
Hinges	6-Way adjustable hinge	NEW Quiet, 6-way adjustable Smart Stop™ self-closing hinge	NEW Quiet, 6-way adjustable Smart Stop self-closing hinge	
Sides	3/8" Thick furniture board with matching laminate exterior		3/8" Thick plywood with fnished veneer exterior	
Back	3/8" Thick furniture board		3/8" Thick plywood	
Top/ Bottom	1/2" Thick furniture board top and bottom on wall cabinets. 3/8" Thick furniture board bottom on base cabinets		1/2" Thick plywood top and bottom on wall cabinets 3/8" Thick plywood bottom on base cabinets	
Corners	Four furniture board corner braces on base cabinets		Two lineal plywood front-to-back stretcher rails on base cabinets	
Wall/Tall Shelves	Adjustable 3/4" thick furniture board		Adjustable 3/4" thick plywood	
Base Shelves	Fixed 1/2" thick half-depth furniture board, and adjustable 3/4" thick full-depth furniture board on open and full-height base cabinets		Fixed 1/2" thick half-depth plywood, and adjustable 3/4" thick full-depth plywood in open and full-height base cabinets	

DRAWER CONSTRUCTION OPTIONS

	STANDARD	SELECT	ALL PLYWOOD*
Вох	1/2" Thick furniture board sides, front and back	3/4" Nominal thick all wood sides, front and back with clear topcoat	
Bottom	3/8" Thick furniture board, fastened into four sides	1/4" Thick plywood, fully captured on four sides	
Guides	3/4 Extension, side-mount epoxy-coated	NEW Concealed, full-extension drawer guides with Smart Stop quiet closing mechanism	
Joinery	Stapled butt joint	Dovetail joint	
Depth	20" on base cabinets	21" on base cabinets	

*All plywood components meet ANSI/HPVA HP-1 standards, and may contain MDF or particleboard.











6-way Adjustable Hinge

fully concealed, lifetime warranty cup hinge that adjusts and self-closes



Full-Extension QuietClose Guides

Undermounted, concealed guides extend the drawer fully, complete with closing mechanism that prevents drawer from slamming.



Chear-coated 3/4" nominal thick solid wood box constructed with furnitune-quality dovetail joinery andfully captured, laminated bottom.

Drawer Construction

Standard Drawer Construction 3/4"*all-wood sides; dovetail joinery *Prior to processing

Drawer bottom is 1/4"with birch clear-coated plywood, fully captured in box sides, front and back.

QuietClose Guides fully concealed, nylon roller runners, self-aligning guides. Our QuietClose premium full-extension guide provides a gentle, controlled self-closing that engages when the drawer is 2 inches from the cabinet, The drawer features smooth ball-bearing operation with a 70lb load capcity.

Valuc Deawer Option 5/8"melamine drawer box is standard on the following door styles:Batton,Carlisle Woodgrain, Cavette, Kane, Marshall, Murphy,Nelson and Newton. Fully concealed nylon roller runners and self-aligning guieds

Tandem Metal Drawer Option
Double-walled metal sides.
Melamine back and bottom.
Drawer front attaches directly to the drawer box sides,
Concealed, undermounted, full-extension guides and QuietClose
self-closing mechanism.





I-Beam Braces

1/2"thick I-beam braces integrate sides, back and face frame for construction, shipping and optimal installation stability.





SUMMIT FINE CABINET AND TRIM MANUFACTURER

The cabinet specifications combines product information, illustrations and features all into one easy-to-use reference manual.

how to read CaBinet iteM Code




Example:



KiTCHen CaBineT diMension


Thermofoil door style (HJPT-09)


- 1 Standard 34-1/2"
- 2 6" on K10, M01, A7, K8, K3 7" on J5, CO66, S1, S8
- 3 23" on K10, M01, A7, K8, K3 22" on J5, CO66, S1, S8
- 4 Standard 4-1/2"
- 5 Standard 2-1/2"
- 6 Standard 24" (To the face frame)
- 7 Standard 3/4"
- 8 11-3/8" on K10, M01, A7, K8, K3 10-7/8" on J5, CO66, S1, S8
- 9 11-3/8" on K10, M01, A7, K8, K3 10-7/8" on J5, CO66, S1, S8



VaniTY CaBineT diMension


- 1 Standard 33"
- 6" on K10, M01, A7, K8, K3 20" on J5, CO66, S1, S8
- 21-3/8" on K10, M01, A7, K8, K3 20" on J5, CO66, S1, S8
- 4 Standard 4-1/2"
- 5 Standard 2-1/2"
- 6 Standard 21" (To the face frame)
- 7 Standard 3/4"
- 8 10-5/8" on K10, M01, A7, K8, K3 10-3/16" on J5, CO66, S1, S8
- 9 10-5/8" on K10, M01, A7, K8, K3 10-3/16" on J5, CO66, S1, S8





Wall CaBineT diMension

- a 36'
- **b** 35-1/2" (Door dim.)
- c 18"
- d 17 3/4" (Door dim.)



noTe

Vanity FA#### Cabinets, 1/8" – 1/2" deviation expected.

 $\begin{tabular}{ll} \begin{tabular}{ll} \beg$

Drawing and specification





1 Drawer 1 Door 1 Adi Shelf



1 Drawer 2 Doors 1 Adi Shelf



2 Drawers 2 Doors 1 Adi Shelf



1 Small Drawer 2 Large Drawers

• DB12-3

• DB15-3

• DB18-3

• DB18-3

• DB21-3

• DB24-3

• DB30-3

◆ DB36-3



1 Full Door: 14 3/4" x 29-1/4" 2 Wooden Round Susans



15"-18"W: 1 Door 24"-30"W: 2 Doors Matching Color Interior



2 Doors 12"-21"H: No Shelf 24"High: 1 Adj.Shelf



30" & 36"H: 2 adj. Shelves 42"H: 3 Adj. Shelves





1 Door: 14-3/4" W 30" & 36" H: 2 Adj. Shelves 42" High: 3 Adj. Shelves



 WMDC2430H ◆ WMDC2436H WMDC2442H WMDC273615H

1 Door: 14-3/4" W WMDC274215H 30" & 36" High: 2 Adi. Shelves Not Included 42" High: 3 Adj. Shelves Not Included Matching Color Interior 27" Wide x 15" Deep



2 Doors: 10-1/2"W x 29-1/4"H 2 Wooden Kidney Shaped Susans





1 Full door: 14-3/4" x 29-1/4" No shelf



1 Drawe 1 Door 1 Adj. Shelf



2 Dummy drawers 2 Doors No Shelf



Door: 8-3/4" W x 29-1/4"H 3 Wooden Shelves Standard Ball Bearing Side Glide



All-wood Standard 18" High 24", 27" Deep



2 Doors: 8-3/4"W 30" & 36" High: 2 Adj. Shelves 42"High: 3 Adj. Shelves



2 Doors 1 Open Shelf Opening: 24" W x 16"H Shelf Overhang: 5-1/4"



9"W X 24"D 3 Fixed Shelves Matching Color Finish Specify Left or Righ When ordering Asembly

◆ WES0930

WALL END OPEN SHELF



30" & 36" High: 3 Fixed Shelves

42" High: 4 Fixed Shelves

Matching Color Finish



5 Square Drawers: 5-3/4" x 5-1/2" No Glides



1 Bin Cut-out



2 Doors 1 Adi. Shelf

VALL CABINET 12"H



No shelf

WALL CABINET 15"H



W2430

• W2730

No Shelf



5 Drawers: 5-3/4" x 5-1/2" 30" Wide 6" HIGH 12" DEEP



36".42" Wide 24" High 9" Deep



30WR: 10 compartments 36WR: 14 compartments

GLASS RACK



ALL-wood 1-1/2" high Matching Color Finish





All-Wood 18"H with 15"H Opening WCD3618: 12 Plates

WALL CABINET 18"H





2 Doors No Shell



2 Doors 1 Adj. Shelf



• W1230

• W1530 • W1830 W2130

• W0930

W3030 W3330 W3630 • W4230

9"-21"W: 1 Door 24"-42" W: 2 Doors 2 Adi.Shelves



21"Deen 1 Drawe










18"Wide: 2 Doors 24" & 30" Wide: 4 Doors 3 Roll outs with Ball Bearing Glide Upper Door: 30",36",42"H 1 Shelf in the bottom box



84" & 90"H: 2 Adj. Shelves in the Ton Box 96"H: 3 Adi. Shelves in the Too Box



◆ Oc339627 27"Deep 2 Doors: 12" 18" 24" H

• W0936

• W1236

• W1536

• W1836

W2136



9"-21"W: 1 Door

2 Adj. Shelves

24"-42"W: 2 Doors

9"-21"W: 1 Door

3 Adj. Shelves

24"-42"W: 2 Doors



• W0942 • W1242 • W1542 • W1842 • W2142

• W2742 • W3042 • W3342 • W3642 • W4242

• W2442



15"-18"W: 1 Door 24"-30"W: 2 Doors 2 Adj. Shelves Not Included Matching Color interior



 ◆ ○C338427W○ OC339027WO • OC339627WO

1 Drawer: 7-1/2"H 2 Doors: 12", 18", 24"H



• Rd36

12". 15". 21", 24" Wide 21"W x 28" H (Vanity) 28",30",36",42" High Predrilled Hinge Holes 3/4" Thick



4 Dummy Doors No Face-frame 84", 90",96"High Use it for Tall Cabinets 24",27" Deep Predrilled high Holes 3/4" Thick



3" Return Filler 23-1/4" Deep Panel 34-1/2" High

Drawing and specification

3" Wide

3/4" Thick

96" Long

3/4" Thick

96" Long


Plinth - BB3*4: 3"W x 4"H

Rosette- FB3*3: 3"W x 3" H

3/4" Thick

30"-60" Long





V54B

♦ V60B

2 Doors: 12" W

1 Dummy Drawer No shelf

2 Drawers: 12"W Door on Right

21" Deep

1 Dummy Drawer

6 Drawers: 12"W No Shelf

2 Doors: 12" on VAD4821

4-1/2" Wide

30"-60" Long

3/4" Thick

33" High

21" Deep 2 Dummy Drawers

No Shelf

3 Drawers: 12" W

4 Doors: 12" W

18" Wide

81" High

24" Deep

4 Shelves

2 Doors: 47-7/8" & 27-3/4"

Wooden Frame

Not Tempered

Beveled Edge Mirror