



SANITARY WARE





ovs

Sanitary Ware

Innovation makes surprises everywhere



Company

FOSHAN OVS SANITARY WARE CO. LTD

Foshan OVS Sanitary Ware Co., Ltd is a leading company of the main wholesalers and exporters for sanitary ware products in Guangdong, China. OVS Sanitary Ware is the international sales department of our factory. We belong to manufacturer and has dedicated to provide the most suitable product and best service to customers over 30 countries for past 18 years.

We have the certification of CE and CUPC. Excellent quality, competitive price, best service, and customer satisfaction are our business targets. Thanks for viewing our catalog and choose us as your own supplier.



HP-2213C (Automatic Cover) SMART ONE-PIECE TOILET



SIZE: 670X380X510mm

MATERIAL: Ceramic Bowl & ABS Cover

S-TRAP: 300/400MM P-TRAP: 180MM


HEATING MODE: Non-Cistern Rapid Heating Type

RATED VOLTAGE: 110V-220V

COLOR: White



DIMENSIONAL DRAWING



MAIN FUNCTION

- Bidet Washing
- Hip Washing
- Moving Massage
- Warm Wind Drying
- Self-Cleaning Nozzle
- Night Light
- LED Display
- Kids Mode
- Auto Open/Close Cover & Feet Sensor Open/Close Cover & Remote Controlled Open/Close Cover
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Adjustable Nozzle Position
- Water Pressure Adjusting
- Power Outage Flushing
- Electrical Leakage Protection
- Strong And Soft Spraying



HP-2230C (Automatic Cover) SMART ONE-PIECE TOILET



SIZE: 670X380X510mm

MATERIAL: Ceramic Bowl & ABS Cover


S-TRAP: 300/400MM P-TRAP: 180MM

HEATING MODE: Non-Cistern Rapid Heating Type

RATED VOLTAGE: 110V-220V

COLOR: White

DIMENSIONAL DRAWING



MAIN FUNCTION

- Bidet Washing
- Hip Washing
- Moving Massage
- Warm Wind Drying
- Self-Cleaning Nozzle
- Night Light
- Kids Mode
- Electrical Leakage Protection
- Auto Open/Close Cover & Feet Sensor Open/Close Cover & Remote Controlled Open/Close Cover
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Adjustable Nozzle Position
- Water Pressure Adjusting
- Power Outage Flushing
- Strong And Soft Spraying





OVS-2181

Siphonic one-piece toilet

Size: 710x370x740mm (28"x14-1/2"x29")

S-trap: 305mm Roughing-in




OVS-2139Y

Siphon two-piece toilet

Size: 730x445x800mm

S-trap: 300mm Roughing-in






OVS-2181T

Siphonic one-piece toilet

Size: 710x370x740mm (28"x14-1/2"x29")

S-trap: 305mm Roughing-in




OVS-2139Z

Siphon two-piece toilet


Size: 720x400x800mm

S-trap: 300mm Roughing-in





ADA
RIMLESS



OVS-2182

Rimless One -piece toilet

Size:680x410x760mm

S-trap:300mm Roughing-in






OVS-2183

Rimless One -piece toilet

Size:710x380x715mm

S-trap:300mm Roughing-in






ADA


OVS-832Y-MB

Siphonic One-piece toilet
Size:690x360x810mm
S-trap:300mm Roughing-in




OVS-832Z-MB

Siphonic One-piece toilet
Size:690x380x765mm
S-trap:300mm Roughing-in




OVS-0382Y-MB

Swirling Rush-piece toilet
Size:680x410x785mm
S-trap:300mm Roughing-in



OVS-0382Z-MB


Swirling Rush-piece toilet
Size:710x380x715mm
S-trap:300mm Roughing-in






OVS-832Y

Siphonic One-piece toilet
Size:690x360x810mm
S-trap:300mm Roughing-in




OVS-832Z

Siphonic One-piece toilet
Size:690x380x765mm
S-trap:300mm Roughing-in




OVS-0382Y

Swirling Rush-piece toilet
Size:680x410x785mm
S-trap:300mm Roughing-in



OVS-0382Z


Swirling Rush-piece toilet
Size:710x380x715mm
S-trap:300mm Roughing-in





OVS-2184


Siphon one-piece toilet
Size: 680x360x700mm
S-trap: 300mm Roughing-in






OVS-0382Y-SMB

Swirling Rush-piece toilet
Size:680x410x785mm
S-trap:300mm Roughing-in




OVS-0382Z-SMB

Swirling Rush-piece toilet
Size:710x380x715mm
S-trap:300mm Roughing-in




OVS-0382Y-S

Swirling Rush-piece toilet
Size:680x410x785mm
S-trap:300mm Roughing-in



OVS-0382Z-S

Swirling Rush-piece toilet
Size:710x380x715mm
S-trap:300mm Roughing-in



360-Degree Flushing

Surrounding and rinse clean



RIMLESS FLUSHING




RIMLESS



WC-18001-R-MB

Wall hung toilet
Size:535x360x360mm
P-trap:180mm Roughing-in




RIMLESS



WC-18001-L-MB

Wall hung toilet
Size:515x360x360mm
P-trap:180mm Roughing-in




RIMLESS



WC-18001-R

Wall hung toilet
Size:535x360x360mm
P-trap:180mm Roughing-in




RIMLESS




WC-18001-L

Wall hung toilet
Size:515x360x360mm
P-trap:180mm Roughing-in





Cutaway View




OVS1512

- Name: Under Counter Basin
- ID Size: 375x295mm
- OD Size: 420x340x190mm
- 14-4/5"x11-3/5"
- 16-1/2"x13-2/5"x7-1/2"
- Under counter mounting



Cutaway View




OVS1610

- Name: Under Counter Basin
- ID Size: 390x315mm
- OD Size: 440x360x185mm
- 15-2/5"x12-2/5"
- 17-3/10"x14-1/5"x7-3/10"
- Under counter mounting



Cutaway View




OVS1613

- Name: Under Counter Basin
- ID Size: 420x330mm
- OD Size: 460x380x190mm
- 16-1/2"x13"
- 18-1/10"x15"x7-1/2"
- Under counter mounting



Cutaway View




OVS1714(135mm)

- Name: Under Counter Basin
- ID Size: 450x370mm
- OD Size: 505x415x135mm
- 17-7/10"x14-3/5"
- 19-9/10"x16-3/10"x5-3/10"
- Under counter mounting



Cutaway View




OVS1714(210mm)

- Name: Under Counter Basin
- ID Size: 440x360mm
- OD Size: 490x400x210mm
- 17-3/10"x14-1/5"
- 19-3/10"x15-4/5"x8-3/10"
- Under counter mounting



Cutaway View




OVS1612A

- Name: Under Counter Basin
- ID Size: 405x275mm
- OD Size: 455x325x180mm
- 15-9/10"x10-4/5"
- 17-9/10"x12-4/5"x7-1/10"
- Under counter mounting



Cutaway View




OVS1801

- Name: Under Counter Basin
- ID Size: 450x350mm
- OD Size: 500x400x180mm
- 17-7/10"x13-4/5"
- 19-7/10"x15-7/10"x7-1/10"
- Under counter mounting



Cutaway View




OVS1802

- Name: Under Counter Basin
- ID Size: 485x320mm
- OD Size: 530x370x175mm
- 19-1/10"x12-3/5"
- 20-9/10"x14-3/5"x6-9/10"
- Under counter mounting



Cutaway View




OVS1804

- Name: Under Counter Basin
- OD Size: 400x355x180mm
- ID Size: 350x305mm
- Under counter mounting



Cutaway View




OVS1808

- Name: Under Counter Basin
- OD Size: 450x350x180mm
- ID Size: 390x295mm
- Under counter mounting



Cutaway View




OVS1809

- Name: Under Counter Basin
- OD Size: 545x380x180mm
- ID Size: 490x320mm
- Under counter mounting



Cutaway View




OVS1811

- Name: Under Counter Basin
- OD Size: 530x370x210mm
- ID Size: 470x315mm
- Under counter mounting



Cutaway View




OVS1812

- Name: Under Counter Basin
- OD Size: 530x345x185mm
- ID Size: 475x285mm
- Under counter mounting



Cutaway View




OVS1813

- Name: Under Counter Basin
- OD Size: 515x380x185mm
- ID Size: 460x325mm
- Under counter mounting



Cutaway View



OVS1813ADA

- Name: Under Counter Basin
- OD Size: 510x380x145mm
- ID Size: 470x335mm
- Under counter mounting



Cutaway View




OVS227

- Name: Above Counter Basin
- OD Size: 520x445x210mm
- Above counter mounting




OVS-A022

Size: 480x370x130mm




OVS-A037

Size: 380x380x130mm




OVS-A049

Size: 420x420x120mm




OVS-A082

Size: 410x330x145mm



OVS-A211

Size: 480x370x135mm




OVS-A271

Size: 330x330x130mm




OVS-A394

Size: 555x320x130mm



OVS-A400


Size: 585x460x165mm






OVS-A426

Size: 455x320x135mm




OVS-A435

Size: 400x400x135mm




OVS-A464

Size: 500x370x135mm




OVS-A465

Size: 500x370x135mm




OVS-A524A

Size: 405x405x130mm



OVS-A524B

Size: 360x360x125mm








OVS-2418S

Apron Kitchen Sink

Size: 610x459x254 mm

Embedded Type

24"x18"x10"




OVS-3018S

Apron Kitchen Sink

Size: 760x459x254 mm

Embedded Type

30"x18"x10"




OVS-3318S

Apron Kitchen Sink

Size: 835x459x254 mm

Embedded Type

33"x18"x10"




OVS-3318D

Apron Kitchen Sink

Size: 835x459x254 mm

Embedded Type

33"x18"x10"



SELF-CLEANING GLAZE

It is calcined at high temperature and selected high-quality porcelain clay, smooth and self-cleaning glaze, not easy to hang dirt, and easy to clean.



Ordinary Ceramic Glaze



MANJIE crystal glaze





EASY TO INSTALL

The new quick-release device allows to take the toilet seat off in a simple manner, making it easier to clean.



SOFT CLOSE

Thermosetting seat cover with soft closing system.



FLUSHING

Arranged water distribution holes bring triple instantaneous flushing, flushing without leaving marks, sewage smoothly without blocking.




SEWER GLAZING

The inner pipe is glazed, smooth and easy to clean, and can keep clean for a long time.



INCREASE PIPELINE

Widening the design of pipeline is helpful for smoothly discharging dirt without blocking for a long time.



RIMLESS DESIGN

In order to improve the health and cleanliness of toilets, we provide a solution to ensure high strength and high efficiency washing.

We eliminated the design of the prominent edge of the toilet, so that the inner surface of the toilet is completely visible, there is no washing edge that can hide bacteria, dirt, bacteria, sediment is difficult to accumulate, save time and care, ensure that water is evenly distributed on the whole surface, so that cleaning is simpler.



Installation of sewage pipe



Increase momentum




Omnidirectional cleaning




Technology Innovation


Sanitation and easy cleaning are also decisive factors in choosing ceramic appliances in toilets.



Traditional



OVS NEW



TWO PIECES TOILET

MODEL: B-2380  2057 




Technical Information

Product	Two Pieces Toilet
Item NO	B-2380/2057
Product Size	620X375X820mm
Material	Ceramic
Color	White
Toilet weight without package	47kg
Toilet weight with package	50kg
Flushing system	Washdown-Open Rimless
Rough in	250/180mm
One full 40HQ container can load (around)	440sets
CBM	0.155



Drawing

Unit: mm



Accessories



R&T Fitting



BSH Fitting



Soft-closing seat cover

Slim UF	✓
Medium UF	✓
Thickness UF	✓
Slim PP	✓
Thickness PP	✓



Gasket



Tube&Angle valve



Screw

FLOOR STANDING TOILET

Model: A-380 CE
2057B W






Technical Information

Product	Floor standing wc pan
Item NO	A-380/2057B
Product Size	550x370x405mm
Material	Ceramic
Color	White
Toilet weight without package	29kg
Toilet weight with package	31kg
Flushing system	Open Rimless
Rough in	180mm
One full 40HQ container can load (around)	660sets
CBM	0.11



Drawing

Unit: mm



WALL-HUNG TOILET

Model: B-2380B CE
2057C W






Technical Information

Product	Wall-Hung Toilet
Item NO	B-2380B/2057C
Product size	485/520x355x320mm
Material	Ceramic
Color	White
Toilet weight without package	24kg
Toilet weight with package	26kg
Flushing system	Open Rimless
Rough in	180mm
One full 40HQ container can load (around)	730sets
CBM	0.093



Drawing

Unit: mm



WALL-HUNG BIDET Model: B-2380B-FX




Technical Information

Product	Wall-Hung Bidet
Item NO	B-2380B-FX
Product size	515x360x325mm
Material	Ceramic
Color	White
Toilet weight without package	21kg
Toilet weight with package	22kg
One full 40HQ container can load (around)	730sets
CBM	0.093



Drawing

Unit: mm



FLOOR STANDING BIDET Model: G-5380




Technical Information

Product	Floor Standing Bidet
Item NO	G-5380
Product size	520x355x415mm
Material	Ceramic
Color	White
Toilet weight without package	23kg
Toilet weight with package	24kg
One full 40HQ container can load (around)	670sets
CBM	0.1



Drawing

Unit: mm





2051A CE
B-2370 W
Two Piece Toilet

G-5370
Floor Standing Bidet

FLOOR STANDING TOILET

Model: A-370 CE

2052 W

RIMLESS




Technical Information

Product	Floor standing wc pan
Item NO	A-370/2052
Product Size	540x360x415mm
Material	Ceramic
Color	White
Toilet weight without package	34kg
Toilet weight with package	37kg
Flushing system	Rimless
Rough in	180mm
One full 40HQ container can load (around)	730sets
CBM	0.093



Drawing

Unit: mm



FLOOR STANDING BIDET

Model: G-5370




Technical Information

Product	Floor Standing Bidet
Item NO	G-5370
Product size	540x365x415mm
Material	Ceramic
Color	White
Toilet weight without package	29kg
Toilet weight with package	30kg
One full 40HQ container can load (around)	730sets
CBM	0.093



Drawing

Unit: mm



WALL-HUNG TOILET

Model: B-2370B CE
2051B W




Technical Information

Product	Wall-Hung Toilet
Item NO	B-2370B/2051B
Product Size	515x355x340mm
Material	Ceramic
Color	White
Toilet weight without package	27kg
Toilet weight with package	29kg
Flushing system	Rimless
Rough in	180mm
One full 40HQ container can load (around)	730sets
CBM	0.093



Drawing

Unit: mm



WALL-HUNG BIDET

Model: B-2370B-FX




Technical Information

Product	Wall-Hung Bidet
Item NO	B-2370B-FX
Product size	520x355x290mm
Material	Ceramic
Color	White
Toilet weight without package	21kg
Toilet weight with package	22kg
One full 40HQ container can load (around)	730sets
CBM	0.093



Drawing

Unit: mm



TWO PIECES TOILET

Model: B-2370 CE

2051A W




Technical Information

Product	Two Pieces Toilet
Item NO	B-2370/2051A
Product size	650x375x820mm
Material	Ceramic
Color	White
Toilet weight without package	49kg
Toilet weight with package	51kg
Flushing system	Washdown-Open Rimless
Rough in	180mm
One full 40HQ container can load (around)	480sets
CBM	0.135



Drawing

Unit: mm



Accessories



R&T Fitting



BSH Fitting



Soft-closing seat cover

Slim UF	✓
Medium UF	✓
Thickness UF	✓
Slim PP	✓
Thickness PP	✓



Gasket



Tube&Angle valve



Screw

TWO PIECES TOILET

MODEL: B-2376  2062 




Technical Information

Product	Two Pieces Toilet
Item NO	B-2376/2062
Product Size	620X375X820mm
Material	Ceramic
Color	White
Toilet weight without package	47kg
Toilet weight with package	50kg
Flushing system	Washdown-Open Rimless
Rough in	250/180mm
One full 40HQ container can load (around)	440sets
CBM	0.155



Drawing

Unit: mm



Accessories

			<table><tr><td>Slim UF</td><td>✓</td></tr><tr><td>Medium UF</td><td>✓</td></tr><tr><td>Thickness UF</td><td>✓</td></tr><tr><td>Slim PP</td><td>✓</td></tr><tr><td>Thickness PP</td><td>✓</td></tr></table>	Slim UF	✓	Medium UF	✓	Thickness UF	✓	Slim PP	✓	Thickness PP	✓			
Slim UF	✓															
Medium UF	✓															
Thickness UF	✓															
Slim PP	✓															
Thickness PP	✓															
R&T Fitting	BSH Fitting	Soft-closing seat cover		Gasket	Tube&Angle valve	Screw										

WALL-HUNG TOILET

Model: B-2376B CE
2062C W




Technical Information

Product	Wall-Hung Toilet
Item NO	B-2376B/2062C
Product size	485/520x355x320mm
Material	Ceramic
Color	White
Toilet weight without package	23kg
Toilet weight with package	25kg
Flushing system	Open Rimless
Rough in	180mm
One full 40HQ container can load (around)	730sets
CBM	0.093

Drawing

Unit: mm



WALL-HUNG BIDET

Model: B-2376B-FX




Technical Information

Product	Wall-Hung Bidet
Item NO	B-2376B-FX
Product size	515x360x325mm
Material	Ceramic
Color	White
Toilet weight without package	23kg
Toilet weight with package	24kg
One full 40HQ container can load (around)	730sets
CBM	0.093



Drawing

Unit: mm



FLOOR STANDING TOILET

Model: A-376 
2062B 




Technical Information

Product	Floor standing wc pan
Item NO	A-376/2062B
Product Size	550x370x405mm
Material	Ceramic
Color	White
Toilet weight without package	29kg
Toilet weight with package	31kg
Flushing system	Open Rimless
Rough in	180mm
One full 40HQ container can load (around)	660sets
CBM	0.11



Drawing

Unit: mm



FLOOR STANDING BIDET

Model: G-5376




Technical Information

Product	Floor Standing Bidet
Item NO	G-5376
Product size	520x355x415mm
Material	Ceramic
Color	White
Toilet weight without package	23kg
Toilet weight with package	24kg
One full 40HQ container can load (around)	670sets
CBM	0.1



Drawing

Unit: mm




TOILET SERIES Motel:B-2389

Technical Information

Product	Two Piece Toilet
Item	B-2389/2056
Size	650x385x750mm(±5mm)
Material	Ceramic
System	Dual Flush
Seat cover	UF/PP
Color	White
Flushing system	Rimless
Rough in	S:100-250mm P:180mm



Drawing



Accessories

YB Fitting	WDI Fitting	Soft-closing seat cover	Gasket	Tube&Angle valve	Screw
		Slim UF			
		Medium UF			
		Thickness UF			
		Slim PP			
		Thickness PP			

TOILET SERIES Motel:B-2301


Technical Information

Product	Two Piece Toilet
Item	B-2301
Size	620x370x800mm(±5mm)
Material	Ceramic
System	Dual Flush
Seat cover	UF/PP
Color	White
Toilet weight without package	37.5kg
Flushing system	Washdown
Rough in	S:250mm



Drawing

Unit:mm



Accessories

YB Fitting	WDI Fitting	Soft-closing seat cover	Gasket	Tube&Angle valve	Screw
		Slim UF			
		Medium UF			
		Thickness UF			
		Slim PP			
		Thickness PP			

TOILET SERIES

Technical Information

2064





Two-piece toilet

Size: 670X370X800mm

P-trap: 180 mm Roughing-in

Unit:mm



Accessories

YB Fitting	WDI Fitting	Soft-closing seat cover		Gasket	Tube&Angle valve	Screw	
			Slim UF	√			
			Medium UF				
			Thickness UF	√			
			Slim PP				
			Thickness PP	√			




B-376B-MB
2062C-DMB

Wall hung toilet
Size:535x360x360mm
P-trap:180mm Roughing-in



RIMLESS




B-370B-MB
2051B-DMB

Wall hung toilet
Size:515x360x360mm
P-trap:180mm Roughing-in



RIMLESS




B-376B
2032C-D

Wall hung toilet
Size:535x360x360mm
P-trap:180mm Roughing-in



RIMLESS




B-370B
2051B-D

Wall hung toilet
Size:515x360x360mm
P-trap:180mm Roughing-in



RIMLESS





T4 (P-trap) T4 (S-trap)

Product Name:Mini smart toilet
Dimension:580x380x450mm
Rough in:300/400mm
Material:Ceramic/ABS Seat Cover
Heating:Instant

- | | | |
|---------------------------|---------------------------------|-----------------------------|
| 01.Female cleaning | 10.Seat heating | 19.Night light |
| 02.Hip cleaning | 11.Drying | 20.Leakage protection |
| 03.Mobile cleaning | 12.Wind temperature regulation | 21.Energy saving |
| 04.Massage cleaning | 13.Water temperature regulation | 22.Double filtration |
| 05.Self-cleaning nozzle | 14.Water-pressure adjust | 23.12V safety voltage |
| 06.A key to stop | 15.Glaze washing | 24.Anti-fouling glaze |
| 07.Spray regulation | 16.Automatic flush | 25.Flame retardant material |
| 08.Heated water instantly | 17.Flush during power failure | 26.Remote control |
| 09.Seat induction | 18.Mute slow down | |

Basic vision:Open cover by manual Flush by foot sensor
Advanced vision:Double flip modes Open seat by foot induction Close cover automatically
Flushing by identify male urine



T41 (P-trap) T41 (S-trap)

Product Name:Mini smart toilet
Dimension:580x380x450mm
Rough in:300/400mm
Material:Ceramic/ABS Seat Cover
Heating:Instant

- | | | |
|---------------------------|---------------------------------|-----------------------------|
| 01.Female cleaning | 10.Seat heating | 19.Night light |
| 02.Hip cleaning | 11.Drying | 20.Leakage protection |
| 03.Mobile cleaning | 12.Wind temperature regulation | 21.Energy saving |
| 04.Massage cleaning | 13.Water temperature regulation | 22.Double filtration |
| 05.Self-cleaning nozzle | 14.Water-pressure adjust | 23.12V safety voltage |
| 06.A key to stop | 15.Glaze washing | 24.Anti-fouling glaze |
| 07.Spray regulation | 16.Automatic flush | 25.Flame retardant material |
| 08.Heated water instantly | 17.Flush during power failure | 26.Remote control |
| 09.Seat induction | 18.Mute slow down | |

Basic vision:Open cover by manual Flush by foot sensor
Advanced vision:Double flip modes Open seat by foot induction Close cover automatically
Flushing by identify male urine



- 58cm mini toilet
- Automatic open cover
- Foot sensor open seat
- Flush by foot sensor
- Side knob
- LED digital screen



white



black

T3

Product Name: Wall mounted smart toilet
 Dimension: 580x380x350mm
 Drainage way: P-trap
 Material: Ceramic/ABS Seat Cover
 Heating: Instant

- | | | |
|----------------------------|----------------------------------|------------------------------|
| 01. Female cleaning | 10. Seat heating | 19. Leakage protection |
| 02. Hip cleaning | 11. Drying | 20. Energy saving |
| 03. Mobile cleaning | 12. Wind temperature regulation | 21. Double filtration |
| 04. Massage cleaning | 13. Water temperature regulation | 22. 12V safety voltage |
| 05. Self-cleaning nozzle | 14. Water-pressure adjust | 23. Anti-fouling glaze |
| 06. A key to stop | 15. Automatic flush | 24. Flame retardant material |
| 07. Spray regulation | 16. Flush during power failure | 25. Side knob |
| 08. Heated water instantly | 17. Mute slow down | 26. Remote control |
| 09. Seat induction | 18. Night light | |

Basic vision: Open cover by manual Flush by foot sensor
 Advanced vision: Double flip modes Open seat by foot induction Close cover automatically
 Flushing by identify male urine



58cm mini toilet

Automatic open cover

Foot sensor open seat

Flush by foot sensor

Side knob

LED digital screen



T31

Product Name: Wall mounted smart toilet

Dimension: 580x380x350mm

Drainage way: P-trap

Material: Ceramic/ABS Seat Cover

Heating: Instant


01. Female cleaning
02. Hip cleaning
03. Mobile cleaning
04. Massage cleaning
05. Self-cleaning nozzle
06. A key to stop
07. Spray regulation
08. Heated water instantly
09. Seat induction

10. Seat heating
11. Drying
12. Wind temperature regulation
13. Water temperature regulation
14. Water-pressure adjust
15. Automatic flush
16. Flush during power failure
17. Mute slow down
18. Night light

19. Leakage protection
20. Energy saving
21. Double filtration
22. 12V safety voltage
23. Anti-fouling glaze
24. Flame retardant material
25. Side knob
26. Remote control


Basic vision: Open cover by manual Flush by foot sensor

Advanced vision: Double flip modes Open seat by foot induction Close cover automatically
Flushing by identify male urine





R032A

Concealed water tank
Size:500x125x1400mm




R033A

Concealed water tank
Size:500x120x(1140-1260)mm



G3004A

Concealed water tank
Size:506x165x(1140-1340)mm





HP-2206C (Automatic Cover) SMART ONE-PIECE TOILET

SIZE: 690X420X540mm

MATERIAL: Ceramic Bowl & ABS Cover

S-TRAP: 300/400MM P-TRAP: 180MM


HEATING MODE: Non-Cistern Rapid Heating Type

RATED VOLTAGE: 110V-220V

COLOR: White



DIMENSIONAL DRAWING



MAIN FUNCTION

- Bidet Washing
- Hip Washing
- Defecation Assist
- Warm Wind Drying
- Strong-Soft Massage
- Moving Massage
- Self-Cleaning Nozzle
- Soft Night Light
- Remote Control
- Auto Open/Close Cover & Feet Sensor Open/Close Cover
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Adjustable Nozzle Position
- Power Outage Flushing
- Electrical Leakage Protection
- Side Buttons
- LED Display



HP-2201C (Automatic Cover) SMART ONE-PIECE TOILET

SIZE: 680X390X490mm

MATERIAL: Ceramic Bowl & ABS Cover

S-TRAP: 300/400MM P-TRAP: 180MM


HEATING MODE: Non-Cistern Rapid Heating Type

RATED VOLTAGE: 110V-220V

COLOR: White



DIMENSIONAL DRAWING



MAIN FUNCTION


- Bidet Washing
- Hip Washing
- Defecation Assist
- Warm Wind Drying
- Strong-Soft Massage
- Moving Massage
- Self-Cleaning Nozzle
- Soft Night Light
- Remote Control
- Auto Open/Close Cover & Feet Sensor Open/Close Cover & Remote Controlled Open/Close Cover
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Adjustable Nozzle Position
- Power Outage Flushing
- Electrical Leakage Protection
- LED Display
- One-Key Knob

Flushing by identity male urine




A2019

Siphonic One-piece Toilet
Size:705x390x775mm
S-trap:250/300mm Roughing-in




A2096

Siphonic One-piece Toilet
Size:640x350x730mm
S-trap:300/400mm Roughing-in




A2022

Siphonic One-piece Toilet
Size:680x390x790mm
S-trap:300/400mm Roughing-in



A2026


Siphonic One-piece Toilet
Size:650x360x745mm
S-trap:300/400mm Roughing-in






A2097

Siphonic One-piece Toilet
Size: 740x380x630mm
S-trap: 300/400mm Roughing-in



A2038

Siphonic One-piece Toilet
Size: 680x420x590mm
S-trap: 250/300mm Roughing-in



A419-CB-M
Size: 485X395X145mm

MATTE COLORED
Basins



CE Basins

The splendid, elegant feeling, the wonderful intention inclined to the people who have temperament and interest.





CE





A425-CGR-M
Size: 450X400X145mm



A426-CGR-M
Size: 455X320X135mm



A427-CGR-M
Size: 440X440X135mm



A428-CGR-M
Size: 415X415X135mm



A430B-CGR-M
Size: 365X365X135mm



Pyramid

Simple design of edge is lighter and more elegant.



A423-CBR-M
Size: 385X385X140mm



A422-CBR-M
Size: 500X400X135mm



A425-CBR-M
Size: 450X400X145mm

ART BASINS *Series*





A001
Size: 420X420X150mm



A002
Size: 430X430X170mm



A460
Size: 400X400X145mm



The splendid, elegant feeling, the wonderful intention inclined to the people who have temperament and interest.



A432
Size: 430X430X130mm



A003
Size: 465X465X155mm



A005
Size: 650X435X200mm



COMFORTS

In search for the most exciting design, we can firmly and ideally follow the fashion with the application of the best technology.



A013A Size: 370X370X155mm





A016 Size: 455X455X175mm



A019B Size: 485X485X150mm



A022 Size: 480X370X130mm



A023 Size: 480X370X130mm



A422
Size: 500X400X135mm



A429
Size: 420X420X125mm



A028 Size: 415X415X165mm



A021B Size: 405X415X250mm



A024 Size: 405X405X165mm



A025 Size: 400X400X155mm



A030 Size: 335X290X115mm



A031 Size: 520X430X155mm



A072 Size: 505X350X140mm



A082 Size: 410X330X145mm



A084 Size: 600X440X170mm



A089 Size: 470x470x140mm



A091 Size: 410X410X165mm



A457 Size: 615X420X140mm



A093 Size: 600X460X190mm



A097 Size: 600X470X180mm



A099 Size: 460X460X170mm



A100 Size: 490X490X130mm



CE





A402
Size: 510X420X145mm



A405
Size: 460X325X170mm



A507
Size: 405x405x100mm

The splendid, elegant feeling, the wonderful intention inclined to the people who have temperament and interest.



A491D
Size: 410X410X115mm



A406 Size: 460x460x160mm



A410 Size: 460X460X190mm



A414 Size: 410X410X140mm



A416 Size: 600X430X170mm



A417 Size:400X400X175mm



A419 Size:485X395X145mm



A419A
Size:610X400X150mm



A421 Size:540x450x165mm



A422 Size:500X400X135mm

A good quality of life depends on comfortable living experiences. We hope that bathroom will give you a break in your daily life, and make your overall bathroom experience a time which you look forward to.



A420 Size:410X410X145mm





A426 Size: 455X320X135mm



A427 Size: 440X440X135mm



A428
Size: 415X415X135mm



A433
Size: 515X390X145mm



A429 Size: 420X420X125mm



A430 Size: 365X365X135mm



A431 Size: 425X425X120mm



A432 Size: 430X430X130mm



The simple streamline, full of natural original breath, presents a soft feeling in the calm atmosphere.





A492B Size:500X355X130mm



A493 Size:450X450X170mm



A494 Size:430X430X170mm



A495 Size:500X450X170mm



A492A Size:600X355X130mm



A496 Size:500X450X170mm




A498 Size:450X450X145mm



A499 Size:600X430X170mm




A500A Size:610X385X135mm




OVS-2522S

Cabinet Basin
Size : 640x560x180mm




OVS-3122S

Cabinet Basin
Size : 790x560x180mm



OVS-3722S

Cabinet Basin
Size : 940x560x180mm




OVS-4322S


Cabinet Basin
Size : 1095x560x180mm



OVS-4922S


Cabinet Basin
Size : 1250x560x180mm






OVS-9060E

Cabinet Basin
Size : 610x465x170mm




OVS-9070E/9075E

Cabinet Basin
Size : 710x465x170mm
Size : 760x465x170mm




OVS-9080E

Cabinet Basin
Size : 810x465x170mm




OVS-9090E

Cabinet Basin
Size : 910x465x170mm




OVS-9100E

Cabinet Basin
Size : 1010x465x170mm




OVS-9120E/9150E

Cabinet Basin
Size : 1210x465x170mm
Size : 1510x465x170mm



OVS-9120EE

Cabinet Basin
Size : 1210x465x170mm



OVS-9150EE

Cabinet Basin
Size : 1510x465x170mm





OVS-9060E-BM/WM

MATT BLACK

Size:610x465x180mm



OVS-9090E-BM/WM

MATT BLACK

Size:910x465x180mm



OVS-9120EE-BM/WM

MATT BLACK

Size:1210x465x180mm



OVS-9060ET-BM/WM

MATT BLACK

Size:610x465x175mm



OVS-9090ET-BM/WM

MATT BLACK

Size:910x465x175mm




OVS-9120ET-BM/WM

MATT BLACK


Size:1210x465x175mm




OVS-9060ET
size: 610x465x175mm




OVS-9070ET
size: 710x465x175mm




OVS-9075ET
size: 760x465x175mm




OVS-9080ET
size: 810x465x175mm




OVS-9090ET
size: 910x465x175mm




OVS-9100ET
size: 1010x465x175mm




OVS-9120ET
size: 1210x465x175mm




OVS-9120EET
size: 1210x465x175mm




OVS-9140EET
size: 1410x465x175mm



OVS-9150EET
size: 1510x465x175mm




CE




OVS-9060ET-R
Cabinet Basin
Size : 610x465x175mm

CE




OVS-9080ET-R
Cabinet Basin
Size : 810x465x175mm

CE




OVS-9090ET-R
Cabinet Basin
Size : 910x465x175mm

CE




OVS-9100ET-R
Cabinet Basin
Size : 1010x465x175mm

CE




OVS-9120ET-R
Cabinet Basin
Size : 1210x465x175mm






OVS-9060R

Cabinet Basin
Size: 610x465x180mm




OVS-9080R

Cabinet Basin
Size: 810x465x180mm



OVS-9100R

Cabinet Basin
Size: 1010x465x180mm



OVS-9120RR

Cabinet Basin
Size: 1210x465x180mm




CE


OVS-9120R

Cabinet Basin

Size: 1210x465x180mm




CE



OVS-9050G

Cabinet Basin
Size : 510x390x180mm


CE



OVS-9060G

Cabinet Basin
Size : 610x390x180mm


CE



OVS-9070G

Cabinet Basin
Size : 710x390x180mm


CE



OVS-9080G

Cabinet Basin
Size : 810x390x180mm


CE



OVS-9090G

Cabinet Basin
Size : 910x390x180mm


CE



OVS-9100G


Cabinet Basin
Size : 1010x390x180mm






OVS-6036E

Cabinet Basin
Size : 610x360x180mm




OVS-9050DA

Cabinet Basin
Size : 510x395x170mm




OVS-8036E

Cabinet Basin
Size : 810x360x180mm




OVS-9060DA

Cabinet Basin
Size : 610x395x170mm




OVS-1036E

Cabinet Basin
Size : 1010x360x180mm




OVS-9080DA

Cabinet Basin
Size : 810x395x170mm



OVS-9048B

Cabinet Basin
Size : 410x410x175mm



OVS-9050

Cabinet Basin
Size : 535x460x180mm

FOSHAN OVS SANITARY WARE CO., LTD.

Address: Second floor, No 13, Building 6, South Area, Huayi Building and Decoration
Materials Market, Wugang Road, Foshan, Guangdong, China

Factory Address: DengTang, Chaozhou, Guangdong, China

International Sales TEL: 86-757-82726286

Home page: www.fsovs.com

E-mail: ovsmaster@fsovs.com