




# CHINA GOLD PROMISES GROUP

Cert: CARB EPA FSC CE



TEL: 0086-539-8718678  
 MSN: nice-to-see-you55@hotmail.com  
 E-mail: excellent2010@gmail.com  
 WEB: www.globalpromises.com www.goldpromises.com  
 ADD: No.1101 A4 Building Linyi Lushang Center Guangzhou Road And Xiaohe Road  
 Interchange Liuqing Sub-District Lanshan District Linyi City Shandong Province

FAX: 0086-539-8232123

SKYPE: excellent0505







# CHINA GOLD PROMISES GROUP



CHINA GOLD PROMISES GROUP

Linyi Global Promises Import&Export Co.,Ltd.(China)  
New Create Plywood Co.,Ltd.(Vietnam)  
Sagacity Sailing Industry Co., Ltd.(Vietnam)  
Gold Promises Group Co.,Ltd.(Thailand)  
Clear Ceramics Bldg Mat Tr(Dubai)  
Qiu Bldg.Mat Industry(India)

CHINA GOLD PROMISES GROUP established in 2006, manufacture and sales: Plywood, Film Face Plywood, Blockboard, OSB Board, Finger Jointed Board, Fancy Plywood, PET/Melamine Plywood, Wooden Veneer.

GOLD PROMISES is your plywood manufacturer in business which can produce customized products with professional technology.

Our mission is endless innovation, providing customers with high quality products and services.




Because Specialty. So worth to be trust.  
因为专业 所以值得信赖



# CHINA GOLD PROMISES GROUP



## Manufacturing process:



Plywood



Film face plywood



OSB



Blockboard



UV birch plywood



Glued laminated timber





# CHINA GOLD PROMISES GROUP



Okoume Plywood



Bingtangor Plywood



Birch Plywood



UV Birch Plywood



Pine Plywood



Plywood

## PLYWOOD

| USE<br>用途                | Furniture manufacture, building decoration and Package<br>家具制造、建筑装修和包装                                                                                                                                                                      |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Face & Back<br>面板和底板     | Okoume, Merianti, Bingtangor, Birch, Pine, Poplar, ETC<br>奥古曼、柳桉、冰糖果、桦木、松木、杨木                                                                                                                                                               |
| Core<br>芯板               | Poplar, Birch, Pine, Hardwood, Combi<br>杨木、桦木、松木、杂木、杨杂                                                                                                                                                                                      |
| Glue<br>胶水               | Eo, E1, E2, MR, WBP, MELAMINE<br>Eo, E1, E2, MR, WBP、三聚氰胺胶                                                                                                                                                                                  |
| Size<br>尺寸               | 1220*2440mm 1250*2500mm 610*2440mm 1220*1220mm<br>and other any cutting size                                                                                                                                                                |
| Thickness<br>厚度          | 2.0mm--50.00mm                                                                                                                                                                                                                              |
| Packing<br>包装            | Inner packing: Inside pallet is wrapped with a 0.20mm plastic bag<br>Outer packing: Pallets are covered with PLYWOOD/MDF/CARTON and then PVC/steel tapes for strength<br>内包装: 货物放在托盘上, 套一个厚度0.20mm的塑料袋<br>外包装: 使用胶合板/密度板/纸箱包装, 然后以PVC或者钢带捆包 |
| Transport<br>装载          | By break bulk or container (Qty: 8plts/22m³/20GP, 16plts/48m³/40 GP, 18plts/54m³/40 HQ)<br>散装或者装集装箱 (装箱数量: 8托/22立方/20尺小柜, 16托/48 立方/40尺普柜, 18托/54立方/40尺超高)                                                                                  |
| MOQ<br>最小起定量             | 54M³/Order<br>54立方/订单                                                                                                                                                                                                                       |
| MSQ<br>最大供应量             | 5000M³/Month<br>5000立方/月                                                                                                                                                                                                                    |
| Time of delivery<br>交货时间 | 25 Day/Order<br>25天 / 订单                                                                                                                                                                                                                    |
| Payment<br>支付方式          | T/T OR IRREVOCABLE L/C AT SIGHT<br>电汇或者信用证                                                                                                                                                                                                  |



# CHINA GOLD PROMISES GROUP



Carpet Tack Strip



Carpet Tack Strip



Drawer Side Panel



Bent Plywood



Shaped Cutting



Punching and Cutting

## SPECIAL PLYWOOD

| USE<br>用途                | Furniture manufacture, building decoration and Package<br>家具制造、建筑装修和包装                                                                                                                                                                      |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Face & Back<br>面板和底板     | Okoume, Merianti, Bingtangor, Birch, Pine, Poplar, ETC<br>奥古曼、柳桉、冰糖果、桦木、松木、杨木                                                                                                                                                               |
| Core<br>芯板               | Poplar, Birch, Pine, Hardwood, Combi<br>杨木、桦木、松木、杂木、杨杂                                                                                                                                                                                      |
| Glue<br>胶水               | Eo, E1, E2, MR, WBP, MELAMINE<br>Eo, E1, E2, MR, WBP、三聚氰胺胶                                                                                                                                                                                  |
| Size<br>尺寸               | Any cutting size                                                                                                                                                                                                                            |
| Thickness<br>厚度          | 2.0mm--50.00mm                                                                                                                                                                                                                              |
| Packing<br>包装            | Inner packing: Inside pallet is wrapped with a 0.20mm plastic bag<br>Outer packing: Pallets are covered with PLYWOOD/MDF/CARTON and then PVC/steel tapes for strength<br>内包装: 货物放在托盘上, 套一个厚度0.20mm的塑料袋<br>外包装: 使用胶合板/密度板/纸箱包装, 然后以PVC或者钢带捆包 |
| Transport<br>装载          | By break bulk or container<br>散装或者装集装箱                                                                                                                                                                                                      |
| MOQ<br>最小起定量             | 54M³/Order<br>54立方/订单                                                                                                                                                                                                                       |
| MSQ<br>最大供应量             | 5000M³/Month<br>5000立方/月                                                                                                                                                                                                                    |
| Time of delivery<br>交货时间 | 25 Day/Order<br>25天 / 订单                                                                                                                                                                                                                    |
| Payment<br>支付方式          | T/T OR IRREVOCABLE L/C AT SIGHT<br>电汇或者信用证                                                                                                                                                                                                  |






# CHINA GOLD PROMISES GROUP



Film Face Plywood



Film Face Plywood



Film Face Plywood




MDO PLYWOOD



Anti-slip Film Face Plywood



# CHINA GOLD PROMISES GROUP



## FILM FACE WOOD

### 建筑膜板描述

|                          |                                                                                                                                                                                                                                             |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE<br>用途                | Building and furniture<br>建筑和家具制造                                                                                                                                                                                                           |
| Film<br>膜纸               | Dynea Brown film, Local Brown film, Local Black Film<br>进口太尔棕膜, 国产棕膜和国产黑膜                                                                                                                                                                   |
| Core<br>芯板               | Poplar, Combi, Birch, Hardwood<br>杨木、桦木、杂木、杨杂                                                                                                                                                                                               |
| Glue<br>胶水               | WBP, MELAMINE, E1 MR<br>WBP、三聚氰胺胶、E1 MR                                                                                                                                                                                                     |
| Size<br>尺寸               | 1220*2440mm 1250*2500mm 610*2440mm                                                                                                                                                                                                          |
| Thickness<br>厚度          | 5mm--21mm                                                                                                                                                                                                                                   |
| Packing<br>包装            | Inner packing: Inside pallet is wrapped with a 0.20mm plastic bag<br>Outer packing: Pallets are covered with PLYWOOD/MDF/CARTON and then PVC/steel tapes for strength<br>内包装: 货物放在托盘上, 套一个厚度0.20mm的塑料袋<br>外包装: 使用胶合板/密度板/纸箱包装, 然后以PVC或者钢带捆包 |
| Transport<br>装载          | By break bulk or container (Qty: 8plts/22m³/20GP, 16plts/48m³/40 GP, 18plts/54m³/40 HQ)<br>散装或者集装箱 (装箱数量: 8托/22立方/20尺小柜, 16托/48立方/40尺普柜, 18托/54立方/40尺超高)                                                                                    |
| MOQ<br>最小起定量             | 54M³/Order<br>54立方/订单                                                                                                                                                                                                                       |
| MSQ<br>最大供应量             | 5000M³/Month<br>5000立方/月                                                                                                                                                                                                                    |
| Time of delivery<br>交货时间 | 25 Day/Order<br>25天 / 订单                                                                                                                                                                                                                    |
| Payment<br>支付方式          | T/T OR IRREVOCABLE L/C AT SIGHT<br>电汇或者信用证                                                                                                                                                                                                  |

## OSB BOARD

### 欧松板描述

|                          |                                                                                                                                                                                                                                             |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE<br>用途                | Building and Package<br>建筑和包装                                                                                                                                                                                                               |
| Face & Back<br>面板和底板     | Poplar Combi<br>杨木 杨杂                                                                                                                                                                                                                       |
| Core<br>芯板               | WBP MELAMINE<br>WBP 三聚氰胺胶                                                                                                                                                                                                                   |
| Glue<br>胶水               | WBP MELAMINE E1 MR<br>WBP 三聚氰胺胶 E1 MR                                                                                                                                                                                                       |
| Size<br>尺寸               | 1220*2440mm                                                                                                                                                                                                                                 |
| Thickness<br>厚度          | 6mm--21mm                                                                                                                                                                                                                                   |
| Packing<br>包装            | Inner packing: Inside pallet is wrapped with a 0.20mm plastic bag<br>Outer packing: Pallets are covered with PLYWOOD/MDF/CARTON and then PVC/steel tapes for strength<br>内包装: 货物放在托盘上, 套一个厚度0.20mm的塑料袋<br>外包装: 使用胶合板/密度板/纸箱包装, 然后以PVC或者钢带捆包 |
| Transport<br>装载          | By break bulk or container (Qty: 8plts/22m³/20GP, 16plts/48m³/40 GP, 18plts/54m³/40 HQ)<br>散装或者集装箱 (装箱数量: 8托/22立方/20尺小柜, 16托/48立方/40尺普柜, 18托/54立方/40尺超高)                                                                                    |
| MOQ<br>最小起定量             | 54M³/Order<br>54立方/订单                                                                                                                                                                                                                       |
| MSQ<br>最大供应量             | 1000M³/Month<br>1000立方/月                                                                                                                                                                                                                    |
| Time of delivery<br>交货时间 | 25 Day/Order<br>25天 / 订单                                                                                                                                                                                                                    |
| Payment<br>支付方式          | T/T OR IRREVOCABLE L/C AT SIGHT<br>电汇或者信用证                                                                                                                                                                                                  |





# CHINA GOLD PROMISES GROUP



# CHINA GOLD PROMISES GROUP



A grade

B grade

## BLOCKBOARD

木工板 描述

|                          |                                                                                                                                                                                                                                             |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE<br>用途                | Decoration and furniture<br>装修和家具                                                                                                                                                                                                           |
| Face & Back<br>面板和底板     | Okoume<br>奥古曼                                                                                                                                                                                                                               |
| Core<br>芯板               | Paulownia, Chinese fir, Tung, Malacca wood<br>泡桐、杉木、桐木、马六甲木材                                                                                                                                                                                |
| Glue<br>胶水               | Eo, E1, E2                                                                                                                                                                                                                                  |
| Size<br>尺寸               | 1220*2440mm<br>and other any cutting size                                                                                                                                                                                                   |
| Thickness<br>厚度          | 12mm--18mm                                                                                                                                                                                                                                  |
| Packing<br>包装            | Inner packing: Inside pallet is wrapped with a 0.20mm plastic bag<br>Outer packing: Pallets are covered with PLYWOOD/MDF/CARTON and then PVC/steel tapes for strength<br>内包装: 货物放在托盘上, 套一个厚度0.20mm的塑料袋<br>外包装: 使用胶合板/密度板/纸箱包装, 然后以PVC或者钢带捆包 |
| Transport<br>装载          | By break bulk or container (Qty: 8plts/22m <sup>3</sup> /20GP, 16plts/48m <sup>3</sup> /40 GP, 18plts/54m <sup>3</sup> /40 HQ)<br>散装或者装集装箱 (装箱数量: 8托/22立方/20尺小柜, 16托/48立方/40尺普柜, 18托/54立方/40尺超高)                                            |
| MOQ<br>最小起定量             | 54M <sup>3</sup> /Order<br>54立方/订单                                                                                                                                                                                                          |
| MSQ<br>最大供应量             | 5000M <sup>3</sup> /Month<br>5000立方/月                                                                                                                                                                                                       |
| Time of delivery<br>交货时间 | 25 Day/Order<br>25天 / 订单                                                                                                                                                                                                                    |
| Payment<br>支付方式          | T/T OR IRREVOCABLE L/C AT SIGHT<br>电汇或者信用证                                                                                                                                                                                                  |

## Glued laminated timber

集成材

|                          |                                                                                                                                                                                                                                             |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE<br>用途                | Furniture<br>家具制造                                                                                                                                                                                                                           |
| Face & Back<br>面板和底板     | No face & back There are only core boards<br>没有面和底, 只有芯板                                                                                                                                                                                    |
| Timber<br>木板             | Pine, Fir, Okoume, Rubber Wood<br>松木、杉木、奥古曼、橡胶木                                                                                                                                                                                             |
| Glue<br>胶水               | Eo, E1, E2                                                                                                                                                                                                                                  |
| Size<br>尺寸               | 1200*2440mm                                                                                                                                                                                                                                 |
| Thickness<br>厚度          | 12.00mm--21.00mm                                                                                                                                                                                                                            |
| Packing<br>包装            | Inner packing: Inside pallet is wrapped with a 0.20mm plastic bag<br>Outer packing: Pallets are covered with PLYWOOD/MDF/CARTON and then PVC/steel tapes for strength<br>内包装: 货物放在托盘上, 套一个厚度0.20mm的塑料袋<br>外包装: 使用胶合板/密度板/纸箱包装, 然后以PVC或者钢带捆包 |
| Transport<br>装载          | By break bulk or container<br>散装或者装集装箱                                                                                                                                                                                                      |
| MOQ<br>最小起定量             | 54M <sup>3</sup> /Order<br>54立方/订单                                                                                                                                                                                                          |
| MSQ<br>最大供应量             | 2000M <sup>3</sup> /Month<br>2000立方/月                                                                                                                                                                                                       |
| Time of delivery<br>交货时间 | 25 Day/Order<br>25天 / 订单                                                                                                                                                                                                                    |
| Payment<br>支付方式          | T/T OR IRREVOCABLE L/C AT SIGHT<br>电汇或者信用证                                                                                                                                                                                                  |





# CHINA GOLD PROMISES GROUP



# CHINA GOLD PROMISES GROUP



## Fancy plywood

### 胶合板描述

|                          |                                                                                                                                                                                                                                             |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USE<br>用途                | Furniture and building decoration<br>家具和装修                                                                                                                                                                                                  |
| Face & Back<br>面板和底板     | Face: as your request<br>Back: hardwood veneer                                                                                                                                                                                              |
| Core<br>芯板               | Poplar or hardwood<br>杨木或杂木                                                                                                                                                                                                                 |
| Glue<br>胶水               | EO, E1, E2                                                                                                                                                                                                                                  |
| Veneer<br>木皮             | All veneer<br>任何木皮                                                                                                                                                                                                                          |
| Size<br>尺寸               | 1220*2440mm                                                                                                                                                                                                                                 |
| Thickness<br>厚度          | 2mm--6mm                                                                                                                                                                                                                                    |
| Packing<br>包装            | Inner packing: Inside pallet is wrapped with a 0.20mm plastic bag<br>Outer packing: Pallets are covered with PLYWOOD/MDF/CARTON and then PVC/steel tapes for strength<br>内包装: 货物放在托盘上, 套一个厚度0.20mm的塑料袋<br>外包装: 使用胶合板/密度板/纸箱包装, 然后以PVC或者钢带捆包 |
| Transport<br>装载          | By break bulk or container (Qty: 8plts/22m³/20GP, 16plts/48m³/40GP, 18plts/54m³/40HQ)<br>散装或者集装集装箱 (装箱数量: 8托/22立方/20尺小柜, 16托/48立方/40尺普柜, 18托/54立方/40尺超高)                                                                                    |
| MOQ<br>最小起定量             | 54M³/Order<br>54立方/订单                                                                                                                                                                                                                       |
| MSQ<br>最大供应量             | 5000M³/Month<br>5000立方/月                                                                                                                                                                                                                    |
| Time of delivery<br>交货时间 | 25 Day/Order<br>25天 / 订单                                                                                                                                                                                                                    |
| Payment<br>支付方式          | T/T OR IRREVOCABLE L/C AT SIGHT<br>电汇或者信用证                                                                                                                                                                                                  |

