



HUAGUAN
H A R D W A R E I N D U S T R Y



[http: //www.china-huaguan.com](http://www.china-huaguan.com)
E-mail: huaguan@china-huaguan.com

2020 Year

中山市华冠五金有限公司
ZHONGSHAN HUAGUAN HARDWARE CO.,LTD

地址: 广东省中山市小榄镇工业大道南裕成一路8号
Tel: 86-760-22276609 Fax: 86-760-22263470

- 华冠五金制品厂成立于1995年8月。位于中国五金制品产业基地－中山市小榄镇。毗邻香港和澳门。我厂融合了传统工艺和不断更新的现代生产技术，产品从选料到构造都赋予严格的标准，使我们在产品质量、市场推广和客户服务等方面不断提高，产品远销于德国、意大利、西班牙、美国、加拿大、韩国、日本、澳大利亚、巴西、阿根廷等国家和地区。
- 在全球贸易一体化的商业环境下，客户对产品质量、服务要求提出了更高的要求。我们的追求永不停步，无论在什么时候，都能为客户提供具有竞争力的产品价格和产品质量。
- 谨向给予我们鼎力支持和真诚厚爱的各界朋友致意。

HUAGUAN HARDWARE Co.LTD




Quality is always our priority, Creation is always our tradition

Established in August 1995, Huaguan Hardware Products Factory has been a leading hinge manufacturer, which is located in the Well-known National Hardware Products Manufacturing Base-Xiaolan Town, Zhongshan City, Guangdong, China. On March 2009, Huaguan has moved to new factory land in Xiaolan Industrial Road South with 22000 square meters land.

Quality is never an accident. We have merged traditional craftsmanship with ever-renovating modern technology, from the selection of the materials to the production details, we have set up very high criterion, which enables us to export our products to Germany, Italy, Spain, USA, Canada, Korea, Japan, Australia, Brazil, Argentina, etc..... Europe, North America and Asia is our main market and cover more than 74% annual sales as following Marketing Distribution data. After customers placed a trial order, he will focus on Huaguan and keep coopertion with Huaguan because of our stable good quality and good reputation. We will never stop the pursuit. We are looking forward to be your good supplier.



Warmly welcome to our factory.

ANSI/BHMA
A156.1:2006 Grade 1



22年打造经典品质

专利和证
Patent & Certification



Reference for choosing Hinge 铰链选择参考数据

DOOR WIDTH 门宽

The door width is one of the factors to determine the size of hinge.The following table is a general reference for hinge selection:
门宽是选择铰链时必须考虑的因素，下表供一般参考：

SIZE OF HINGE with 2 ball bearing / 2BB 轴承铰链尺寸

Thickness of door/ 门厚		Width of door/ 门宽		Height of hinge/ 铰链长度	
mm 毫米	Inch 英寸	mm 毫米	Inch 英寸	mm 毫米	Inch 英寸
35mm	1-3/8"	813mm	32"	76mm	3.0"
45mm	1-3/4"	813mm	32"	76mm	3.0"
51mm	2.0"	813mm	32"	89mm	3.5"
60mm	2-3/8"	813mm	32"	102mm	4.0"
35mm	1-3/8"	813-914mm	32" - 36"	89mm	3.5"
45mm	1-3/4"	813-914mm	32" - 36"	89mm	3.5"
51mm	2.0"	813-914mm	32" - 36"	102mm	4.0"
60mm	2-3/8"	813-914mm	32" - 36"	114mm	4.5"
45mm	1-3/4"	914mm	36"	89mm	3.5"
51mm	2.0"	914mm	36"	102mm	4.0"
60mm	2-3/8"	914mm	36"	127mm	5.0"
45mm	1-3/4"	914-1219mm	36" - 48"	102mm	4.0"
51mm	2.0"	914-1219mm	36" - 48"	114mm	4.5"
60mm	2-3/8"	914-1219mm	36" - 48"	140mm	5.5"
45mm	1-3/4"	Over1219mm	Over48"	114mm	4.5"
51mm	2.0"	Over1219mm	Over48"	127mm	5.0"
60mm	2-3/8"	Over1219mm	Over48"	152mm	6.0"

For door width more than 930mm up to 1220mm,an additional hinge helps to support the addition and tension imposed onto the frame due to the greater width.
门宽如超过 930 毫米至 1220 毫米，所增加的宽度会增加门框负荷的重量和张力，应增加一双铰链帮助支持

Reference for choosing Hinge 铰链选择参考数据

WEIGHT OF THE DOOR/ 门重

Hinges must be strong enough to carry the weight of the door.The weight of the door is not strictly based on the mass of the door but also the additional loading imposed by hardware or ironmongery to be installed on the door. For example with a door closer without back check, it normally adds 20% to the door weight.(If door closer with back check would be fitted the effective door weight should be 100% greater than the door alone.)

铰链必须有足够强度支持门重，门重不单止门的净重，还有将安装的五金件所增加的负荷。

举例如果有装不带牵制的闭门器，门重要多算 20% 。（如果装带牵制的闭门器则门重要多算 100%）。

<i>Door weight</i> 门重公斤 /磅	Hing Size for 35mm(1–3/8") Door Thickness 铰链尺寸 – 门厚 35mm	Hing Size for 44mm(1–3/4") Door Thickness 铰链尺寸 – 门厚 44mm	Hing Size for 51mm(2") Door Thickness 铰链尺寸 – 门厚 51mm
23kg / 50 lb	89mm x 89mm	102mm x 89mm	102mm x 102mm
34kg / 75 lb	102mm x 89mm	102mm x 102mm	114mm x 102mm
79kg / 175 lb	102mm x 102mm	114mm x 102mm	114mm x 114mm
102kg / 225 lb	114mm x 102mm	114mm x 114mm	127mm x 114mm
136kg / 300 lb	114mm x 114mm	127mm x 114mm	127mm x 127mm
272kg / 600 lb	127mm x 114mm	127mm x 127mm	152mm x 127mm

Approximate Door Weight 参考门重

Door Thickness	1–3/8" 英寸	35mm 毫米	1–3/4" 英寸	44mm 毫米	2" 英寸	51mm 毫米
Wt.Unit	lb/ft ² 磅 / 平方尺	kg/m ² 公斤 / 平方米	lb/ft ² 磅 / 平方尺	kg/m ² 公斤 / 平方米	lb/ft ² 磅 / 平方尺	kg/m ² 公斤 / 平方米
Hollow Metal 空心钢门	4.0	19.53	5.0	24.40	6.5	31.74
Hollow Core 空心木门	2.0	9.77	2.5	12.21	/	/
Solid Core 实芯填充门	3.5	17.09	4.5	22.00	5.25	25.63
Mineral Core 矿芯门	/	/	4.0	19.53	/	/
Pine(white) 松木门	3.0	14.65	3.5	17.09	4.0	19.53
Oak 橡木门	5.0	24.40	7.0	34.18	8.0	39.06
Ash 木门	4.0	19.53	5.0	24.40	6.0	29.30
Fir 杉木门	3.0	14.65	3.5	17.09	4.0	19.53
Birch 桦木门	4.25	20.75	5.5	26.85	6.25	30.52
Mahogany 桃花心木门	3.5	17.09	4.5	22.00	6.25	30.52

Reference for choosing Hinge 铰链选择参考数据

FREQUENCY OF USE/ 使用频率

- Light duty hinges are specified for low frequency of use such as domestic use,internal or external door indwelling.
轻负荷铰链可用於低频使用量的门如住宅的内、外门。
- Medium duty hinges are specified for medium frquency of use such as the external door which grand access to public areas of dwelling, hospital consultation rooms,school corridor, office building corridor and storage rooms.
中负荷铰链可用於中频使用量的门如住宅入户门、医院诊证室、学校走 廊、办公楼及储物室等。
- Heavy duty hinges are specified for high frquency of use such as the entrance of public buildings, hospials, schools and commercial building, office stairwell, entrance of large department store or entrance of theatres.
重负荷铰链可用於高频使用量的门如政府大楼、医院、学校及商业大厂厦等入口；办公楼楼梯口；大百货公司及剧院等入口。



Estimated Frequency of operation of doors 各类门估算的使用频率

	Estimated number of operations 估计的使用次数	
<i>Door situation</i> 门的位置	<i>Daily</i> 每天	<i>Annually</i> 每年
<i>High frequency use of doors</i> 高使用量门		
Large department store entrance 大百货公司入口	5,000	1,500,000
Large office building entrance 大型办公楼入口	4,000	920,000
Cinema or theatre entrance 影、剧院入口	1,300	455,000
School entrance 学校入口	1,250	225,000
Entrance door of school toilet 学校卫生间门	1,250	225,000
City center shop entrance 市中心商店入口	1,000	300,000
Large city bank entrance 大型市内银行入口	1,000	300,000
School corridor fire door 学校走廊防火门	600	108,000
Town bank entrance 乡镇银行入口	500	125,000
City center restaurant entrance 市中心餐厅入口	500	150,000
Large corridor fire door 大型走廊防火门	450	104,000
Town center shop entrance 乡镇商店入口	400	120,000
Large pfice or factory toilet entrance 大型办公室或工厂卫生间入口	400	90,000
Hospital ward door 医院科、翼异分隔门	350	128,000
<i>Medium frequency use of doors</i> 中使用量门		
School classroom door 学校课室门	80	15,000
Office 办公室	75	18,000
School toilet door 学校厕格门	60	18,000
Dwelling rear or side entrance 住宅后门或侧门	15	5,400
Dwelling front entrance 住宅前门	12	4,400
<i>Low frequency use of doors</i> 底使用量门		
Dwelling living room communicating door 住宅后门或侧门	30	10,800
Dwelling bathroom/toilet door 住宅卫浴室门	20	7,200
Dwelling cupboard door 住宅食櫥柜门	12	4,300
Dwelling bedroom door 住宅寝门	9	3,200
Dwelling wardrobe / closet door 住宅衣履间门	6	2,200
Dwelling cabinet furniture door 住宅家俱抽屉门	5	1,800


Aluminum Spring Hinge 铝合金铰链系列




Aluminum Spring Hinge 铝合金铰链系列



铝单弹铰 Aluminum Spring Hinge	
MODEL NO.	DIMENSION(HxWxT)
铝单弹铰链	Φ16-180x80x4mm




铝双单弹铰 Aluminum Spring Hinge	
MODEL NO.	DIMENSION(HxWxT)
铝双弹铰链	16-180X133.5X4mm




专利产品 带定位缓冲阻力自关铝门铰 Locating Buffer Self Closing Aluminum hinge	
MODEL NO.	DIMENSION(HxWxT)
AL604035-NW	Φ22-6.0"x4.0"x3.5mm

Brass Hinge Series
铜铰链系列





Brass Hinge Series 铜铰链系列




铜古典铰链
Classical Hinge

MODEL NO.	DIMENSION(HxWxT)
SB-5x3.5x4.5-4BB	Φ 14-5"x3.5"x4.5mm



铜重型铰链
Heavy Duty Hinge

MODEL NO.	DIMENSION(HxWxT)
SB353531-2BB-FT	Φ 13-3.5"x3.5"x3.1mm
SB404033-2BB-FT	Φ 14-4.0"x4.0"x3.3mm
SB454034-2BB-FT	Φ 15-4.5"x4.0"x3.4mm
SB454534-2BB-FT	Φ 15-4.5"x4.5"x3.4mm
SB504548-2BB-FT	Φ 17-5.0"x4.5"x4.8mm





铜隐藏轴承铰链
Conceal Ball Bearing Hinge

MODEL NO.	DIMENSION(HxWxT)
SB454034-3K-FT	Φ 15-4.5"x4.0"x3.4mm
SB454045-3K-FT	Φ 17-4.5"x4.0"x4.5mm
SB454534-3K-FT	Φ 15-4.5"x4.5"x3.4mm
SB454548-3K-FT	Φ 17-4.5"x4.5"x4.8mm




Brass Hinge Series 铜铰链系列




铜重型防撬铰链
Security Hinge 4BB

MODEL NO.	DIMENSION(HxWxT)
SB454534-4BB-S2	Φ 15-4.5"x4.5"x3.4mm
SB454545-4BB-S2	Φ 17-4.5"x4.5"x4.5mm
SB504537-4BB-S2	Φ 17-5.0"x4.5"x3.7mm
SB504548-4BB-S2	Φ 17-5.0"x4.5"x4.8mm




铜方轴铰链
Square Barrel Hinge

MODEL NO.	DIMENSION(HxWxT)
SB353545-3K-PN	□ 10.6-3.5"x3.5"x4.57mm
SB404045-3K-PN	□ 10.6-4.0"x4.0"x4.57mm
SB454545-3K-PN	□ 10.6-4.5"x4.5"x4.57mm





铜家居铰链
Residential Hinge PN-CR

MODEL NO.	DIMENSION(HxWxT)
SB303025-PN-CR-FT	Φ 11-3.0"x3.0"x2.5mm
SB353525-PN-CR-FT	Φ 11-3.5"x3.5"x2.5mm
SB353530-PN-CR-FT	Φ 12-3.5"x3.5"x3.0mm
SB404025-PN-CR-FT	Φ 11-4.0"x4.0"x2.5mm
SB404030-PN-CR-FT	Φ 12-4.0"x4.0"x3.0mm
SB404033-PN-CR-FT	Φ 13-4.0"x4.0"x3.3mm
SB454534-PN-CR-FT	Φ 13-4.5"x4.5"x3.4mm





Brass Hinge Series 铜铰链系列




铜家居铰链
Residential Hinge 2BB

MODEL NO.	DIMENSION(HxWxT)
SB302528-2BB-FT	Φ 11-3.0"x2.5"x2.8mm
SB303025-2BB-FT	Φ 11-3.0"x3.0"x2.5mm
SB303030-2BB-FT	Φ 12-3.0"x3.0"x3.0mm
SB353030-2BB-FT	Φ 12-3.5"x3.0"x3.0mm
SB353525-2BB-FT	Φ 11-3.5"x3.5"x2.5mm
SB353530-2BB-FT	Φ 12-3.5"x3.5"x3.0mm
SB403025-2BB-FT	Φ 11-4.0"x3.0"x2.5mm
SB403030-2BB-FT	Φ 12-4.0"x3.0"x3.0mm
SB403530-2BB-FT	Φ 12-4.0"x3.5"x3.0mm
SB404030-2BB-FT	Φ 12-4.0"x4.0"x3.0mm
SB404032-2BB-FT	Φ 13-4.0"x4.0"x3.2mm
SB503030-2BB-FT	Φ 12-5.0"x3.0"x3.0mm
SB503530-2BB-FT	Φ 12-5.0"x3.5"x3.0mm




铜介子铰
Washer Hinge

MODEL NO.	DIMENSION(HxWxT)
SB403030-4W-FT	Φ 14-4.0"x3.0"x3.0mm
SB503530-4W-FT	Φ 14-5.0"x3.5"x3.0mm




铜家居铰链
Residential Hinge 4BB

MODEL NO.	DIMENSION(HxWxT)
SB403024-4BB-FT	Φ 11-4.0"x3.0"x2.4mm
SB403030-4BB-FT	Φ 11-4.0"x3.0"x3.0mm
SB403030-4BB-FT	Φ 12-4.0"x3.0"x3.0mm
SB403040-4BB-FT	Φ 13-4.0"x3.0"x4.0mm
SB403530-4BB-FT	Φ 12-4.0"x3.5"x3.0mm
SB404030-4BB-FT	Φ 12-4.0"x4.0"x3.0mm




Brass Hinge Series 铜铰链系列




铜铰链
Brass Hinge

MODEL NO.	DIMENSION(HxWxT)
SB-4"x3"x3.0	Φ 12-101.6x76.2x3mm



铜家居铰链
Residential Hinge PN-BT



MODEL NO.	DIMENSION(HxWxT)
SB-BT-01	Φ 9-85x60x2.4mm
SB-BT-02	Φ 9-100x75x2.5mm
SB-BT-03	Φ 9-100x75x3.0mm
SB-BT-04	Φ 9-100x100x3.0mm



SB-PD 铜芯铰



MODEL NO.	DIMENSION(HxWxT)
SB-PD-01	Φ 3.8-1.0"x $\frac{3}{8}$ "x1.2mm
SB-PD-02	Φ 4.5-1.5"x $\frac{7}{8}$ "x1.2-1.5mm
SB-PD-03	Φ 5.0-2.0"x1 $\frac{1}{8}$ "x1.3-1.5mm
SB-PD-04	Φ 5.0-2.5"x1 $\frac{3}{8}$ "x1.4-1.8mm
SB-PD-05	Φ 6.0-3.0"x1 $\frac{5}{8}$ "x1.5-2.0mm
SB-PD-06	Φ 7.0-3.5"x 2.0"x1.8-2.2mm
SB-PD-07	Φ 9.0-4.0x 2 $\frac{3}{8}$ "x2.0-2.2mm
SB-PD-08	Φ 9.0-4.0"x 3.0"x2.5-3.0mm
SB-PD-09	Φ 9.0-5.0"x 3.0"x2.5-3.0mm

Brass Hinge Series 铜铰链系列




SB-DW1 铜双介子铰

MODEL NO.	DIMENSION(HxWxT)
SB-DW1-01	Φ 8-76x51x2.5mm
SB-DW1-02	Φ 8-100x60x2.0mm
SB-DW1-03	Φ 8-100x67x2.5mm
SB-DW1-04	Φ 11-100x67x4.0mm
SB-DW1-05	Φ 8-100x75x2.5mm
SB-DW1-06	Φ 11-100x76x4.0mm
SB-DW1-07	Φ 9-127x76x3.0mm



SB-DW2 铜介子铰

MODEL NO.	DIMENSION(HxWxT)
SB-DW2-01	Φ 10-70x60x2.5mm
SB-DW2-02	Φ 10-80x60x2.5mm
SB-DW2-03	Φ 10-80x70x2.5mm
SB-DW2-04	Φ 10-100x70x2.5mm
SB-DW2-05	Φ 10-100x70x3.0mm
SB-DW2-06	Φ 10-100x80x3.0mm
SB-DW2-07	Φ 10-120x70x2.5mm
SB-DW2-08	Φ 10-120x80x3.0mm




3K-2BB Hinge 铜三齿铰

MODEL NO.	DIMENSION(HxWxT)
SB-403030-3K-2BB	Φ 12-4.0"x3.0"x3.0mm
SB-403530-3K-2BB	Φ 13-4.0"x3.5"x3.0mm
SB-453530-3K-2BB	Φ 12-4.5"x3.5"x3.0mm
SB-503530-3K-2BB	Φ 12-5.0"x3.5"x3.0mm




Brass Hinge Series 铜铰链系列




SB-L1 铜圆角(L)铰

MODEL NO.	DIMENSION(HxWxT)
SB-L1-01	Φ 12-102x76x3.0mm
SB-L1-02	Φ 13-102x89x2.7mm
SB-L1-03	Φ 13-102x89x3.0mm
SB-L1-04	Φ 16-140x89x3.5mm



SB-L2 铜直角(L)铰


MODEL NO.	DIMENSION(HxWxT)
SB-L2-01	Φ 10.5-75x52x2.2mm
SB-L2-02	Φ 12.5-100x65x2.8mm
SB-L2-03	Φ 12.5-120x70x2.8mm



SB-L3 铜圆角(L)铰


MODEL NO.	DIMENSION(HxWxT)
SB-L3-01	Φ 12.5-100x65x2.8mm
SB-L3-02	Φ 12.5-120x70x2.8mm

Brass Hinge Series 铜铰链系列




SB-L4 铜直角(L)铰

MODEL NO.	DIMENSION(HxWxT)
SB-L4-01	Φ 10-60x60x2.5mm
SB-L4-02	Φ 10-80x60x2.5mm
SB-L4-03	Φ 10-90x60x2.5mm
SB-L4-04	Φ 10-100x70x2.5mm
SB-L4-05	Φ 10-100x70x2.8mm
SB-L4-06	Φ 10-100x70x3.0mm
SB-L4-07	Φ 10-120x70x2.5mm
SB-L4-08	Φ 10-120x80x2.8mm
SB-L4-09	Φ 10-120x80x3.0mm



SB-L5 铜直角(L)铰

MODEL NO.	DIMENSION(HxWxT)
SB-L5-01	Φ 12-80x62x2.5mm
SB-L5-02	Φ 12-102x76x3.0mm
SB-L5-03	Φ 12-102x89x3.0mm
SB-L5-04	Φ 12-127x76x3.0mm
SB-L5-05	Φ 12-127x89x3.0mm




SB-L6 铜可调节直角(L)铰

MODEL NO.	DIMENSION(HxWxT)
SB-L6-01	Φ 13-120x80x3.5mm




Brass Hinge Series 铜铰链系列




SB-L7 铜方轴直角(L)铰

MODEL NO.	DIMENSION(HxWxT)
SB-L7-01	Φ10-4.0"x3.0"x4.5"mm
SB-L7-02	Φ10-4.0"x4.0"x4.5"mm
SB-L7-03	Φ10-4.5"x4.5"x4.5"mm




SB-CK2 铜曲铰

MODEL NO.	DIMENSION(HxWxT)
SB-CK2-01	Φ10-100x63x3.0mm
SB-CK2-02	Φ10-120x63x3.0mm




SB-CK3 铜曲铰

MODEL NO.	DIMENSION(HxWxT)
SB-CK3-01	Φ12-100x66x3.0mm
SB-CK3-02	Φ12-100x75x3.0mm
SB-CK3-03	Φ14-102x66x3.0mm





Brass Hinge Series 铜铰链系列





SB-CH4 铜圆角柜台铰

MODEL NO.	DIMENSION(HxWxT)
SB-CH4-01	Φ6-80x30x2.0mm




SB-CH2 铜圆角柜台铰


MODEL NO.	DIMENSION(HxWxT)
SB-CH2-01	72x30x2.0mm
SB-CH2-02	72x30x2.5mm
SB-CH2-03	80x30x2.0mm
SB-CH2-04	80x30x2.5mm





SB-CH3 铜方角柜台铰

MODEL NO.	DIMENSION(HxWxT)
SB-CH3-01	64x38x3.0mm






Brass Hinge Series 铜铰链系列



SB426 铜家居铰链

MODEL NO.	DIMENSION(HxWxT)
SB426-01	Φ7-63x41x1.8mm
SB426-02	Φ7-63x51x1.8mm
SB426-03	Φ7-76x41x1.8mm
SB426-04	Φ7-76x51x1.8mm




SB-P 铜工字铰

MODEL NO.	DIMENSION(HxWxT)
SB-304040-P	Φ10-3.0"x4.0"x4.0mm
SB-404040-P	Φ10-4.0"x4.0"x4.0mm
SB-405040-P	Φ10-4.0"x5.0"x4.0mm
SB-406040-P	Φ10-4.0"x6.0"x4.0mm




Stainless Steel Hinge Series
不锈钢铰链系列




Finishes: 表面颜色
PVD (锆: PVD)
K-golden (K-金: KG)
Titanium-golden (钛金: TG)
Polished brass plated (仿金: PB)

Antique brass plated (青古铜: AB)
Antique copper plated (红古铜: AC)
Satin stainless steel (不锈钢砂光: SS)
Polished stainless steel (不锈钢精光: PSS)




Stainless Steel Hinge Series 不锈钢铰链系列




S/S 家居铰链
Residential Hinge 4BB

MODEL NO.	DIMENSION(HxWxT)
SS503025-4BB	5.0"x3.0"x2.5mm
SS503030-4BB	5.0"x3.0"x3.0mm
SS503525-4BB	5.0"x3.5"x2.5mm
SS503530-4BB	5.0"x3.5"x3.0mm
SS504030-4BB	5.0"x4.0"x3.0mm
SS504530-4BB	5.0"x4.5"x3.0mm
SS604040-4BB	6.0"x4.0"x4.0mm
SS605040-4BB	6.0"x5.0"x4.0mm



S/S 家居铰链
Residential Hinge 2BB


MODEL NO.	DIMENSION(HxWxT)
SS403020-4BB	4.0"x3.0"x2.0mm
SS403025-4BB	4.0"x3.0"x2.5mm
SS403030-4BB	4.0"x3.0"x3.0mm
SS403525-4BB	4.0"x3.5"x2.5mm
SS403530-4BB	4.0"x3.5"x3.0mm
SS404020-4BB	4.0"x4.0"x2.0mm
SS404025-4BB	4.0"x4.0"x2.5mm
SS404030-4BB	4.0"x4.0"x3.0mm
SS404040-4BB	4.0"x4.0"x4.0mm
SS454030-4BB	4.5"x4.0"x3.0mm
SS454530-4BB	4.5"x4.5"x3.0mm



S/S 重型铰链
Residential Hinge 4BB


MODEL NO.	DIMENSION(HxWxT)
SS404034-4BB	4.0"x4.0"x3.4mm
SS454034-4BB	4.5"x4.0"x3.4mm
SS454534-4BB	4.5"x4.5"x3.4mm
SS504037-4BB	5.0"x4.0"x3.7mm

Stainless Steel Hinge Series 不锈钢铰链系列




S/S 家居铰链
Residential Hinge 2BB

MODEL NO.	DIMENSION(HxWxT)
SS302520-2BB	3.0"x2.5"x2.0mm
SS303020-2BB	3.0"x3.0"x2.0mm
SS303025-2BB	3.0"x3.0"x2.5mm
SS303030-2BB	3.0"x3.0"x3.0mm
SS353020-2BB	3.5"x3.0"x2.0mm
SS353025-2BB	3.5"x3.0"x2.5mm
SS353520-2BB	3.5"x3.5"x2.0mm
SS353525-2BB	3.5"x3.5"x2.5mm
SS353530-2BB	3.5"x3.5"x3.0mm



S/S 家居铰链
Residential Hinge PN


MODEL NO.	DIMENSION(HxWxT)
SS-PN-01	85x60x2.0mm
SS-PN-02	100x60x2.5mm
SS-PN-03	100x75x2.0mm
SS-PN-04	100x75x2.5mm
SS-PN-05	100x75x3.0mm
SS-PN-06	100x100x2.5mm
SS-PN-07	100x100x3.0mm




S/S 家居铰链
Residential Hinge PN

MODEL NO.	DIMENSION(HxWxT)
SS404030-PN	100x100x3.0mm
SS405030-PN	100x125x3.0mm
SS406030-PN	100x150x3.0mm
SS407030-PN	100x175x3.0mm
SS408030-PN	100x200x3.0mm






Stainless Steel Hinge Series 不锈钢铰链系列




S/S 家居铰链
Residential Hinge PN-CR

MODEL NO.	DIMENSION(HxWxT)
SS303025-PN-CR	3.0"x3.0"x2.5mm
SS303030-PN-CR	3.0"x3.0"x3.0mm
SS353520-PN-CR	3.5"x3.5"x2.0mm
SS353525-PN-CR	3.5"x3.5"x2.5mm
SS353530-PN-CR	3.5"x3.5"x3.0mm
SS404020-PN-CR	4.0"x4.0"x2.0mm
SS404025-PN-CR	4.0"x4.0"x2.5mm
SS404030-PN-CR	4.0"x4.0"x3.0mm
SS454530-PN-CR	4.5"x4.5"x3.0mm



S/S 尼龙介子铰
Nylon washer Hinge


MODEL NO.	DIMENSION(HxWxT)
SS403020-NW	4.0"x 3.0"x 2.0mm
SS403025-NW	4.0"x 3.0"x 2.5mm
SS403030-NW	4.0"x 3.0"x 3.0mm
SS403530-NW	4.0"x 3.5"x 3.0mm
SS404025-NW	4.0"x 4.0"x 2.5mm
SS404030-NW	4.0"x 4.0"x 3.0mm
SS503530-NW	5.0"x 3.5"x 3.0mm



S/S 介子铰
Stainless Steel Washer Hinge


MODEL NO.	DIMENSION(HxWxT)
SS403020-SW	4.0"x 3.0"x 2.0mm
SS403025-SW	4.0"x 3.0"x 2.5mm
SS403030-SW	4.0"x 3.0"x 3.0mm
SS403530-SW	4.0"x 3.5"x 3.0mm
SS404025-SW	4.0"x 4.0"x 2.5mm
SS404030-SW	4.0"x 4.0"x 3.0mm
SS503530-SW	5.0"x 3.5"x 3.0mm

Stainless Steel Hinge Series 不锈钢铰链系列




S/S 三齿铰
3K-2BB Hinge

MODEL NO.	DIMENSION(HxWxT)
SS403525-3K-2BB	4.0"x3.5"x2.5mm
SS403530-3K-2BB	4.0"x3.5"x3.0mm



S/S 防撬铰链
Stainless Steel Security Hinge


MODEL NO.	DIMENSION(HxWxT)
SS403030-4BB-S2	4.0"x 3.0"x 3.0mm
SS404030-4BB-S2	4.0"x 4.0"x 3.0mm
SS454030-4BB-S2	4.5"x 4.0"x 3.0mm
SS454530-4BB-S2	4.5"x 4.5"x 3.0mm
SS503530-4BB-S2	5.0"x 3.5"x 3.0mm




S/S 防撬铰链
Stainless Steel Security Hinge

MODEL NO.	DIMENSION(HxWxT)
SS403025-2BB-S1	4.0"x 3.0"x 2.5mm
SS403030-2BB-S1	4.0"x 3.0"x 3.0mm
SS404030-2BB-S1	4.0"x 4.0"x 3.0mm
SS454030-2BB-S1	4.5"x 4.0"x 3.0mm






Stainless Steel Hinge Series 不锈钢铰链系列




SS-RH
Rising Hinge 自升铰链

MODEL NO.	DIMENSION(HxWxT)
SS-RH-01	3.0"x 2.5"x 2.0mm
SS-RH-02	3.5"x 2 ¹ / ₈ "x 2.0mm
SS-RH-03	4.0"x 3.0"x 2.0mm
SS-RH-04	4.0"x 3.0"x 2.5mm
SS-RH-05	4.0"x 3.0"x 3.0mm



SS-FH
Falling Hinge 自降铰链


MODEL NO.	DIMENSION(HxWxT)
SS-FH-01	4.0"x 3.0"x 2.0mm
SS-FH-02	4.0"x 3.0"x 2.5mm
SS-FH-03	4.0"x 3.0"x 3.0mm



SS-CK1 不锈钢曲铰链


MODEL NO.	DIMENSION(HxWxT)
SS-CK1-01	102 x 66x 2.5mm
SS-CK1-02	102 x 66x 3.0mm

Stainless Steel Hinge Series 不锈钢铰链系列




SS-L1

MODEL NO.	DIMENSION(HxWxT)
SS-L1-01	70 x 50 x 1.5mm
SS-L1-02	89 x 60 x 2.0mm
SS-L1-03	90 x 65 x 2.5mm
SS-L1-04	102 x 76 x 2.5mm
SS-L1-05	102 x 76 x 3.0mm



SS-L2

MODEL NO.	DIMENSION(HxWxT)
SS-L2-01	70 x 50 x 1.5mm
SS-L2-02	80 x 62 x 2.5mm
SS-L2-03	80 x 82 x 2.5mm
SS-L2-04	90 x 65 x 2.5mm
SS-L2-05	100 x 75 x 2.5mm




SS-L3


MODEL NO.	DIMENSION(HxWxT)
SS-L3-01	100 x 86 x 3.0mm
SS-L3-02	140 x 86 x 3.0mm




Stainless Steel Hinge Series 不锈钢铰链系列




SS-L4		
MODEL NO.	DIMENSION(HxWxT)	
SS-L4-01	85 x 74 x 2.5mm	
SS-L4-02	100 x 88 x 3.0mm	




SS-RH1		
MODEL NO.	DIMENSION(HxWxT)	
SS-RH1-01	95 x 54 x 2.0mm	
SS-RH1-02	100 x 55 x 2.0mm	




SS-RH3		
MODEL NO.	DIMENSION(HxWxT)	
SS-RH3-01	110 x 54 x 2.5mm	
SS-RH3-02	140 x 60 x 2.5mm	
SS-RH3-03	139 x 70 x 3.0mm	




Stainless Steel Hinge Series 不锈钢铰链系列



SS-SAS 01 美式单弹铰		
MODEL NO.	DIMENSION(HxWxT)	
SAS01-353025	3.5" x 3.0" x 2.5mm	
SAS01-403025	4.0" x 3.0" x 2.5mm	
SAS01-404030	4.0" x 4.0" x 3.0mm	
SAS01-454030	4.5" x 4.0" x 3.0mm	



SS-SAS 02 双弹铰										
MODEL	A	B	C	D	E	F	G	H	I	
SS-SAS-01	3"	51	14	25.5	19	1.5	5	130	93.6	
SS-SAS-02	4"	51	14	25.5	19	1.5	5	130	119.8	
SS-SAS-03	5"	63	14.3	29.5	23	1.5	5	150.6	145	



SS-SAS 04 双弹铰					
MODEL	A	B	E	T	H
SS-SAS-04	4"	53	18	2.5	130

