



**WarmlyYours**

**Radiant Heating Systems**

Experts since 1999

PRODUCT CATALOG 

# Floor Heating Collection



# About WarmlyYours Heating

---

Frequently, we are asked how we chose the name of our company. When we began as an electric radiant heating products business over 25 years ago, we wanted a name that would embody the very essence of our business philosophy – treat our customers well and offer the very best floor-warming systems and services in the industry. And above all else, always deliver on those promises to our customers.

The name WarmlyYours reflects our deep, personal commitment to providing our customers with the exceptional customer service that they deserve. We welcome any questions and relish the opportunity to provide our customers with prompt and friendly assistance. Listening to feedback from thousands of homeowners and installers, we continue to improve on everything we do in our effort to better serve our customers. As a result, we have expanded our portfolio to include other radiant heating products – such as towel warmers and radiant panels – to bring comfort and affordable luxury to all areas of the home.

---

WarmlyYours has locations in the United States, Canada, and Europe. All of our customers recognize our commitment to exceptional service and product quality.

---

**99%** ★★★★★  
*of our customers report complete satisfaction with our service*

---

**97%** ★★★★★  
*of our customers report complete confidence in our product quality*




# Radiantly Yours

---

At WarmlyYours, we are proud to offer a radiant solution for every area of life. From our flagship product, our electric floor heating systems, to our outdoor snow melting and deicing options, our award-winning radiant heating panels and complete electric towel warmer collection, we are confident that you will find every need more than matched by our range of high-quality products.

Each product is designed to install easily and includes 24/7 technical support, saving you time and money. Your dedicated account manager is there to support you with a quotation and custom installation plan within 24 hours, and we'll ship your order the very same day you place it. We promise you that our focus on customer service beats any other company in the industry.

Julia Billen – President & Owner



---

## WarmlyYours Advantage

WarmlyYours, with operations around the world, still strives to focus on the details that have turned the company into the industry leading force that it is today: high-quality products and unparalleled customer service.

Over the years, our product offering has expanded but we have never lost focus on making sure these products are durable and functional enough to maintain our standards.

Similarly, we've expanded our customer service offerings by providing 24/7 technical support, free design services, and our SmartServices for installation, in-field troubleshooting, and more.

---

# Start Out Right...

---

With our trusted experience in producing high-quality, innovative radiant heat products, we not only make comfort attainable, but we make the whole experience easy for you to provide radiant warmth for your clients.

## Expansive Product Portfolio

WarmlyYours has a heating system for nearly every floor-type—from tile to nailed hardwood and everything in-between. Our team of Radiant Experts will make sure that you find the perfect heating system for your project.

[www.warmlyyours.com/floor-heating](http://www.warmlyyours.com/floor-heating)

## Heat Loss Calculator

Can electric floor heating be the primary heat source in your project? Now it's easier than ever to find out the answer with the WarmlyYours Heat Loss Calculator. With just a few details about your project, this free online tool will estimate how much heat is being lost in a room and if electric floor heating can be the primary heat source.

[www.warmlyyours.com/floor-heating/heatloss-calculator](http://www.warmlyyours.com/floor-heating/heatloss-calculator)

## Operating Cost Calculator

Input the size of the area that you would like to heat, along with the cost of the kWh in your state, and we'll tell you how much it will cost to heat the room or area, so that you can easily and accurately provide this information to your client.

[www.warmlyyours.com/floor-heating/cost-calculator](http://www.warmlyyours.com/floor-heating/cost-calculator)

## Same Day Shipping

For US orders shipping via parcel, simply submit your order by these times and we will process your order and have it on its way by the end of the day:

4 PM Central Time for UPS and FedEx

2 PM Central Time for Speedee

12 PM Central Time for USPS

9 AM Central Time for Freight



# Finish Strong...

---

Our No Nonsense™ Warranty is renowned for being an industry best: we will cover not only the cost of labor, but also the cost of the floor itself.

## Industry Leading 24/7 Installation Support

We're here for you. Call us anytime – day or night, weekday or weekend – with any questions or installation challenges. That's our commitment to you and your business. [www.warmlyyours.com/services/troubleshooting](http://www.warmlyyours.com/services/troubleshooting)

## WarmlyYours No Nonsense™ Warranty

WarmlyYours No Nonsense™ Warranty is the most comprehensive warranty in the industry. We guarantee our indoor floor heating elements to be free from defects in material and workmanship for 25 (TempZone™) and 5-10 (Environ™) years from the date of purchase. Because we don't prorate your coverage, you have the same coverage over the entire life of the warranty. Unlike other companies, WarmlyYours will cover the cost of the warming roll AND the floor covering material AND labor in the event of a defect.

[www.warmlyyours.com/contact/warranty-floor-heating](http://www.warmlyyours.com/contact/warranty-floor-heating)

## No Restocking Fees


At WarmlyYours, we do not have restocking fees for any of our products.

## Open Return Policy

Our open return policy is simple—there are no time limits. If we still sell the product and it's in resalable condition, you may return it at any time—even years later.

We know that life doesn't always run according to an ideal schedule, and at WarmlyYours, you come first.

# The WarmlyYours SmartPlan™



## Life is easier when you have a plan.

WarmlyYours has condensed decades of radiant heating experience into our **FREE**, no obligation SmartPlans™. When you're installing a floor heating system, a WarmlyYours SmartPlan™ makes sure your project starts off right and finishes strong.

Every SmartPlan is compiled by a team of skilled engineers and includes the following:

- An itemized product quote so you know the exact pricing for your project
- An electrical plan that tells you exactly what's needed to get your system up and running
- An installation plan that gives detailed information to cut down on time and effort

All you have to do to take advantage of this service is to provide WarmlyYours with a simple floor plan sketch, and you'll receive your SmartPlan™, typically within 24 hours. Anyone can draw a floor plan sketch—it doesn't have to be fancy, it just has to show the room's dimensions and note any permanent fixtures like tubs, cabinets, or air-vents.

You can send your floor plan sketch to WarmlyYours by:

- Drawing or uploading it directly to the WarmlyYours Radiant Floor Heating Quote Builder
- Faxing it to us at (800) 408-1100
- Scanning or taking a photo and emailing the file to us at [info@WarmlyYours.com](mailto:info@WarmlyYours.com)

# The Radiant Floor Heating Quote Builder



WarmlyYours has always been at the forefront of radiant heating technology. We were the first company to develop an online quotation tool for radiant heating products because we had both the expertise and the drive to empower our customers during the buying process.

Our Radiant Floor Heating Quote Builder represents the culmination of decades of experience and know-how that has been condensed into an easy-to-use option for getting free and instant floor heating quotes online.

By simply providing a few project details, you'll be presented with a side-by-side comparison, complete with pricing and product information, of the heating systems that will work with your project.

From there, you can purchase the system directly or get a free SmartPlan™ installation plan by either uploading a project sketch or by using our online Design Tool.

Check it out for yourself by going to [www.warmlyyours.com/quote](http://www.warmlyyours.com/quote)

# The WarmlyYours Design Tool



Our Design Tool is the only one of its kind in the industry. Not everyone is comfortable drawing a floor plan or project sketch but with our tool you can take out the guesswork. In just a few clicks, you can "draw" your project to scale and add a variety of different fixtures and furnishings.

The Design Tool is a part of our Quote Builder. Once you've created your room, you can then save it to your quote in the Quote Builder. From there, you'll be able to build your floor heating system based on your drawing or you can request a custom SmartPlan™ installation plan from our team of skilled engineers.

Then you can also use the "Share this quote" function to generate a unique URL that will allow you to send your project to anyone.

Features of the Design Tool:

- Allows you to create a digital version of your project in real time
- Intuitive menu-based and drag-and-drop controls throughout the tool
- A variety of pre-loaded room shapes are available for you to choose from
- Can be saved to your quote and shared via a generated URL
- A wide range of fixtures and furnishings can be added to your room for extra accuracy



Only available to new and existing professional WarmlyYours customers.

Speak to your account manager for information about ordering along with pro and volume discounts.

# TempZone™ Floor Heating Ruler Cable



The TempZone Floor Heating Ruler Cable is the first electric radiant heating cable to feature easy-to-read hash marks at every half-inch, inch, and foot increment. This innovative design ensures the installer is using the proper amount of cable while they're laying it out for a smooth installation and even heating for the end user.

The TempZone Floor Heating Ruler Cable can be installed in two different ways: with GripStrip™ fixing strips or with an uncoupling membrane like the Prodeso Membrane. The GripStrips are complimentary and are the most economical option for installation. Using an uncoupling membrane provides benefits like speed of installation and crack isolation.

- Comes with easy-to-read hash marks at every half-inch, inch, and foot increment on the cable
- Due to its structure and composition, this cable is extremely flexible and durable
- Can be installed with either GripStrip fixing strips or the Prodeso Membrane
- Installation with the membrane is faster and provides uncoupling benefits
- Installation with fixing strips is more economical and provides more design flexibility
- Can be geo-targeted to your locale during the design process to ensure optimal efficiency and lowest possible operating cost
- The energy efficient twin-conductor cable outputs 3.7-watts per linear foot
- Heat output of between 9 to 15-watts/sq. ft., depending on spacing
- Covered by our unbeatable 25-year No Nonsense™ Warranty
- Wet Location and UL Listed


For Tile, Marble, Stone, or Luxury Vinyl Floors



Floor Sensor Included

TempZone™ Floor Heating Ruler Cable and GripStrips

## SmartPlan™



RCT-120-0040 and RCT-120-0180 shown above


## 120 Volt TempZone™ Floor Heating Ruler Cables

| SKU          | Cable Length in Feet | Coverage in Sq. Ft. |                  |                          |                          | WATTS | AMPS | MSRP  |
|--------------|----------------------|---------------------|------------------|--------------------------|--------------------------|-------|------|-------|
|              |                      | 3" Spacing          | 3.75" Spacing    | 4" Spacing (Recommended) | 5" Spacing               |       |      |       |
|              |                      | GripStrips          | Prodeso Membrane | GripStrips               | Both Strips and Membrane |       |      |       |
| RCT-120-0030 | 30                   | 7.5                 | 9.3              | 9.9                      | 12.5                     | 111   | 1.0  | \$139 |
| RCT-120-0040 | 40                   | 10.0                | 12.5             | 13.3                     | 16.6                     | 148   | 1.3  | \$179 |
| RCT-120-0050 | 50                   | 12.5                | 15.6             | 16.6                     | 20.8                     | 185   | 1.6  | \$199 |
| RCT-120-0070 | 70                   | 17.5                | 21.8             | 23.3                     | 29.1                     | 259   | 2.2  | \$239 |
| RCT-120-0090 | 90                   | 22.5                | 28.1             | 29.9                     | 37.5                     | 333   | 2.8  | \$289 |
| RCT-120-0120 | 120                  | 30.0                | 37.5             | 39.9                     | 50.0                     | 444   | 3.7  | \$339 |
| RCT-120-0150 | 150                  | 37.5                | 46.8             | 49.9                     | 62.5                     | 555   | 4.7  | \$399 |
| RCT-120-0180 | 180                  | 45.0                | 56.2             | 59.9                     | 75.0                     | 666   | 5.6  | \$449 |
| RCT-120-0220 | 220                  | 55.0                | 68.7             | 73.3                     | 91.6                     | 814   | 6.8  | \$509 |
| RCT-120-0260 | 260                  | 65.0                | 81.2             | 86.6                     | 108.3                    | 962   | 8.1  | \$559 |
| RCT-120-0300 | 300                  | 75.0                | 93.7             | 99.9                     | 125.0                    | 1,110 | 9.3  | \$599 |
| RCT-120-0340 | 340                  | 85.0                | 106.2            | 113.3                    | 141.6                    | 1,258 | 10.5 | \$649 |
| RCT-120-0375 | 375                  | 93.7                | 117.1            | 124.9                    | 156.2                    | 1,388 | 11.6 | \$689 |
| RCT-120-0432 | 432                  | 108.0               | 135.0            | 143.9                    | 180.0                    | 1,598 | 13.4 | \$769 |

## 240 Volt TempZone™ Floor Heating Ruler Cables

| SKU          | Cable Length in Feet | Coverage in Sq. Ft. |                  |                          |                          | WATTS | AMPS | MSRP    |
|--------------|----------------------|---------------------|------------------|--------------------------|--------------------------|-------|------|---------|
|              |                      | 3" Spacing          | 3.75" Spacing    | 4" Spacing (Recommended) | 5" Spacing               |       |      |         |
|              |                      | GripStrips          | Prodeso Membrane | GripStrips               | Both Strips and Membrane |       |      |         |
| RCT-240-0055 | 55                   | 13.7                | 17.1             | 18.3                     | 22.9                     | 204   | 0.9  | \$209   |
| RCT-240-0065 | 65                   | 16.2                | 20.3             | 21.6                     | 27.0                     | 241   | 1.1  | \$229   |
| RCT-240-0075 | 75                   | 18.7                | 23.4             | 24.9                     | 31.2                     | 278   | 1.2  | \$249   |
| RCT-240-0095 | 95                   | 23.7                | 29.6             | 31.6                     | 39.5                     | 352   | 1.5  | \$299   |
| RCT-240-0115 | 115                  | 28.7                | 35.9             | 38.3                     | 47.9                     | 426   | 1.8  | \$329   |
| RCT-240-0155 | 155                  | 38.7                | 48.4             | 51.6                     | 64.5                     | 574   | 2.4  | \$409   |
| RCT-240-0195 | 195                  | 48.7                | 60.9             | 64.9                     | 81.2                     | 722   | 3.1  | \$469   |
| RCT-240-0235 | 235                  | 58.7                | 73.4             | 78.3                     | 97.9                     | 870   | 3.7  | \$529   |
| RCT-240-0275 | 275                  | 68.7                | 85.9             | 91.6                     | 114.5                    | 1,018 | 4.3  | \$579   |
| RCT-240-0315 | 315                  | 78.7                | 98.4             | 104.9                    | 131.2                    | 1,166 | 4.9  | \$619   |
| RCT-240-0355 | 355                  | 88.7                | 110.9            | 118.3                    | 147.9                    | 1,314 | 5.5  | \$669   |
| RCT-240-0395 | 395                  | 98.7                | 123.4            | 131.6                    | 164.5                    | 1,462 | 6.1  | \$719   |
| RCT-240-0435 | 435                  | 108.7               | 135.9            | 144.9                    | 181.2                    | 1,610 | 6.8  | \$769   |
| RCT-240-0515 | 515                  | 128.7               | 160.9            | 171.6                    | 214.6                    | 1,906 | 8.0  | \$859   |
| RCT-240-0595 | 595                  | 148.7               | 185.9            | 198.3                    | 247.9                    | 2,202 | 9.2  | \$959   |
| RCT-240-0675 | 675                  | 168.7               | 210.9            | 224.9                    | 281.2                    | 2,498 | 10.5 | \$1,069 |
| RCT-240-0749 | 749                  | 187.2               | 234.0            | 249.6                    | 312.1                    | 2,771 | 11.6 | \$1,149 |
| RCT-240-0864 | 864                  | 216.0               | 270.0            | 287.9                    | 360.0                    | 3,197 | 13.4 | \$1,259 |

# TempZone™ Flex Rolls




TempZone™ Flex Rolls were designed to provide full coverage heating while making installation as easy and straight forward as possible.

These twin-conductor rolls can be installed using the expedient “cut-and-turn” method which is perfect for traditional room shapes.

The evenly spaced, 3” serpentine loop design delivers more heating capacity and faster floor warm-ups than most competitive systems.

At less than 1/8” thick, TempZone™ Flex Rolls install easily under tile, stone, marble or LVT flooring without significantly increasing floor height.

For Tile, Marble, Stone, or  
Luxury Vinyl Floors




Floor Sensor Included



TempZone™ Flex Roll

- Our most popular floor heating product
- Its cut-and-turn installation method is fast and easy
- Provides a heat output of 15-watts per sq. ft.
- Only 1/8” thick, so minimal impact on floor height
- Uses an energy efficient, twin conductor heating cable
- Covered by our unbeatable 25-year No Nonsense™ Warranty
- Wet Location and UL Listed
- Circuit Check available to ensure fault-free installation

## SmartPlan™



TRT120-1.5X18 shown above

## 120 Volt TempZone™ Flex Rolls

| SKU           | DIMENSIONS | SQ. FT. | WATTS | AMPS  | MSRP    |
|---------------|------------|---------|-------|-------|---------|
| TRT120-1.5x04 | 1.5' x 4'  | 6.0     | 90    | 0.80  | \$119   |
| TRT120-1.5x06 | 1.5' x 6'  | 9.0     | 135   | 1.20  | \$169   |
| TRT120-1.5x09 | 1.5' x 9'  | 13.5    | 203   | 1.70  | \$279   |
| TRT120-1.5x12 | 1.5' x 12' | 18.0    | 270   | 2.30  | \$289   |
| TRT120-1.5x15 | 1.5' x 15' | 22.5    | 338   | 2.90  | \$409   |
| TRT120-1.5x18 | 1.5' x 18' | 27.0    | 405   | 3.40  | \$439   |
| TRT120-1.5x21 | 1.5' x 21' | 31.5    | 473   | 4.00  | \$479   |
| TRT120-1.5x24 | 1.5' x 24' | 36.0    | 540   | 4.50  | \$519   |
| TRT120-1.5x27 | 1.5' x 27' | 40.5    | 608   | 5.10  | \$589   |
| TRT120-1.5x30 | 1.5' x 30' | 45.0    | 675   | 5.70  | \$629   |
| TRT120-1.5x33 | 1.5' x 33' | 49.5    | 743   | 6.20  | \$659   |
| TRT120-1.5x38 | 1.5' x 38' | 57.0    | 855   | 7.20  | \$719   |
| TRT120-1.5x43 | 1.5' x 43' | 64.5    | 968   | 8.10  | \$779   |
| TRT120-1.5x48 | 1.5' x 48' | 72.0    | 1,080 | 9.00  | \$869   |
| TRT120-1.5x52 | 1.5' x 52' | 78.0    | 1,170 | 9.80  | \$889   |
| TRT120-1.5x56 | 1.5' x 56' | 84.0    | 1,260 | 10.50 | \$959   |
| TRT120-1.5x60 | 1.5' x 60' | 90.0    | 1,350 | 11.25 | \$1,029 |
| TRT120-1.5x66 | 1.5' x 66' | 99.0    | 1,485 | 12.38 | \$1,129 |
| TRT120-1.5x70 | 1.5' x 70' | 105.0   | 1,575 | 13.13 | \$1,139 |

## 240 Volt TempZone™ Flex Rolls

| SKU           | DIMENSIONS | SQ. FT. | WATTS | AMPS  | MSRP    |
|---------------|------------|---------|-------|-------|---------|
| TRT240-1.5x8  | 1.5' x 8'  | 12.0    | 180   | 0.80  | \$259   |
| TRT240-1.5x14 | 1.5' x 14' | 21.0    | 315   | 1.40  | \$379   |
| TRT240-1.5x17 | 1.5' x 17' | 25.5    | 383   | 1.60  | \$419   |
| TRT240-1.5x22 | 1.5' x 22' | 33.0    | 495   | 2.10  | \$469   |
| TRT240-1.5x29 | 1.5' x 29' | 43.5    | 653   | 2.80  | \$599   |
| TRT240-1.5x36 | 1.5' x 36' | 54.0    | 810   | 3.40  | \$719   |
| TRT240-1.5x42 | 1.5' x 42' | 63.0    | 945   | 4.00  | \$759   |
| TRT240-1.5x46 | 1.5' x 46' | 69.0    | 1,035 | 4.40  | \$829   |
| TRT240-1.5x49 | 1.5' x 49' | 73.5    | 1,103 | 4.60  | \$889   |
| TRT240-1.5x54 | 1.5' x 54' | 81.0    | 1,215 | 5.10  | \$929   |
| TRT240-1.5x57 | 1.5' x 57' | 85.5    | 1,283 | 5.35  | \$979   |
| TRT240-1.5x66 | 1.5' x 66' | 99.0    | 1,485 | 6.20  | \$1,129 |
| TRT240-1.5x76 | 1.5' x 76' | 114.0   | 1,710 | 7.20  | \$1,239 |
| TRT240-3.0x43 | 3.0' x 43' | 129.0   | 1,935 | 8.10  | \$1,399 |
| TRT240-3.0x48 | 3.0' x 48' | 144.0   | 2,160 | 9.00  | \$1,469 |
| TRT240-3.0x52 | 3.0' x 52' | 156.0   | 2,340 | 9.80  | \$1,599 |
| TRT240-3.0x60 | 3.0' x 60' | 180.0   | 2,700 | 11.25 | \$1,839 |
| TRT240-3.0x70 | 3.0' x 70' | 210.0   | 3,150 | 13.13 | \$2,019 |

Pricing subject to change, because life happens.

# Project Showcase

## TempZone™ Flex Roll



### Tudor Kitchen Remodel

📍 Swarthmore, PA



|                         |             |
|-------------------------|-------------|
| Room Type               | Kitchen     |
| Watts                   | 1,690W      |
| Volts                   | 120V        |
| Amps                    | 14A         |
| Size                    | 113 sq. ft. |
| Operating Cost Per Hour | \$0.07      |




### Luxury Laundry Room

📍 Oak Lawn, IL

|                         |            |
|-------------------------|------------|
| Room Type               | Laundry    |
| Watts                   | 608W       |
| Volts                   | 120V       |
| Amps                    | 5A         |
| Size                    | 41 sq. ft. |
| Operating Cost Per Hour | \$0.03     |



# TempZone™ Easy Mats



Twin Conductor


TempZone™ Easy Mats are used to provide targeted “spot heating” in high-traffic areas under tile, stone, marble or LVT flooring.

Heating only the areas you use most helps to cut down on both material and operating costs without sacrificing comfort.

These twin-conductor mats are easy to install as they require no cutting— simply unroll it, attach it onto the subfloor, embed it in adhesive (thinset or self-leveling cement), and finally install the floor covering. Popular locations for TempZone™ Easy Mats are often bathrooms, kitchens, and foyers.

- Excellent option for targeted spot-heating
- Easy set-and-go installation method
- Heat output of 15-watts per sq. ft.
- 1/8” thickness won’t significantly increase floor height
- The heating cable is twin conductor and energy efficient
- Covered by our unbeatable 25-year No Nonsense™ Warranty
- Wet Location and UL Listed
- Circuit Check available to ensure fault-free installation

For Tile, Marble, Stone, or  
Luxury Vinyl Floors




Floor Sensor Included



TempZone™ Easy Mat

## SmartPlan™



TRT120-3x3, TRT120-3x8 and TRT120-3x10 shown above


Spot heating is the use of an electric floor warming mat to only heat a specific area. This targeted heating method is extremely cost effective as it cuts down on installation time, material costs, and recurring operation costs—all while providing a high degree of comfort and luxury for the homeowner.

TempZone™ Easy Mats have been purpose-built for this type of heating and are a great option for rooms where foot traffic will be largely limited to a specific space.

| <b>120 Volt TempZone™ Easy Mat</b> |                   |                |              |             |             |
|------------------------------------|-------------------|----------------|--------------|-------------|-------------|
| <b>SKU - 2' Widths</b>             | <b>DIMENSIONS</b> | <b>SQ. FT.</b> | <b>WATTS</b> | <b>AMPS</b> | <b>MSRP</b> |
| TRT120-2.0x04                      | 2' x 4'           | 8              | 120          | 1           | \$145       |
| TRT120-2.0x06                      | 2' x 6'           | 12             | 180          | 1.5         | \$180       |
| TRT120-2.0x10                      | 2' x 10'          | 20             | 300          | 2.5         | \$270       |
| TRT120-2.0x12                      | 2' x 12'          | 24             | 360          | 3           | \$290       |
| TRT120-2.0x20                      | 2' x 20'          | 40             | 600          | 5           | \$360       |
| TRT120-2.0x24                      | 2' x 24'          | 48             | 720          | 6           | \$385       |
| <b>SKU - 3' Widths</b>             | <b>DIMENSIONS</b> | <b>SQ. FT.</b> | <b>WATTS</b> | <b>AMPS</b> | <b>MSRP</b> |
| TRT120-3.0x02                      | 3' x 2'           | 6              | 90           | 0.75        | \$130       |
| TRT120-3.0x03                      | 3' x 3'           | 9              | 135          | 1.13        | \$155       |
| TRT120-3.0x05                      | 3' x 5'           | 15             | 225          | 1.88        | \$220       |
| TRT120-3.0x06                      | 3' x 6'           | 18             | 270          | 2.25        | \$255       |
| TRT120-3.0x08                      | 3' x 8'           | 24             | 360          | 3.00        | \$290       |
| TRT120-3.0x10                      | 3' x 10'          | 30             | 450          | 3.75        | \$330       |

*Pricing subject to change, because life happens.*

# TempZone™ Floor Heating Cable



TempZone™ Floor Heating Cable brings radiant warmth and comfort to any room.

This free-form cable provides the ultimate in flexibility, making it easy to customize installation for rooms of any size and shape.

The cable can be installed with either Fixing Strips or the Prodeso Cable Installation Membrane. The Fixing Strips are more economical but also more labor intensive while the membrane provides long-lasting uncoupling benefits for tile or stone floors.

- Can be installed with either fixing strips or the Prodeso Membrane
- Installation with the membrane is faster and provides uncoupling benefits
- Installation with fixing strips is more economical and provides more design flexibility
- Can be geo-targeted to your locale during the design process to ensure optimal efficiency and lowest possible operating cost
- The energy efficient cable outputs 3.7-watts per linear foot
- Twin conductor cable with a thickness of 3/16"
- Heat output of between 9 to 15-watts/sq. ft., depending on spacing
- Covered by our unbeatable 25-year No Nonsense™ Warranty
- Wet Location and UL Listed
- Circuit Check available to ensure fault-free installation


For Tile, Marble, Stone, or  
Luxury Vinyl Floors



Floor Sensor Included

TempZone™ Heating Cable

## SmartPlan™



TCT1240-3.7W-235 shown above

## 120 Volt TempZone™ Floor Heating Cables

| SKU             | Cable length in feet | Coverage in Sq. Ft. |                      |                       |                       |                    |                      |                          | WATTS | AMPS | MSRP  |
|-----------------|----------------------|---------------------|----------------------|-----------------------|-----------------------|--------------------|----------------------|--------------------------|-------|------|-------|
|                 |                      | 3" spacing          |                      | 3.5" spacing          | 3.75" spacing         | 4" spacing         |                      | 5" spacing               |       |      |       |
|                 |                      | Fixing Strips Only  | Fixing Strips Needed | Competitor's Membrane | Prodeso Membrane Only | Fixing Strips Only | Fixing Strips Needed | Both Strips and Membrane |       |      |       |
| TCT120-3.7W-030 | 30                   | 7.5                 | 9                    | 8.8                   | 9.3                   | 9.9                | 12                   | 12.5                     | 111   | 1.0  | \$139 |
| TCT120-3.7W-040 | 40                   | 10.0                | 12                   | 11.7                  | 12.5                  | 13.3               | 12                   | 16.6                     | 148   | 1.3  | \$179 |
| TCT120-3.7W-050 | 50                   | 12.5                | 12                   | 14.6                  | 15.6                  | 16.6               | 20                   | 20.8                     | 185   | 1.6  | \$199 |
| TCT120-3.7W-070 | 70                   | 17.5                | 20                   | 20.4                  | 21.8                  | 23.3               | 20                   | 29.1                     | 259   | 2.2  | \$239 |
| TCT120-3.7W-090 | 90                   | 22.5                | 20                   | 26.3                  | 28.1                  | 29.9               | 24                   | 37.5                     | 333   | 2.8  | \$289 |
| TCT120-3.7W-120 | 120                  | 30.0                | 24                   | 35.0                  | 37.5                  | 39.9               | 35                   | 50.0                     | 444   | 3.7  | \$339 |
| TCT120-3.7W-150 | 150                  | 37.5                | 35                   | 43.8                  | 46.8                  | 49.9               | 40                   | 62.5                     | 555   | 4.7  | \$399 |
| TCT120-3.7W-180 | 180                  | 45.0                | 35                   | 52.5                  | 56.2                  | 59.9               | 48                   | 75.0                     | 666   | 5.6  | \$449 |
| TCT120-3.7W-220 | 220                  | 55.0                | 48                   | 64.2                  | 68.7                  | 73.3               | 54                   | 91.6                     | 814   | 6.8  | \$509 |
| TCT120-3.7W-260 | 260                  | 65.0                | 54                   | 75.8                  | 81.2                  | 86.6               | 70                   | 108.3                    | 962   | 8.1  | \$559 |
| TCT120-3.7W-300 | 300                  | 75.0                | 54                   | 87.5                  | 93.7                  | 99.9               | 77                   | 125.0                    | 1,110 | 9.3  | \$599 |
| TCT120-3.7W-340 | 340                  | 85.0                | 70                   | 99.2                  | 106.2                 | 113.3              | 88                   | 141.6                    | 1,258 | 10.5 | \$649 |
| TCT120-3.7W-375 | 375                  | 93.7                | 70                   | 109.4                 | 117.1                 | 124.9              | 96                   | 156.2                    | 1,388 | 11.6 | \$689 |
| TCT120-3.7W-432 | 432                  | 108.0               | 77                   | 126.0                 | 135.0                 | 143.9              | 104                  | 180.0                    | 1,598 | 13.4 | \$769 |

## 240 Volt TempZone™ Floor Heating Cables

| SKU             | Cable length in feet | Coverage in Sq. Ft. |                      |                       |                       |                    |                      |                          | WATTS | AMPS | MSRP    |
|-----------------|----------------------|---------------------|----------------------|-----------------------|-----------------------|--------------------|----------------------|--------------------------|-------|------|---------|
|                 |                      | 3" spacing          |                      | 3.5" spacing          | 3.75" spacing         | 4" spacing         |                      | 5" spacing               |       |      |         |
|                 |                      | Fixing Strips Only  | Fixing Strips Needed | Competitor's Membrane | Prodeso Membrane Only | Fixing Strips Only | Fixing Strips Needed | Both Strips and Membrane |       |      |         |
| TCT240-3.7W-055 | 55                   | 13.7                | 12                   | 16.0                  | 17.1                  | 18.3               | 20                   | 22.9                     | 204   | 0.9  | \$209   |
| TCT240-3.7W-065 | 65                   | 16.2                | 20                   | 19.0                  | 20.3                  | 21.6               | 20                   | 27.0                     | 241   | 1.1  | \$229   |
| TCT240-3.7W-075 | 75                   | 18.7                | 20                   | 21.9                  | 23.4                  | 24.9               | 24                   | 31.2                     | 278   | 1.2  | \$249   |
| TCT240-3.7W-095 | 95                   | 23.7                | 24                   | 27.7                  | 29.6                  | 31.6               | 30                   | 39.5                     | 352   | 1.5  | \$299   |
| TCT240-3.7W-115 | 115                  | 28.7                | 24                   | 33.5                  | 35.9                  | 38.3               | 35                   | 47.9                     | 426   | 1.8  | \$329   |
| TCT240-3.7W-155 | 155                  | 38.7                | 35                   | 45.2                  | 48.4                  | 51.6               | 48                   | 64.5                     | 574   | 2.4  | \$409   |
| TCT240-3.7W-195 | 195                  | 48.7                | 40                   | 56.9                  | 60.9                  | 64.9               | 54                   | 81.2                     | 722   | 3.1  | \$469   |
| TCT240-3.7W-235 | 235                  | 58.7                | 48                   | 68.5                  | 73.4                  | 78.3               | 70                   | 97.9                     | 870   | 3.7  | \$529   |
| TCT240-3.7W-275 | 275                  | 68.7                | 54                   | 80.2                  | 85.9                  | 91.6               | 70                   | 114.5                    | 1,018 | 4.3  | \$579   |
| TCT240-3.7W-315 | 315                  | 78.7                | 70                   | 91.9                  | 98.4                  | 104.9              | 77                   | 131.2                    | 1,166 | 4.9  | \$619   |
| TCT240-3.7W-355 | 355                  | 88.7                | 70                   | 103.5                 | 110.9                 | 118.3              | 88                   | 147.9                    | 1,314 | 5.5  | \$669   |
| TCT240-3.7W-395 | 395                  | 98.7                | 77                   | 115.2                 | 123.4                 | 131.6              | 96                   | 164.5                    | 1,462 | 6.1  | \$719   |
| TCT240-3.7W-435 | 435                  | 108.7               | 77                   | 126.9                 | 135.9                 | 144.9              | 104                  | 181.2                    | 1,610 | 6.8  | \$769   |
| TCT240-3.7W-515 | 515                  | 128.7               | 96                   | 150.2                 | 160.9                 | 171.6              | 126                  | 214.6                    | 1,906 | 8.0  | \$859   |
| TCT240-3.7W-595 | 595                  | 148.7               | 117                  | 173.5                 | 185.9                 | 198.3              | 150                  | 247.9                    | 2,202 | 9.2  | \$959   |
| TCT240-3.7W-675 | 675                  | 168.7               | 126                  | 196.9                 | 210.9                 | 224.9              | 160                  | 281.2                    | 2,498 | 10.5 | \$1,069 |
| TCT240-3.7W-749 | 749                  | 187.2               | 126                  | 218.5                 | 234.0                 | 249.6              | 176                  | 312.1                    | 2,771 | 11.6 | \$1,149 |
| TCT240-3.7W-864 | 864                  | 216.0               | 150                  | 252.0                 | 270.0                 | 287.9              | 198                  | 360.0                    | 3,197 | 13.4 | \$1,259 |



# Project Showcase

## TempZone™ Cable




Heated Nailed Hardwood Floors 📍 Lake Zurich, IL

|                         |             |
|-------------------------|-------------|
| Room Type               | Family Room |
| Watts                   | 3,567W      |
| Volts                   | 240V        |
| Amps                    | 16A         |
| Size                    | 295 sq. ft. |
| Operating Cost Per Hour | \$0.02      |





Media Room 📍 Chicago, IL

|                         |                       |
|-------------------------|-----------------------|
| Room Type               | Recreation/Media Room |
| Watts                   | 6,472W                |
| Volts                   | 240V                  |
| Amps                    | 27A                   |
| Size                    | 432 sq. ft.           |
| Operating Cost Per Hour | \$0.22                |



# Project Showcase


## TempZone™ Cable and Prodeso Coupling Membrane



Family Room


📍 Dearborn, MI

|                         |             |
|-------------------------|-------------|
| Room Type               | Family Room |
| Watts                   | 3,236W      |
| Volts                   | 240V        |
| Amps                    | 13.48A      |
| Size                    | 270 sq. ft. |
| Operating Cost Per Hour | \$0.14      |




Basement with Prodeso Membrane

📍 Westmont, IL



|                         |             |
|-------------------------|-------------|
| Room Type               | Basement    |
| Watts                   | 4,870W      |
| Volts                   | 240V        |
| Amps                    | 20.29A      |
| Size                    | 473 sq. ft. |
| Operating Cost Per Hour | \$0.31      |





The TempZone™ Shower Bench Mats guarantee that the time spent in your shower will be warm and relaxing. The Shower Bench Mats are configured to fit the slim design of shower benches. Each size is smartly designed to cover a standard bench width and length.


| TempZone™ Shower Bench Mats |       |        |         |       |      |       |
|-----------------------------|-------|--------|---------|-------|------|-------|
| SKU                         | WIDTH | LENGTH | SQ. FT. | WATTS | AMPS | MSRP  |
| TRT120-1.0x2.7              | 11.5" | 32"    | 2.6     | 39    | 0.33 | \$99  |
| TRT120-1.3x2.7              | 16.0" | 32"    | 3.6     | 54    | 0.45 | \$129 |

TempZone™ Shower Mats have been exclusively designed to provide warmth for two areas in the shower: the floor and shower bench. TempZone™ Shower Floor Mats ensure that the first step into your shower is a warm and soothing experience. The Shower Floor Mats are engineered to cover traditional shower floor areas with allowance for the shower drain. Each Shower Floor Mat is designed with a wire-free drain for fast and easy installation. Now that's smart.

| TempZone™ Shower Floor Mats |       |        |         |       |      |       |
|-----------------------------|-------|--------|---------|-------|------|-------|
| SKU                         | WIDTH | LENGTH | SQ. FT. | WATTS | AMPS | MSRP  |
| TRT120-2.7x2.7              | 32"   | 32"    | 7.1     | 107   | 0.89 | \$169 |
| TRT120-2.7x5.0              | 32"   | 60"    | 13.3    | 200   | 1.67 | \$279 |
| TRT120-2.7O5.0              | 32"   | 60"    | 13.3    | 200   | 1.67 | \$279 |
| TRT120-4.0x4.0              | 48"   | 48"    | 16.0    | 240   | 2.00 | \$309 |

*Pricing subject to change, because life happens.*

# TempZone™ Custom Mats



Single Conductor

TempZone™ Custom Mats are designed for use under some of the most commonly heated flooring types like tile and marble. These mats are custom built for each project.

Because they are the exact size and shape needed for the room, they provide the easiest level of installation for floor heating systems. They also provide a superior level of heating coverage for rooms that have non-linear design elements like sharp angles or curves.

TempZone™ Custom Mats are constructed so that the heating element is sandwiched between two layers of fabric which lends a degree of additional durability during the installation process.

- Full coverage for any size space, such as bathrooms, kitchens, living rooms or basements
- Easiest installation, no cut and turns required
- Customized, perfect fit for your specific room design
- 12-15 watts per square foot, 1/8" thick
- Circuit Check available to ensure fault-free installation
- ETL Listed

## For Tile, Marble or Stone




Floor Sensor Included




TempZone™ Custom Mat

## SmartPlan™



# TempZone™

## Custom Mats



Single Conductor

---

## How To Order

The TempZone™ Custom Mats are tailored to perfectly fit the exact dimensions of your room. Because these are custom, made-to-order mats, they are not available for direct order online. So we thought we'd provide you with a few steps that we recommend to help you purchase and begin enjoying your floor heating as soon as possible.

---

### Step 1

#### Call a WarmlyYours Sales Representative

The first step is to contact a representative, who will provide expert support throughout the process. Call us today at (800) 875-5285.

---

### Step 2

#### Accurately Measure the Space

To ensure optimal fit for your custom mat, be sure to have accurate measurements of the room you want to heat. If you have any questions about how to measure a room for floor heating, give our Installation Support team a call at (800) 875-5285.

---

### Step 3

#### Get an Installation Plan and Free Quote

Once you have completed your measurements and sent them to your WarmlyYours rep, we'll send those measurements to our skilled engineers, who will create a customized installation SmartPlan™ with a free, no obligation quote for your TempZone™ Custom Mat.


---

### Step 4

#### Place Your Order

After receiving the measurements and SmartPlan™, it's time to place your order. For our custom mats, expect 8 to 10 business days, plus shipping time, for design and production of your mat.

# Environ™ Flex Rolls




WarmlyYours was the first to introduce nonadhesive, foil, electric floor heating to the North American market, and we have over a decade of experience with this advanced design heating technology.

At 12 watts per square foot, the energy-efficient Environ™ systems allow for gradual warming of delicate carpet and floating wood floor coverings.

The Environ™ Flex Rolls are flexible and specifically designed for easy installation under carpet, laminate or floating wood flooring. They can be cut and turned at 90° or 180° to provide thorough wall-to-wall coverage of larger spaces.

For Carpet, Laminate, and  
Floating Hardwood




Floor Sensor Included



Environ™ Flex Roll

- Fast and easy installation with cut-and-turn method
- Ultra-thin construction (1/16") won't impact floor height
- Installs without adhesives which means big cost savings
- Provides a heat output of 12-watts per sq. ft.
- 10-year warranty under laminate or floating hardwood, 5-year under carpet
- UL Listed
- Circuit Check available to ensure fault-free installation

## SmartPlan™



ERT120-1.5X20 and ERT120-1.5X40 shown above

## 120 Volt Environ™ Flex Rolls


| SKU           | WIDTH | LENGTH | SQ. FT. | WATTS | AMPS | MSRP  |
|---------------|-------|--------|---------|-------|------|-------|
| ERT120-1.5x06 | 1'6"  | 6'     | 9.0     | 108   | 0.90 | \$129 |
| ERT120-1.5x08 | 1'6"  | 8'     | 12.0    | 144   | 1.20 | \$159 |
| ERT120-1.5x10 | 1'6"  | 10'    | 15.0    | 180   | 1.50 | \$199 |
| ERT120-1.5x12 | 1'6"  | 12'    | 18.0    | 216   | 1.80 | \$219 |
| ERT120-1.5x14 | 1'6"  | 14'    | 21.0    | 252   | 2.10 | \$259 |
| ERT120-1.5x16 | 1'6"  | 16'    | 24.0    | 288   | 2.40 | \$279 |
| ERT120-1.5x18 | 1'6"  | 18'    | 27.0    | 324   | 2.70 | \$309 |
| ERT120-1.5x20 | 1'6"  | 20'    | 30.0    | 360   | 3.00 | \$349 |
| ERT120-1.5x25 | 1'6"  | 25'    | 37.5    | 450   | 3.75 | \$429 |
| ERT120-1.5x30 | 1'6"  | 30'    | 45.0    | 540   | 4.50 | \$519 |
| ERT120-1.5x35 | 1'6"  | 35'    | 52.5    | 630   | 5.25 | \$569 |
| ERT120-1.5x40 | 1'6"  | 40'    | 60.0    | 720   | 6.00 | \$649 |
| ERT120-1.5x45 | 1'6"  | 45'    | 67.5    | 810   | 6.75 | \$729 |

## 240 Volt Environ™ Flex Rolls

| SKU           | WIDTH | LENGTH | SQ. FT. | WATTS | AMPS | MSRP    |
|---------------|-------|--------|---------|-------|------|---------|
| ERT240-1.5x06 | 1'6"  | 6'     | 9.0     | 108   | 0.45 | \$129   |
| ERT240-1.5x08 | 1'6"  | 8'     | 12.0    | 144   | 0.60 | \$159   |
| ERT240-1.5x10 | 1'6"  | 10'    | 15.0    | 180   | 0.75 | \$199   |
| ERT240-1.5x14 | 1'6"  | 14'    | 21.0    | 252   | 1.05 | \$259   |
| ERT240-1.5x20 | 1'6"  | 20'    | 30.0    | 360   | 1.50 | \$349   |
| ERT240-1.5x25 | 1'6"  | 25'    | 37.5    | 450   | 1.88 | \$429   |
| ERT240-1.5x30 | 1'6"  | 30'    | 45.0    | 540   | 2.25 | \$519   |
| ERT240-1.5x35 | 1'6"  | 35'    | 52.5    | 630   | 2.63 | \$569   |
| ERT240-1.5x40 | 1'6"  | 40'    | 60.0    | 720   | 3.00 | \$649   |
| ERT240-1.5x45 | 1'6"  | 45'    | 67.5    | 810   | 3.38 | \$729   |
| ERT240-1.5x50 | 1'6"  | 50'    | 75.0    | 900   | 3.75 | \$769   |
| ERT240-1.5x60 | 1'6"  | 60'    | 90.0    | 1,080 | 4.50 | \$919   |
| ERT240-1.5x70 | 1'6"  | 70'    | 105.0   | 1,260 | 5.25 | \$1,009 |
| ERT240-1.5x80 | 1'6"  | 80'    | 120.0   | 1,440 | 6.00 | \$1,159 |
| ERT240-1.5x90 | 1'6"  | 90'    | 135.0   | 1,620 | 6.75 | \$1,299 |

Pricing subject to change, because life happens.

# Environ™ Easy Mats



Environ™ Easy Mats can simply be installed “as is”. No cutting or adhesives are required which saves in time and cost. They are available in a wide variety of rectangular sizes.

These are a great option for targeted heating of high traffic areas and are often installed in bedrooms and living rooms.

The wafer thin mat installs directly between an underlayment pad and floor covering to heat the floor and provide even, comfortable warmth. Environ™ Easy Mats are often installed under carpet, laminate, or floating wood floors.

- Great for targeted spot-heating of high traffic areas
- Adhesive-less installation translates to less cost
- Minimal impact on floor height due to thin construction (1/16”)
- Heat output of 12-watts per sq. ft.
- 10-year warranty under laminate or floating hardwood, 5-year under carpet
- UL Listed
- Circuit Check available to ensure fault-free installation

## For Carpet, Laminate, and Floating Hardwood




Floor Sensor Included



Environ™ Easy Mat

## SmartPlan™



510-10-120-A shown above

## 120 Volt Environ™ Easy Mats

| SKU           | DIMENSIONS | SQ. FT. | WATTS | AMPS | MSRP  |
|---------------|------------|---------|-------|------|-------|
| ERT120-3.0x05 | 3' x 5'    | 15      | 180   | 1.50 | \$199 |
| ERT120-3.0x08 | 3' x 8'    | 24      | 288   | 2.40 | \$289 |
| ERT120-3.0x10 | 3' x 10'   | 30      | 360   | 3.00 | \$359 |

*Pricing subject to change, because life happens.*



# Project Showcase

## Environ™ Flex Roll


Bedroom w/ Engineered Floors 📍 Lake Zurich, IL



|                         |             |
|-------------------------|-------------|
| Room Type               | Family Room |
| Watts                   | 2,520W      |
| Volts                   | 240V        |
| Amps                    | 10.5A       |
| Size                    | 252 sq. ft. |
| Operating Cost Per Hour | \$0.11      |



# Slab Heating Mats



Twin Conductor


Slab Heating Mats offer yet another opportunity to enjoy radiant heat in a basement, garage, sunroom addition, or in any new-pour finished concrete floor.

Our Slab Heating Mats warm naturally cold concrete efficiently and economically from within the slab itself. They are installed using the “cut-and-turn” method to achieve even heating.

Our Slab Heating Mats come in a range of sizes, so you’re sure to find the perfect fit for your project. And WarmlyYours engineers will design your Slab Heating system complete with recommended controls.

- These mats can be cut-and-turned for easy installation
- Embeds directly within a slab to radiate heat to the surface
- High heat output of nearly 20-watts per sq. ft.
- Consists of a 1/4” thick cable attached to a plastic mesh
- Covered by a 10-year warranty
- cCSAus Listed
- Circuit Check available to ensure fault-free installation

For Polished, Stamped or Stained Concrete




Floor Sensor Included



Slab Heating Mat

SmartPlan™



WHSM-240-03040 shown above

## 120 Volt Slab Heating Mats


| SKU            | DIMENSIONS | SQ. FT. | WATTS | AMPS  | MSRP  |
|----------------|------------|---------|-------|-------|-------|
| WSHM-120-15011 | 1'6" x 11" | 16.5    | 330   | 2.75  | \$289 |
| WSHM-120-15016 | 1'6" x 16" | 24.0    | 480   | 4.00  | \$300 |
| WSHM-120-15022 | 1'6" x 22" | 33.0    | 660   | 5.50  | \$439 |
| WSHM-120-15040 | 1'6" x 40" | 60.0    | 1200  | 10.00 | \$580 |
| WSHM-120-03021 | 3' x 21"   | 63.0    | 1260  | 10.50 | \$600 |
| WSHM-120-03017 | 3' x 17"   | 51.0    | 1020  | 8.50  | \$619 |
| WSHM-120-15036 | 1'6" x 36" | 54.0    | 1080  | 9.00  | \$639 |
| WSHM-120-03029 | 3' x 29"   | 87.0    | 1740  | 14.50 | \$760 |
| WSHM-120-03025 | 3' x 25"   | 75.0    | 1500  | 12.50 | \$819 |
| WSHM-120-15056 | 1'6" x 56" | 84.0    | 1680  | 14.00 | \$899 |

## 240 Volt Slab Heating Mats

| SKU            | DIMENSIONS | SQ. FT. | WATTS | AMPS  | MSRP    |
|----------------|------------|---------|-------|-------|---------|
| WSHM-240-15064 | 1'6" x 64" | 96.0    | 1920  | 8.00  | \$949   |
| WSHM-240-03040 | 3' x 40"   | 120.0   | 2400  | 10.00 | \$1,139 |
| WSHM-240-15095 | 1'6" x 95" | 142.5   | 2850  | 11.88 | \$1,259 |
| WSHM-240-03056 | 3' x 56"   | 168.0   | 3360  | 14.00 | \$1,379 |

*Pricing subject to change, because life happens.*

# Slab Heating Cable



Twin Conductor


Electric Slab Heating Cables are an economical alternative to our Slab Heating Mats for installing in a new-pour concrete slab for heating basements, garages, or any finished concrete floor.

They can be installed with the cable spaced at different intervals (3", 4", and 5"), which will change the wattage per square foot, depending on your floor warming needs.

Our cable product is priced lower than our mats but it does require more labor. Another benefit of Slab Heating Cables is that they can be used for maximum design flexibility to heat a variety of room shapes and sizes.

- Economical alternative to Slab Heating Mats
- Great for rounded or curved projects
- Delivers between 15 and 20-watts per sq. ft. depending on spacing
- 1/4" thick cables can be embedded in a slab to radiate heat to the surface
- Covered by a 10-year warranty
- cCSAus Listed
- Circuit Check available to ensure fault-free installation

For Polished, Stamped or Stained Concrete




Floor Sensor Included



Slab Heating Cable

SmartPlan™



WSHC-120-00112 shown above

The amount of cable you'll need depends on the heat output and amount of heating coverage you want, both of which are impacted by the spacing of the heating cable.

The recommended spacing for Slab Heating Cables is 3", which will provide a heat output of over 20-watts per sq. ft.

You can submit a drawing of your project (with dimensions) and we'll provide you with a free installation plan with the exact amount of cable you'll need.

| <b>120 Volt Slab Heating Cables</b> |                     |              |             |             |
|-------------------------------------|---------------------|--------------|-------------|-------------|
| <b>SKU</b>                          | <b>CABLE LENGTH</b> | <b>WATTS</b> | <b>AMPS</b> | <b>MSRP</b> |
| WSHC-120-00057                      | 57'                 | 330          | 2.75        | \$269       |
| WSHC-120-00082                      | 82'                 | 480          | 4.00        | \$285       |
| WSHC-120-00112                      | 112'                | 660          | 5.50        | \$419       |
| WSHC-120-00182                      | 182'                | 1080         | 9.00        | \$515       |
| WSHC-120-00202                      | 202'                | 1200         | 10.00       | \$585       |
| WSHC-120-00172                      | 172'                | 1020         | 8.50        | \$599       |
| WSHC-120-00292                      | 292'                | 1740         | 14.50       | \$710       |
| WSHC-120-00252                      | 252'                | 1500         | 12.50       | \$799       |

| <b>240 Volt Slab Heating Cables</b> |                     |              |             |             |
|-------------------------------------|---------------------|--------------|-------------|-------------|
| <b>SKU</b>                          | <b>CABLE LENGTH</b> | <b>WATTS</b> | <b>AMPS</b> | <b>MSRP</b> |
| WSHC-240-00323                      | 323'                | 1920         | 8           | \$899       |
| WSHC-240-00402                      | 402'                | 2400         | 10          | \$959       |
| WSHC-240-00483                      | 483'                | 2880         | 12          | \$1,249     |
| WSHC-240-00563                      | 563'                | 3360         | 14          | \$1,309     |

*Pricing subject to change, because life happens.*


# Project Showcase

## Slab Heat Mats



New Construction In-Slab Floor Heating 📍 Orangeville, ON

|                         |             |
|-------------------------|-------------|
| Room Type               | Living Room |
| Watts                   | 9W          |
| Volts                   | 120V        |
| Amps                    | 80A         |
| Size                    | 509 sq. ft. |
| Operating Cost Per Hour | \$0.63      |



# Smart Controls for Floor Heating

## nJoy WiFi LED Touch Programmable Thermostat

The nJoy WiFi LED Touch Thermostat combines modern design with smart control for electric floor heating or radiant panels.

Manage your heating remotely via WiFi, voice control with Google Assistant or Alexa, or through the intuitive LED touchscreen.

Offers 10 customizable schedules, energy tracking, vacation mode, and Bluetooth setup, plus TLS 1.3 encryption and over-the-air updates for security and convenience.



- **Remote Control:** WiFi capabilities enable you to manage your thermostat via your smart device.
- **Voice Integration:** Compatible with Google Assistant and Amazon Alexa for voice-activated control.
- **Remote Support:** Facilitates diagnostics and firmware updates from a distance.
- **Customizable Scheduling:** Utilize the free app to program up to 10 different schedules and set overrides like vacation mode.
- **Energy Efficiency:** The included floor sensor enables the system to cycle on and off, continuously adjusting to conserve energy.
- **Safety Features:** Equipped with built-in GFCI, Child-Lock, and cULus certification for enhanced safety.
- **Warranty and Support:** Includes a 3-year limited warranty and lifetime 24/7 technical support.

# Smart Controls for Floor Heating

## nTrust 2.0 Touch Nonprogrammable Thermostat

The nTrust 2.0 Nonprogrammable Thermostat offers effortless radiant heating control with a sleek design, bright LED display, and capacitive touch controls.

Just set your temperature—no programming needed—for consistent warmth. Ideal for high-traffic areas, it features a versatile sensorless mode for easy heating regulation.

Quick to install with a user-friendly startup wizard, it's compatible with 120V and 240V systems and includes a built-in self-testing GFCI and 10k ohm floor sensor for safety and precision.



**\$159**

UTN5-4999


- **Sleek, Modern Design:** Features an LED display and capacitive touch interface for intuitive temperature adjustments.
- **User-Friendly Operation:** No programming required—simply set your desired temperature for consistent warmth and comfort.
- **Versatile Compatibility:** Compatible with both 120V and 240V electric floor heating systems and radiant panel heaters.
- **Included Floor Sensor:** Comes with a 10k ohm floor sensor to monitor and maintain optimal floor temperatures.
- **Safety Assured:** cULus listed with a built-in GFCI for peace of mind.
- **Warranty and Support:** Includes a 3-year limited warranty and lifetime 24/7 technical support.

# Smart Controls for Floor Heating

## nJoin 2.0 Power Module

For larger heating projects, a single thermostat may not be enough. The nJoin 2.0 power module increases electrical output in 15-amp increments per module, allowing a single thermostat to control additional areas or large rooms like basements.

Featuring a sleek design update, the dual-color LED indicator provides clear status monitoring for easy troubleshooting.



**\$149**

*USG5-4000*

- **Great for Large Projects:** This device helps your main radiant heating thermostat handle larger projects.
- **Sleek and Modern Design:** This updated power module represents the fusion of form and function.
- **Extensive Compatibility:** Works with current (nJoy and nTrust 2.0) and previous (nSpire Touch WiFi, nSpire Touch, nTrust and nHance) thermostats.
- **Two Connectors with Screw Terminals:** These help make final connections in the field easier and safer.
- **Safety Assured:** cULus listed with a built-in GFCI for peace of mind.
- **Warranty Info:** This product is covered by a limited 3-year warranty and lifetime 24/7 technical support.

# Prodeso Cable Installation Underlayment

The Prodeso Cable Installation Membrane is an uncoupling membrane that is designed to be used with both TempZone™ Floor Heating Cables and TempZone™ Floor Heating Ruler Cables. The unique design of the membrane allows for greatly accelerated installations of radiant floor heating—in fact, most floor heating installs with this membrane can be completed in a single day.

The polypropylene membrane features integrated channels that are shaped to easily and securely hold the 3.7-watt TempZone™ heating cables. This makes it easy to maintain proper spacing throughout an entire project. The Prodeso membrane also provides uncoupling and crack isolation benefits, which can greatly extend the life of tile, marble, and stone floors.

With the use of ProBand accessories, the membrane can also be waterproofed for high-moisture applications like kitchens or bathrooms. The low 7/32" profile of this membrane means its installation won't significantly increase overall floor height.

- Installed directly over the entire subfloor as an uncoupling, crack isolating membrane
- Limited 10-year warranty



TC-MEM-BL-BND-0624



TC-MEM-BL-CNR-IN



TC-MEM-BL-CNR-OUT

For Tile, Marble or Stone



Prodeso Underlayment Membrane

## Prodeso Cable Installation Membrane

| SKU               | SIZE               | SQ. FT. | MSRP  |
|-------------------|--------------------|---------|-------|
| TC-MEM-BL-SH39X39 | 3' 3.4" x 3' 3.4"  | 10.78   | \$59  |
| TC-MEM-BL-054     | 3' 3.4" x 16' 4.9" | 53.87   | \$209 |
| TC-MEM-BL-162     | 3' 3.4" x 49' 2.6" | 161.59  | \$509 |

## Prodeso ProBand Accessories

| SKU                | SIZE          | MSRP |
|--------------------|---------------|------|
| TC-MEM-BL-BND-0624 | 6" x 24' Roll | \$79 |
| TC-MEM-BL-CNR-IN   | 6" x 6"       | \$20 |
| TC-MEM-BL-CNR-OUT  | 6" x 6"       | \$20 |

# ThermalSheet

## Insulating Underlayment


ThermalSheet is a synthetic cork underlayment that is installed on top of a subfloor and below a heating element. It is recommended when installing an electric floor heating system over a concrete slab to prevent heat loss.

By creating a thermal break, the heat is prevented from sinking into the concrete, and more heat radiates into the floor covering and room. In addition to preventing unnecessary heat loss, ThermalSheet provides sound dampening benefits and double the crack isolation benefits when compared to cork.

ThermalSheet is a synthetic cork underlayment system that is specifically designed for setting tile and stone and is an excellent insulation choice under our TempZone™ and Environ™ electric radiant floor-heating products. ThermalSheet is a very resilient underlayment with compressive strength of 41 psi at 25% strain, 54 psi at 50% strain, and 110 psi at 75% strain.

- Recommended when installing your floor heating system over a concrete slab
- Can be set under tile and stone, over any acceptable sub floor
- Up to 25 times lighter than 1/4" backer board
- Heat and cold resistant, and will not rot, support mold and mildew, or absorb moisture
- Stable and durable, remaining unchanged after repeated impact loads
- Limited 5-year warranty

For Tile, Marble or Stone



*ThermalSheet Insulating Underlayment*

### ThermalSheet Insulating Underlayment

| SKU            | SIZE              | SQ. FT. | MSRP |
|----------------|-------------------|---------|------|
| TS-SH6MM-24x36 | One 2' x 3' Sheet | 6       | \$24 |

# Accessories

## Electrical Rough-In Kits

Whether you're a homeowner or trade professional, it's vital to have the right tools for your radiant heating project. To provide this peace of mind, WarmlyYours has developed our Electrical Rough-In Kits that cover any local electrical code. These kits include everything you need to safely and correctly install a thermostat.

Our kits are available with either single-gang or double-gang boxes.



FHE-ROUGH-IN-KIT-S3

### Electrical Rough-in Kit with 2 Conduits

**\$59**

This is a great option for areas where the local code requires a separate conduit for low-voltage wires. With everything an electrician will need to install and connect a thermostat in accordance with this type of electrical code, this kit has you covered.

#### Included Items

- 3" X 2" X 3 1/2" Single-Gang Box
- 5" Cable Protector
- (2) 1/2" x 6' Flexible Metal Conduit
- (4) 1/2" Flexible Metal Conduit Anti-short Bushing
- (2) 1/2" Set Screw Connector
- (2) 1/2" EMT Drive Strap
- 3/8" x 4" Black Flex Tube



FHE-ROUGH-IN-KIT-S2

### Electrical Rough-in Kit with Conduit

**\$49**

Getting the job done correctly has never been easier with this complete electrical kit. It contains everything an electrician needs to install and connect a thermostat with an electric radiant heating system in accordance with National Electric Code.

#### Included Items

- 3" X 2" X 3 1/2" Single-Gang Box
- (25) 3/16" or 5mm low-volt staples
- 5" Cable Protector
- 1/2" x 6' Flexible Metal Conduit
- 1/2" Flexible Metal Conduit Anti-short Bushing
- 1/2" Set Screw Connector
- 1/2" EMT Drive Strap
- 3/8" x 4" Black Flex Tube



FHE-ROUGH-IN-KIT-S1

### Electrical Rough-in Kit without Conduit

**\$29**

This kit was developed for projects in which the local electrical code does not require conduit for the low-voltage sensor wire or the power leads. It includes everything an electrician will need for installing and connecting a thermostat.

#### Included Items

- 3" x 2" x 3 1/2" Single-Gang Box
- (25) 3/16" or 5mm low-volt staples
- 5" Cable Protector
- 3/8" x 4" Black Flex Tube

# Merchandising Materials

WarmlyYours offers merchandising materials for our radiant heating products. We've featured some of our most popular items in this section. See our entire line of merchandising materials online at [www.WarmlyYours.com](http://www.WarmlyYours.com).



## Showroom In-floor Display Package

- The first 15 sq. ft. of floor heating of your choice is FREE (any additional square footage is available at 50% off)
- For under tile or stone flooring, choose from TempZone™ Flex Rolls, Easy Mats, Cables
- For under carpet, laminate, or floating wood flooring, choose from Environ™ Flex Rolls or Easy Mats
- Includes a programmable thermostat and Circuit Check
- Includes ThermalSheet underlayment



## Heated Tabletop Display

12" W x 16" H x 10 1/2" D heated tabletop display plugs into 120V outlet, with two take-one cups



### Take-One Brochure

8" x 4" tri-fold take-one brochures



### Sample Cards

Product sample cards with dealer imprint area on back. (4.5" x 4.5")



### Underlayment Sample

Our ThermalSheet insulating underlayment increases energy efficiency and will not rot, absorb moisture, or support mold or mildew



### TempZone™ Floor Heating Cable & Prodeso Sample

Product sample (5" x 6", 1 sample)



Be Connected.  
Be Warm. Be Radiant.

WarmlyYours HQ   
590 Telser Road,  
Lake Zurich, IL 60047

WarmlyYours   
300 Granton Drive, Unit 4A  
Richmond Hill, ON L4B1H7

WarmlyYours   
Blaak 520 3011 TA  
Rotterdam, Netherlands

800-875-5285  
www.WarmlyYours.com

Connect with Us



Industry leading 24/7 installation and technical support.  
Our experts can answer any technical questions on  
any product we offer, 24/7.



Scan here to learn  
more about Electric  
Floor Heating.

Ask us about our  
Outdoor Heating, Towel Warmer  
and Radiant Heating Panel Catalogs

Pricing subject to change without notification.